







manufacture distribute retail

decorative hardware handles & knobs kitchen cabinet organisers aluminuim doors & frames legs & couch feet castors drawer organisers mouldings spice grinders wooden furniture bathroom furniture shelving solutions lighting solutions steel desking solutions kitchen turnings

1977 IT started with Raiël manufacturing wooden furniture.

- 1984 **PRODUCTION** of handles started after identifying the need for locally produced quality products.
- 1985 WOODEN mouldings was introduced to compliment his evolving & successful handle range, which followed by manufacturing components for the furniture, trade & promotional industry.
- 1995 **ALUMI** was established, after the trends and demand grew for locally manufactured aluminium & "SSS" handles & knobs. An anodising division was also put in place and an electroplating plant followed.
- 2005 JACK DOORS was established starting production of aluminium kitchen profile doors, bedroom sliding doors followed soon after.
- 2014 RAIËL STEEL was establised due to the demande for locally manufactured steel framed office desking & accessories, as well as custom made to order products.
- 2020 RAIËL SEATING was established to offer complete upholstered products, exclusively to our customers.

RAIËL HOUSE BRANDS:















Raiël Branches

Raiël Agent Raiël Distributors

Pdoku

WHAT WE DO, WHERE WE ARE

Our Core business is production, import and distribution of decorative hardware, office furniture and related hardware, handles, mouldings, and other related products to the building industry and do-it-yourself kits to the private sector of South Africa.

The Group has 5 manufacturing plants based in Malmesbury, Western Cape province, South Africa. 6 showrooms, various agents and distributors throughout Southern Africa



0

Gabarone

PRODUCTION

DISTRIBUTION

IMPORT

Proud Distributors and stockists of the following brands:
























OUR PLANTS, OUR PRIDE







Manufactures wooden handles & knobs, mouldings, furniture components, as well as made to order furniture (MTO).







Manufactures Steel desking & accessories for the office and kitchen industry. All powder coating is done at the factory.







Manufactures, Aluminium and stainless steel handles & knobs, specialized components & Postform Joiners all in various anodizing, powder coated and electroplated finishes.







Named after one of Raiël's beloved dogs, JACK, Jack Doors manufactures Aluminium Profile kitchen and bedroom sliding doors, as well as a range of LED mirrors and components.







Is a division of Raiel Wood, which exclusively offers complete upholstered furniture, in various fabrics and leather, for our customers.

The INTERNATIONAL SOURCING DEPARTMENT is responsible for the identification, testing & procurement of complimentary products. The SALES AND MARKETING DEPARTMENT does marketing & sales to the furniture, kitchen and office manufacturers, wholesalers, independant and group retailers. This department is responsible for the full customer experience related to branding, orders, and quality assurance and are serviced from 6 national distribution channels.

HANDLES & KNOBS



page 02 - 36 / 38 - 45

WOODEN MOULDINGS



TALIANA



page 99 - 105

CRÉMONE BOLTS



CASTORS, COUCH FEET & LEGS



page 59 - 64



GRIPS



page 46 - 48

CABINET ORGANISERS





page 65 - 85

DRAWER ORG.

BINS, BASKETS &

page 49 - 52



page 86 - 95

CONDOLA PROFILES FRONT DOOR &ACCESSORIES HANDLES SS HANDLES SSS & MB



page 53

BAR CONSOLS



page 96 - 98

FIXING HARDWARE & FASTNERS



page 106 - 108

SHELF SUPPORTS



page 109 - 115

HEAVY DUTY & CABINET HANGERS CABINET BRACKETS



page 116

FIXING HARDWARE



page 117 - 121

SHELF SUPPORTS



page 122 - 126



page 126 - 132

LED MIRRORS & LIGHTING SOLUTIONS FRANKE - SINKS

page 133 - 138

ALUMINIUM DOOR PROFILES



page 139 - 140

HINGES ferrari CLOVER

ALUROL SHUTTER SYSTEMS



page 141 - 142

SLIDING DOOR SYSTEMS



page 143 - 155

ROLLER DOOR SYSTEMS



BARN DOOR HARDWARE page 151

SALICE



OPENING SYSTEMS page 156 - 162



SLIDE ON - CLIP ON PUSH OPEN & SOFT CLOSING page 163 - 170

DRAWER RUNNERS AND SLIDES



page 171 - 174

UTA - DOUBLE WALL POSTFORM & SLIM WALL



page 175 - 180

JOINERS



page 181 - 183

CABINETRY HARDWARE



page 184 - 186 / 189 - 194 silicones & fillers page 211

BASE ADJUSTERS & ACCESSORIES



page 187 - 188

OFFICE HARDWARE & ACCESSORIES



page 195 - 210



RIH1661 RIH1662 SIZE +----+ 64 M M 128MM 224MM RIH1663



ITEM 195 MATERIAL SIZE Ø

BEETLE KNOB 38/26MM | RIH1664



ITEM 788 MATERIAL SIZE +----+ BARRETT HANDLE

ALUMINIUM

| RAH007 160MM 320MM RAH009





ITEM 928 MATERIAL SIZE +-----

JOFFREY HANDLE

ALUMINIUM

160MM RAH080

256MM RAH082 | RAH084 384MM RAH083

608MM RAH086 1084MM RAH087







ITEM 1018 MATERIAL SIZE +----+ | GALANDO HANDLE

ALUMINIUM

128MM RAH099 192MM RAH100 256MM RAH101

384MM RAH102

ITEM 1019 MATERIAL SIZE

GALANDO KNOB

ALUMINIUM 32 X 32MM | RAK058





105 polished nickel

ITEM 982 MATERIAL SIZE +----+ | CAROLINE HANDLE

ZINC

128MM RAH090 192MM RAH091 320MM | RAH126

ITEM 993 MATERIAL CAROLINE KNOB

ZINC

SIZE 60 M M











ITEM 901 ATLANTA HANDLE MATERIAL

ALUMINIUM

RAH037 | RAH036 SIZE +----+ | 160 M M

256MM RAH038 384MM | RAH039

ITEM 902 | ATLANTA KNOB

SIZE Ø | RAK056 | RAK057 | 45MM







ITEM 1003 MATERIAL SIZE +----+

ALUMINIUM

RAH092 | RAH124 128MM 192MM RAH093 | RAH128 | RAH127

320 M M RAH094 608MM RAH095 1084MM RAH129







ITEM 1014 MATERIAL SIZE +----+ |

KAMMANO HANDLE

ALUMINIUM 160 M M RAH096

256MM RAH097 384MM | RAH021

ITEM 1017 MATERIAL SIZE

KAMMANO KNOB ALUMINIUM

30 X 30MM | RAK059











| ENZO HANDLE ITEM 913

MATERIAL ALUMINIUM SIZE +----- 96MM

| RAH050 | RAH048 | RAH049 RAH051 RAH052 | RAH053 | RAH054 160MM 256MM RAH055 RAH056 | RAH057 | RAH058 320MM | RAH059 RAH060 | RAH061 | RAH062









101 natural anodised



ZION HANDLE

ALUMINIUM 96MM

RAH066 RAH068 160 M M 256MM RAH072





ITEM 645 MATERIAL SIZE +----+

BOHDAN HANDLE

ZINC

128/160MM | RIH2198 | 288/320MM | RIH2199





ITEM 837 MATERIAL SIZE +----+ | ANGELO HANDLE

ALUMINIUM

192MM 320 M M

RAH016 | RAH018



103 brushed nickel

ITEM 839 MATERIAL SIZE +----+ 192MM

ANGELINE C HANDLE

ALUMINIUM

320MM

| RAH020 RAH022



103 brushed nickel

ITEM 632 MATERIAL

AVA HANDLE

ZINC

SIZE +----+ 160MM

| RIH2184



103 brushed nickel

ITEM 499

ITEM 497

| LARGE FAT RING HANDLE WITH LARGE BACKPLATE

MATERIAL ZINC

SIZE Ø | 58MM

| RAK047

MATERIAL ZINC

SIZE Ø

LARGE THIN RING HANDLE WITH LARGE BACKPLATE

55MM



105 polished nickel

ITEM 868 MATERIAL FALCON HANDLE

ALUMINIUM

SIZE +----+ | 128MM 192MM 320MM

RAH030 | RAH033 RAH032 RAH031 RAH035 RAH034





103 brushed nickel

105 polished nickel

ITEM 795 MATERIAL 8MM D-HANDLE

ALUMINIUM

SIZE +----- 192MM | RAH014



103 brushed nickel





ITEM 892 | **HENDRIX SQUARE KNOB**MATERIAL | ALUMINIUM
SIZE Ø | 34,5MM | RAK007





ITEM 893

HENDRIX ROUND KNOB

MATERIAL | ALUMINIUM SIZE Ø | 34,5MM | RAK008 | RAK009



105 polished nickel























ITEM 1904 | ROCCO KNOB

MATERIAL | ALUMINIUM SIZE Ø | 34,5MM | RAK005 | RAK004 | RAK006







105 polished nickel

205 antique iron



ITEM 894 MATERIAL | ALUMINIUM

| BEATRIX KNOB

SIZE Ø | 35,5MM | RAK012 | RAK011



103 brushed nickel







ITEM 877 | **GEZELLA KNOB**MATERIAL | ALUMINIUM

SIZE Ø | 32MM

| RAK002 | RAK001 | RAK003



103 brushed nickel



105 polished nickel







ITEM 896 | **CHARLOTTE KNOB** MATERIAL | ALUMINIUM

SIZE Ø 32MM

| RAK019 | RAK018



103 brushed nickel







ITEM 891 | BELLA KNOB
MATERIAL | ALUMINIUM
SIZE Ø | 32 X 35MM | RAK046



105 polished nickel







SIZE Ø

ITEM 1008 | ASHLEIGH SMALL KNOB

MATERIAL | ALUMINIUM AND WOOD

32.5MM | RAK037 | RAK039 | RAK038 | RAK053 | RAK052 | RWK021



101 natural anodised



105 polished nickel



















ITEM 1012 | ASHLEIGH LARGE KNOB

MATERIAL | ALUMINIUM AND WOOD SIZE Ø | 48.5MM | RAK040 | RAK041 | RAK055 | RAK054 | RWK022



101 natural anodised



105 polished nickel 1004 matt black



110 polished copper



401 oak











ITEM 1998 | SESTINA BAR HANDLE 13MM

MATERIAL | ALUMINIUM

SIZE +-----+ 192/252 | RAH1081 | RAH1082 | RAH1083



ITEM 1999 | SESTINA CUP HANDLE MATERIAL | ZINC

SIZE •----• | 64MM

| RAH1087



207 matt brass

ITEM 2000 | SESTINA BAR KNOB 13MM

MATERIAL | ALUMINIUM

13MM SIZE Ø



| RAK310 | RAK311 | RAH312



103 brushed nickel

207 matt brass

204 antique silver

ITEM 2001 | SESTINA T-BAR HANDLE MATERIAL | ALUMINIUM

SIZE +----+ 60MM | RAH1088 | RAH1089 | RAH1090











ITEM 2002 HEX KNOB 40MM MATERIAL SIZE Ø | RAK313 | RAK314 | RAK315 | RAK316 40MM 103 brushed nickel 207 matt brass 204 antique silver ITEM 2003 | SPHERE HANDLE 160-32.5MM MATERIAL | STEEL SIZE +----+ 160MM | RAH1091| RAH1092 103 1004 matt black brushed nickel ITEM 2004 | SPHERE KNOB 32.5MM MATERIAL ALUMINIUM SIZE Ø 32.5MM | RAK317 | RAK318 | RAK319 101 natural anodised 103 brushed nickel ITEM 2005 | ORB HANDLE 65-35MM MATERIAL ZINC SIZE +-----+ 16MM | RAH1093 | RAH1094 ITEM 2006 ORRO HANDLE FLAT ROUND 95-35MM MATERIAL STEEL SIZE +----- 1 16MM | RAH1095 | RAH1096



ITEM 2007 MATERIAL SIZE +----- ARC HANDLE

ALUMINIUM

RAH1097 | RAH1098 | RAH1099 160MM 256MM

| RAH1100









STOA HANDLE

ALUMINIUM

160MM | RAH1103 | RAH1104 | RAH1105 SIZE +----+ |

256MM | RAH1106





ITEM 2009 NORTHAM HANDLE MATERIAL

ZINC

SIZE +----- 128MM

| RAH1109 | RAH1110 | RAH1111





103 brushed nickel

1004 matt black



ITEM 2010 | 8MM D HANDLE WITH PILLAR

ALUMINIUM

RAH1112 | RAH1113 | RAH1114 256MM | RAH1115 | RAH1116 | RAH1117





103 brushed nickel 108 polished brass 1004 matt black





ITEM 2011 MATERIAL SIZE +-----

BRIAR HANDLE ALUMINIUM/ZINC

160 M M | RAH1118 256MM | RAH1119





MATERIAL | SIZE 4----- 128MM

ITEM 2012 | CURL HANDLE & KNOB

ZINC

KNOB

| RAH1120 | RAH1121 | RAK320 | RAK321





201 antique brass

ITEM 2013 | BARTON HANDLE MATERIAL | ZINC SIZE •-----• | 128MM

| RAH1122 | RAH1123





205 antique iron

201 antique brass

ITEM 2014 SVELTA HANDLE & KNOB MATERIAL 7INC SIZE +----+ 160MM RAH1124

KNOB



201 antique brass

ITEM 2015 | FULBOURNE HANDLE

MATERIAL ZINC

SIZE 4----- 1 128MM

| RAH1125 | RAH1126

















MATERIAL SIZE

ITEM 1692 | RIFFLE HANDLE

ZINC

160MM

320MM

| RIH1656 | RIH1853











ITEM 1775 | CURVE HANDLE MATERIAL | ZINC SIZE •-----• | 160MM

320MM

| RIH1423 | RIH1424 | RIH1425 | RIH1426







ITEM 194/5 | ISETTA HANDLE & BEETLE KNOB

MATERIAL | ZINC

SIZE +----- 128MM | RAH1041 KNOB | RAK304

ITEM 1018/9| GALANDO HANDLE & KNOB

MATERIAL | ALUMINIUM

SIZE +----- 192MM RAH1042 KNOB | RAK305



MATERIAL SIZE +----+

ITEM 1003/891 | SASKIA HANDLE & BELLA KNOB

ALUMINIUM | 192MM | RAH122

KNOB | RAK306



ITEM 901/2 MATERIAL SIZE +----+ | ATLANTA HANDLE & KNOB

ALUMINIUM

160MM RAH1050 . 1256MM RAH1051 KNOB | RAK298

TEM 72/27 MATERIAL | 12MM BAR HANDLE & Ø14MM KNOB

ALUMINIUM

SIZE +----+ |160MM/220MM | RAH171 SIZE +----+ |334MM/394MM | RAH172

Ø14MM KNOB | RAK299





ITEM 928 | **JOFFREY HANDLE**MATERIAL | ALUMINIUM

SIZE +-----+ 256MM | RAH084

ITEM 1008/12 | ASHLEIGH SMALL & LARGE KNOB

MATERIAL | ALUMINIUM

SIZE Ø | 32.5MM | RAK053 | 48.5MM | RAK055

1005 matt black

ITEM 839 | ANGELINE C HANDLE

MATERIAL | ALUMINIUM

SIZE •----• | 192MM | RAH1045 320MM | RAH1046

1005 matt black

ITEM 454 | HALF ROUND ARCH HANDLE

MATERIAL | ALUMINIUM

SIZE +-----+ 192MM | RAH1060

348MM | RAH1061

ITEM 453 | SQUARE KNOB SQUARE PILLAR 25MM

MATERIAL | ALUMINIUM

SIZE | 25X25MM | RAK300

matt

ITEM 457 | **L-GRIP HANDLE**MATERIAL | ALUMINIUM

SIZE •----• | 128MM | RAH1055 288MM | RAH1056

1005 matt black

ITEM 913 | **ENZO HANDLE** MATERIAL | ALUMINIUM

SIZE \$-----\$ | 160MM | RAH054 320MM | RAH062



1005 matt



ITEM 507 44844 HANDLE MATERIAL ALUMINIUM

SIZE +----- 96MM RAH1035 128MM RAH1036

160MM RAH1037 192MM RAH1038 256MM RAH1008 320MM RAH1039

1005 matt black



ITEM 892 | HENDRIX SQUARE KNOB

MATERIAL | ALUMINIUM SIZE Ø | 34,5MM | RAK307



ITEM 897 | GUSTO KNOB MATERIAL | ALUMINIUM SIZE Ø | 39MM |

| RAK308



ITEM 895 | BAX KNOB MATERIAL | ALUMINIUM

SIZE Ø | 37.5MM | RAK309



ZIGGI KNOB ITEM 899 MATERIAL ALUMINIUM

| RAK301 SIZE Ø 14MM

19MM RAK302



ITEM 1773/71 | SQUARE D WIDE PILLAR CRYSTAL HANDLE

MATERIAL | ALUMINIUM | SIZE +----- | 96MM | RAH1065














ITEM 1894 MATERIAL SIZE

BUFFALO GRASS GRIP

ALUMINIUM 3M | RAH1040 3 M RAH151 84MM |RAH149 212MM

RAH150



ITEM 1020 | RECESS POST BOX HANDLE

MATERIAL | ALUMINIUM SIZE +-----+ 128MM | RAH025 cut out size on pg44

1005 matt black

ITEM 507 MATERIAL SIZE +----- 44844 HANDLE

ALUMINIUM

128MM |RAH152 160 M M RAH006 192MM RAH153 256MM RAH154



111 BB brushed brass



ITEM 459 MATERIAL | SIZE +----+

| SQUARE D HANDLE

ALUMINIUM

96MM |RAH155 160 M M RAH008 256MM | RAH156



111 BB brushed brass



TEM 124/27 MATERIAL SIZE +----+ |12MM BAR HANDLE & Ø14MM KR KNOB

ALUMINIUM

128MM/188MM RAR099 160MM/220MM RAR098 RAR162 192MM/252MM 234MM/294MM RAR164 KR KNOB | RAK010









ITEM 899 MATERIAL | ALUMINIUM SIZE Ø

| ZIGGI KNOB

. | 14MM | RAK026





SIZE Ø

ITEM 895 | BAX KNOB

MATERIAL | ALUMINIUM













ITEM 63 MATERIAL ALUMINIUM

10MM D-HANDLE

96MM | RAH442 RAH440 128MM | RAH162





101 natural anodised 103 brushed nickel

MATERIAL | ALUMINIUM SIZE +----+ | 192MM | RAH014

ITEM 795 | 8MM D-HANDLE





103 brushed nickel



ITEM 12 ALEX T20 HANDLE ALUMINIUM

ф----ф





101 natural anodised

103 brushed nickel

ITEM 6 MATERIAL ALUMINIUM

ALEXT06

128MM | RAH745



103 brushed nickel







ITEM 50 MATERIAL ALUMINIUM

ARCH HANDLE

96MM |

RAH422 RAH731 RAH425

128MM | RAH142

160MM | RAH222 RAH137 192MM | RAH282 RAH733







101





OVAL ARCH HANDLE

MATERIAL ALUMINIUM

96MM | RAH462 RAH734 RAH466 128MM | RAH182 RAH736 RAH262

160MM | 192MM | RAH321









103 brushed nickel

RAH326

ITEM 54

14MM ARCH HANDLE

MATERIAL ALUMINIUM

195X244X14MM | RAH206 234X294X14MM | RAH207



101 natural anodised



HALF ROUND ARCH HANDLE

MATERIAL ALUMINIUM

128MM | RAH729

192MM | RAH757 | RAH524 348MM | RAH759

392MM | RAH760 478MM | RAH761







101 natural anodised



FUTURIST HANDLE

ф----ф 224MM | RIH289 | RIH290



104 chrome

103 brushed nickel









ITEM 17
MATERIAL | SHRINE HANDLE
ZINC

ф----ф

128MM | RIH1301



103 brushed nickel



MATERIAL ZINK

ITEM 628 | FLORIDA HANDLE

ф----ф 160MM | RIH866





103 brushed nickel



ITEM 508 | 44946 MATERIAL | ZINK

44946 HANDLE

ф----ф

96MM | RIH865

128MM | RIH864

RIH155 160MM | RIH863



109 black nickel

103 brushed nickel

ITEM 24 MATERIAL ZINK

JIANTOU HANDLE







TORONTO HANDLE

ф----ф 160MM | RIH857



103 brushed nickel



COS12297 HANDLE

MATERIAL ALUMINIUM

128MM | RIH123









ITEM 158 MATERIAL ZINK

GRI72285427 HANDLE

128MM | RIH162



ITEM 159 MATERIAL ZINK

CIRCUIT HANDLE

ф----ф

128MM | RIH339



MATERIAL ZINK

ITEM 554 | PRISM HANDLE

ф----ф

128MM | RIH321



103 brushed nickel

MATERIAL ZINK

ITEM 213 | COS12148 HANDLE

128mm | RIH120



103 brushed nickel

MATERIAL ZINK

JAPANESE BRIDGE HANDLE

ф- - - - - ф

96mm | RIH1433



103 brushed nickel

ITEM 23 MATERIAL ZINK

STONEHENGE HANDLE

ф- - - - - ф

96mm | RIH1434















ITEM 215 | SNAIL HANDLE MATERIAL | ZINK

•----• 128mm | RIH364

102 matt chrome



ITEM 561 PORT MATERIAL ZINK

PORTHOLE PULL





ITEM 560 NOOK HANDLE MATERIAL ZINK

ф----ф

160MM | RIH190



103 brushed nickel



MATERIAL ZINK

ITEM 1566 | SLOTTED HANDLE

•----•


192MM | RIH1410
320MM | RIH1411



103 brushed nickel







*Note - certain wood handles & knobs + plastics are only available with a 25mm self tapper.

T = SL - B
SL = screw length
B = board thickness
T = thread exposed

Screw length required calculator



ITEM 621 BRISTOL HANDLE MATERIAL ZINK

ф- - - - - ф 160MM | RIH852

224MM | RIH851



103 brushed nickel



MATERIAL ZINK

ITEM 552 | SLAB HANDLE

ф----ф

160MM | RIH291



103 brushed nickel

MATERIAL ZINK

ITFM 451

ITEM 509 | BROAD D HANDLE

192MM | RIH167



102 matt chrome









103 brushed nickel







101 natural anodised

103 brushed nickel

ITEM 459 MATERIAL ALUMINIUM

96MM | RAH502 RAH773 RAH774 160MM | RAH503 RAH776 RAH777 256MM RAH504 RAH550 RAH547 320MM | RAH505 448MM | RAH779 RAH549

SQUARE D HANDLE







104 chrome







ITEM 507 44844 HANDLE MATERIAL ALUMINIUM ф----ф 96MM | RIH150 RAH947 RAH948 RAH1035 128MM | RAH949 RAH950 RAH951 RAH1036 160MM RIH151 RAH576 RAH952 RAH1037 192MM | RAH953 RAH573 RAH954 RAH1038 256MM | RIH153 RAH574 RAH955 RAH1008 320MM | RAH956 RAH575 RAH958 RAH1039 102 matt chrome 103 brushed nickel 104 chrome 1005 matt black



ITEM 1850 | TOWER GRIP HANDLE MATERIAL ALUMINIUM

224MM | RAH934



ITEM 465 | BULLET D HANDLE MATERIAL ALUMINIUM

ф----ф 160MM | RAH755

103 brushed nickel



ф- - - - - ф 160MM | RIH256 192MM | RIH168 224MM | RIH169



106 stainless steel



128MM | RIH273 192MM RIH274 256MM RIH275 384MM RIH276 480MM RIH277 612MM | RIH985 762MM RIH986 1080MM RIH1232



103 brushed nickel















ITEM 620 | BUTRESS KNOB

MATERIAL ZINK



16MM | RIH854



ITEM 575 LA KNOB MATERIAL ZINK



24MM | RIK113



MATERIAL ALUMINIUM ф----ф

ITEM 1604 | MINI FLAG GRIP HANDLE

24MM | RAH928

101 natural anodised



ITEM 463 ANGLE GRIP MATERIAL ALUMINIUM

32MM | RAH749



103 brushed nickel



ITEM 423

MATERIAL BRASS

SOLID MUSHROOM KNOB



25MM | SBK140 30MM | SBK141 38MM | SBK142



ITEM 231 MATERIAL ZINK

BUBBLE KNOB

32MM | SIK243 SIK244 SIK241 SIK240 SIK242



102 matt chrome

103 brushed nickel

chrome





black nickel

ITEM 1608 | OSLO KNOB MATERIAL ALUMINIUM



45MM | RAK291



103 brushed

ITEM 277 K32E1 KNOB MATERIAL POLYESTER



32MM | RSK220 RSK232 RSK225





501 white 504

ivory

ITEM 20

OVAL GRIP

MATERIAL ALUMINIUM



32MM | RAH458



ITEM 276 K44E1 KNOB MATERIAL POLYESTER



44MM | RSK340 RSK352 RSK345





ivory

ITEM 28 MATERIAL ZINK

CONTORTION KNOB



25MM | RIK283



ITEM 1624 | HEART KNOB MATERIAL POLYESTER



50MM | RSK489 RSK488 RSK491





505 red 506 pink

30 | RAIEL HANDLES AND KNOBS









CLOVE CUP HANDLE ITEM 25 MATERIAL ZINK

64MM | RIH1106 RIH1111 RIH1110











ITEM 172 MATERIAL ZINK

WAVE HANDLE









brushed nickel

ITEM 169 COS12239 HANDLE MATERIAL ZINK

128MM | RIH121



103 brushed nickel





ITEM 566 MATERIAL ZINK

RECTANGULAR HANDLE



102 matt chrome







ITEM 180

38832 LEATHER HANDLE

MATERIAL LEATHER & ZINK





103 brushed nickel

38661 LEATHER PULL ITEM 180 MATERIAL LEATHER & ZINK





ITEM 1567 | LEATHER PULL COFFEE

MATERIAL | LEATHER & ZINK









ITEM 1628 | CRYSTAL KNOB PYRAMID MATERIAL | CRYSTAL & ZINK



ф-----ф 35X40ММ | RIK149



ITEM 1840 | CRYSTAL KNOB WITH CHROME CUP MATERIAL | GLASS & ZINK



ф----ф 30X30MM | RIK290



ITEM 1128 | CRYSTAL PRISM GLASS & CHROME KNOB MATERIAL | CRYSTAL & ZINK



30MM | RIK146



IVIAIERIAL









ITEM 1569 | CERAMIC KNOB MATERIAL | POLYESTER & STEEL



32MM | RIH1414



ITEM 1548 | CRYSTAL KNOB FLAT MATERIAL | GLASS & ZINK



34X40MM | RIK147



8



SLIM DOLPHIN HANDLE
ZINK

SIH212
128mm | SIH212
128mm | RIH283

ITEM 200 | STIPPLE HANDLE MATERIAL | ZINK



matt chrome

nickel

ITEM 226 DOLPHIN ARCH HANDLE ZINK




ITEM 202 | STIPPLE KNOB | ZINK | 33MM | SIK102 | SIK100 | I02 | I09





















ITEM 639 | MANOO HANDLE MATERIAL | ZINC SIZE +-----+ | 96MM | RIH2 | RIH2191

ITEM 640 | MANOO KNOB MATERIAL | ZINC SIZE Ø | 45MM | RII

| RIH2192



ITEM 650 | TATIUS HANDLE
MATERIAL | ZINC
SIZE •-----• | 128MM | RIH2

| RIH2206

ITEM 651 | TATIUS KNOB MATERIAL | ZINC SIZE Ø | 32MM | RI

| RIH2207





ITEM 633 | ESHA HANDLE MATERIAL | ZINC SIZE +-----+ 1 128MM | RIF

| RIH2185











ITEM 634 | EDITH HANDLE

MATERIAL | ZINC SIZE +-----+ | 128MM

| RIH2186



ITEM 637 | MARLYN HANDLE MATERIAL | ZINC SIZE +-----+ | 128MM | RIH21

| RIH2189



204 antique silver

ITEM 636 | **ROZA HANDLE** MATERIAL | ZINC

SIZE +----+ 160MM

| RIH2188



ITEM 642 | SKYLER HANDLE

MATERIAL ZINC SIZE

128MM

224MM

| RIH2194 | RIH288 | RIH293 | RIH295





104 chrome

ITEM 1661 | SKYLER KNOB MATERIAL | ZINC

SIZE

| 40 X 20MM | RIH329 | RIH337



204 antique silver



104 chrome













CRÉMONE BOLTS FOR CABINET DOORS:

These french style crémone bolts add both aesthetic appeal and functionality to any type of opening door and can be used on kitchen or furniture doors. these bolts can be used as pairs for a symmetrical aesthetic look.

These are imitation accessories used simply as handles to open and close the cabinet doors: the rods, which would normally move vertically to engage with the frame and lock the door, are just for show.

Accessories are available standard in antique iron & antique brass. polished nickel will also be available on order only, minimum order quantities will apply.



MTO - MADE TO ORDER

ITEM 1899 MATERIAL CODE

CENTRE PLATE WITH KNOB

RAH1010 | RAH1011 | RAH1012 | RAH1066














_13.5mm

ITEM 1900 MATERIAL CODE

ITEM 1901

MATERIAL

CODE

CENTRE BOLT

RAH1013 | RAH1014 | RAH1015 | RAH1067




antique iron











END BOLT RAH1017 | RAH1018 | RAH1068 RAH1016|














34mm

ITEM 1902 MATERIAL CODE

END SOCKET

RAH1019 | RAH1020 | RAH1021 | RAH1069

















ITEM 1903 MATERIAL CODE

BOLT ROD 1.0m

ALUMINIUM

RAH1022 | RAH1023 | RAH1024 | RAH1070



antique iron













ITEM 862 | **THOR HANDLE**MATERIAL | ALUMINIUM

SIZE +----+ 160MM

| RAH024 | RAH026 | RAH027









ITEM 912 | CHASE MATERIAL | ALUMIN SIZE +-----+ | 32MM

CHASE HANDLE

ALUMINIUM 128MM

| RAH043 RAH044







COS12506 HANDLE ITFM 399 MATERIAL ZINK & PLASTIC

128MM | RIH395

COS24043 KNOB ITEM 400 MATERIAL ZINK & PLASTIC




38MM | RIK240





ITEM 1766 | **BASTION KNOB** MATERIAL | ZINK







32MM | RIH1282 RIK279 RIK278







203 antique nickel



96MM | RIH1524 RIH1522 RIH1523









201 antique

203 antique nickel

ITEM 1767 | PARIS DROP HANDLE MATERIAL ZINK



55MM | RIH1531 RIH1532





ITEM 412 | 5892 DROP HANDLE MATERIAL ZINK





ITEM 411 | **5894 HANDLE** MATERIAL | ZINK



72MM | RIH105



201

ITEM 385 FRENCH KNOB MATERIAL ZINK



35mm | RIK261 RIK260









CLOVE CUP HANDLE ITEM 25 MATERIAL ZINK





64MM | RIH1106 RIH1111 RIH1110





203

chrome antique nickel

ITEM 1769 | **BUTTERCUP HANDLE** MATERIAL | ZINK



ITEM 401







ITEM 405 MATERIAL ZINK

CC9093 CUP HANDLE



85MM | RIH115



CC244 GRIP HANDLE MATERIAL ZINK

85MM | RIH110



ITEM 408 MATERIAL ZINK

CC9094 KNOB



33MM | RIK263



ITEM 392 SI1365 HANDLE MATERIAL ZINK



96MM | RIH370



ITEM 618 | RING HANDLE AS MATERIAL | ZINK



48MM | RIH826



ITEM 1768 | REGENT HANDLE MATERIAL | ZINK



76MM | RIH1534 RIH1533





antique brass

203 antique nickel

ITEM 545 | CAMBRIDGE HANDLE MATERIAL ZINK





204 antique silver



ITEM 542 | DORIC HANDLE MATERIAL ZINK



128MM | RIH176



ITEM 541 OXFORD KNOB MATERIAL ZINK



32MM | RIK117 RIK118





201

ITEM 394 CAGE T GRIP KNOB MATERIAL STEEL



75MM | RIH255

ITEM 595 S CURVE HANDLE MATERIAL ZINK 96MM | RIH147 RIH171 (LEFT) 96MM RIH148 RIH172 (RIGHT)







LARGE THIN RING HANDLE WITH LARGE BACKPLATE MATERIAL ZINK



55MM | RIH134 RIH135 201 antique brass

ITEM 404 6023 KNOB MATERIAL ZINK



29MM | RIK262



ITEM 496 SMALL THIN RING HANDLE WITH SMALL BACKPLATE MATERIAL ZINK



42MM | RIH132 RIH133

203 antique nickel ITEM 263 MK35T1 KNOB MATERIAL POLYESTER



35MM | RSK102





ITEM 1317 MATERIAL SIZE Ø

VASCO KNOB

WOOD 70 M M 90MM

| RWK002 | RWK001



401 oak

ITEM 1319 MATERIAL SIZE Ø

UMBRO KNOB

WOOD

70 M M 90MM

RWK006 RWK005







ITEM 1323 MATERIAL SIZE Ø CODE

LUNA KNOB

i wood

50 M M

RWK013 | RWK011 | RWK012



401 oak









CODE

| IVO KNOB

WOOD 50 X 50MM

. | RWK017 | RWK019 | RWK020

















P/P - PACKED IN ONE BAG WITH SCREW BULK - BULK PACKAGED








ITEM 1023 | POST BOX HANDLE ROUND MATERIAL | ALUMINIUM SIZE *-----* | 96MM | RAH123





103 brushed nickel













103 brushed nickel

102 matt chrome









ITEM 842 40MM CURVED HANDLE 212mm MATERIAL | ALUMINIUM SIZE +----- | 192MM | RAH982 | RAH984 | RAH983 | RAH147







ITEM 842 | 40MM CURVED HANDLE 84mm MATERIAL | ALUMINIUM

SIZE +-----+ 64MM | RAH978 | RAH980 | RAH979 | RAH148















ITEM 1894 | BUFFALO GRASS GRIP

MATERIAL | ALUMINIUM

SIZE +----- 3M | RAH946 | RAH1040

84/64mm | RAH1002 212m/192mm | RAH1003 340m/320mm | RAH1004





101 natural anodised

1005 MB matt black

ITEM 1894 | BUFFALO GRASS GRIP $84\,\mathrm{mm}$

MATERIAL | ALUMINIUM

SIZE +----- 64MM | RAH990 | RAH991 | RAH993 | RAH151











ITEM 1894 | BUFFALO GRASS GRIP 212mm

MATERIAL | ALUMINIUM

SIZE •----- | 192MM | RAH994 | RAH995 | RAH997 | RAH149



stainless steel finish









ITEM 1894 | BUFFALO GRASS GRIP 340mm MATERIAL | ALUMINIUM
















ITEM 1133 | FINGER GRIP FLAT LARGE MATERIAL ALUMINIUM

3M | RAH841




101 natural anodised



ITEM 1135 | **FINGER GRIP CURVED LARGE** MATERIAL | ALUMINIUM

3M | RAH843








ITEM 1827 | ALUMINIUM HANDLE EDGE AE-2519

ALUMINIUM

3M | RIH1807



101 natural anodised





ITEM 1598/1898 | DARLING GRIP

MATERIAL SIZE

ALUMINIUM

|95MM | RAH912 | RAH913 | RAH914

2.9M | RAH919







101 natural anodised

103 brushed nickel

104 chrome



ITEM 1520 | EURO GRIP MATERIAL | STAINLESS STEEL

ф----ф 95x40mm | RAH844



106 stainless steel





TRUE handeless kitchens:

SCHÜCO

To achieve the TRUE handleless kitchen look, an aluminium rail is routered into the cabinetry on the horizontal recess between the worktop and the door / drawer, an "J" shape continuous aluminium rail runs along the entire run.

A "C" shape section is placed between additional drawers. the "C" Section allows you to open the drawer above and the drawer below whilst maintaining equal and uniform spacing.





Vertical "C" & "J" channel systems:

On tall cabinets such as larders and appliance housing, we suggest a vertical "C" section between each of the cabinets, or "J" on single doors

This works especially well where a horizontal rail is unable to be fitted within the appliance (due to the appliance being in the way). by having the vertical rails, it gives optimum ergonomic design appearance. your height does not matter - the 'handle' is in the right place for every one as it runs the entire length from the floor to the top of the cabinet.





- · Takes up less room than a handled kitchen.
- \cdot Corners can be tight together as you do not need to make allowance for handles, worktop can be flush with the door face, with the recessed rail integrated within the cabinet, this creates a natural space to place your hand and therefore no need to have the worktop overhanging.
- · Additional LED lighting can be routered into the underside of the worktop, illuminating the rail.
- · Cleaning of the kitchen is also more practical, far easier to leave the doors streak free without the need to clean around the handles.
- · No more catching yourself or clothes on the handles which often have sharp edges.











ITEM 1703 | EDGE HANDLE 901 014

MATERIAL ALUMINIUM

| RIH2201 | RIH2347 | RIH2352 SIZE | 5M





49.3 51 31.8




ITEM 1704 | EDGE HANDLE 901 013

MATERIAL ALUMINIUM

SIZE 5 M | RIH2357|RIH2361|RIH2365









EDGE CAP FLUSH 901 014 L OR R ITEM 1707


MATERIAL PLASTIC


LEFT EACH RIH2203 | RIH2348 | RIH2353 RIGHT EACH | RIH2344 | RIH2349 | RIH2354



LEFT

RIGHT






ITEM 1713 INTERNAL CORNER 901 014

MATERIAL PLASTIC

EACH | RIH2345|RIH2350|RIH2355









| EXTERNAL CORNER 901 014 ITEM 1714


MATERIAL PLASTIC

EACH | RIH2346|RIH2351|RIH2356













ITEM 1706 | FLUSH PULL HANDLE DOUBLE 901 010

MATERIAL | ALUMINIUM SIZE

| RIH2373 | RIH2374 | RIH2375







| EDGE HANDLE 901 009 ITEM 1705 MATERIAL ALUMINIUM


SIZE 5 M | RIH2370|RIH2371|RIH2372












































CORNICE

PICTURE RAIL

CHAIR RAIL

SKIRTING



Item 719 C 10 Material Wood

Size (L x R) | 71 x 89mm, 3m length





RWM145

402 pine unlacquered

Item 709 | PICTURE RAIL PR10 Material Wood

Size (L x R) 55 x 19mm 3m length









402 pine unlacquered

CHAIR/DADO RAIL

Item 710 | CR 10 Material Wood

Material | vood Size (L x R) | 70 x 18/15*mm | RWM172 - 2.7m length | RWM166 - 3m length

* MDF thickness



Item 711

Material

Size (L x R)



RWM166 RWM172





pine

405 mdf raw

SKIRTINGS

Item 1199 RSK 6 Wood Material Size (L x W)

RWM1008 - 3m length 94 x 22mm RWM1009 - 3m length 140 x 22mm |

unlacauered





402 pine unlacquered



RWM1008 RWM1009



Item 712 CR 12 Material Wood Size (L x R) | 95 x 18mm

CR 11

Wood 70 x 18mm

3m length





RWM936



402 pine unlacquered

Item 713 S 10 Wood Material

Size (L x W) | 105 x 20/16*mm | RWM626 - 3m length

RWM632 - 2.7m length

* MDF thickness





RWM626 RWM632





402

405 mdf raw

ARCHITRAVES - sold in sets of 2×2.1 m and 1×1 m lengths

Item 700 | A 11 Material Wood

Size (L x R) | 95 x 20/16*mm

| A 12

Size (L x R) | 70 x 20mm

Wood

* MDF thickness



Item 701

Material



RWM101




402 unlacquered





402 pine unlacquered

Item 714 S 11 Material Wood Size (L x W) 140 x 20mm 3m lenath





RWM952

402 pine unlacquered


Item 718 S 16 Material Wood Size (L x W) 52 x 12mm Econo Skirting 3m length

RWM912

402 pine unlacquered

54 | RAIEL MOULDINGS







Item 748

Item 749

Material

Size (L x W) |

CORNER STRIPS



28 x 28 x 22mm

CS 10

CS 11

Wood

3m length









meranti unlacquered

RWM226 RWM222



402











DOOR EDGING



COVER STRIPS

Item 1204 Cover Strip Material Wood Size (L x W) | 44 x 8mm





RWM1016 402

KITCHEN MOULDINGS

LIGHT SHIELDS

Item 734 LP 10 Material Wood

Size (L x R) | 60 X 21mm | 2.7m length - RWM474



RWM486

402


pine unlacquered RWM474



TOP UNIT CORNICE

Item 731 TM 10 Material Wood

Size (L x R) | 69.5 x 43.6mm | 2.7m length - RWM001 3m length - RWM846





RWM846



RWM001





LP 11 Wood Size (L x R) 60 X 21 mm 2.7m length






RWM468



Material Wood Size (L x R) | 68.7 x 42mm | 2.7m length

Item 732






RWM020



Item 1122 | LP 12

Material Wood Size (L x R) | 70 x 16mm




2.7m length

RWM500



Item 1111 | TM 13 Material Wood Size (L x R) | 105 x 64mm 2.7m length





RWM930

405 mdf raw

Item 1123 | LP 13 Material

Wood Size (L x R) | 70 x 16mm 2.7m length






mdf raw

RWM510

405 mdf raw







RWM940





GALLERY RAIL - in pre-assembled lengths of 1 $\rm m$

Item 721 Gallery Rail Material Wood

Size (L x W) | 64 x 22mm | 1m length



RWK192 RWK190





402 unlacquered

401 unlacquered

TOP EDGINGS

Item 723 TE 4 Material Wood 36.5 x 17mm Size (L x W) 3m length





RWM818 RWM810



pine unlacquered



Item 725 TE 10 Wood Material Size (L x W) 33 x 9mm 3m length





RWM738 RWM734





402 pine unlacquered

401 oak unlacquered

DOOR EDGINGS

Item 726 E 4 Material Wood

Size (L x W) | 19.5 x 16.5mm | 3m length






RWM374



402 pine unlacquered

Item 730 DK 5 Material Wood





RWM290 RWM286 RWM282







lacquered

Item 728 E 10

Wood Material Size (L x W) | 17 x 7mm | 3m length





RWM346



401 unlacquered

Item 729 DK 3 Material Wood

Size (L x W) 19.5 x 9.5mm | 3m length



RWM270 RWM266



pine unlacquered









401 oak unlacquered

401 oak lacquered


Item 1100 Material

Kitchen Counter Leg No 1

Wood

Size (L x W) | 880 x 100mm | RWC130




















Item 759 63mm Connector Block Material Wood Size (L x W) | 118 x 63mm | RWC997






218

64













Item 759

Material




















Item 761 90mm Bottom Block Wood Material Size (L x W) | 268 x 90mm | RWC126



Item $762/3/4 \mid \varnothing 43 mm$ Filler Rod (USED WITH 64/63 MM) Material Wood Size 600mm length RWC482 Item 764













Castors FOR MOVABLE CABINETS FURNITURE & CHAIRS

OLYM CASTOR WITH BRAKE

| ITEM 1513

MATERIAL | white & black, ABS core, PU & zink alloy

CODE | RIH1324











Re fe re nc e

50kg

M10x15mm

Olym



KOO CASTOR WITH BRAKE

| ITEM 1514

MATERIAL | white & black, AB, PU & zink alloy

| RIH1322









Re fe re nc e

Ø75mm

93.5mm

42mm

50kg

M10x15mm

Koo



ALUMINIUM CASTOR WITH BRAKE

MATERIAL | aluminium / steel

CODE

Re fe re nc e |

| RIH821













| ITEM 676

Aluminium





ENID CASTOR GREY WITH PLATE

MATERIAL | grey, PP+TPE | RIH2243 CODE









34mm 22kg

| ITEM 693



Ø40mm Re fe re nc e |

ENID CASTOR GREY WITH SCREW

| ITEM 694 MATERIAL | dark & light grey, PP+TPR & PA+zink alloy











Re fe re nc e

Ø40mm

| ITEM 697

CODE | RIH2244











34mm 22kg

M8x15mm

ANNA CASTOR WITH BRAKES

CODE



















Enid



















IVY CASTOR WITHOUT BRAKES

MATERIAL | white & grey, PP+TPE CODE | RIH2235









Reference |

| ITEM 685

| ITEM 687

IVY CASTOR WITH BRAKE

MATERIAL | white & grey, PP+TPE CODE | RIH2237











43.5mm 28kg





LIZ CASTOR WITHOUT BRAKE

MATERIAL | grey, PP+TPR CODE | RIH2251











Re fe re nc e |

Re fe re nc e

22.6mm 29kg fixed

| ITEM784









LOY CASTOR WITHOUT BRAKE

MATERIAL | grey, PP+TPR CODE | RIH2250











Re fe re nc e







58ka fixed

| ITEM 777







Erica

[\$] **(**



[�] **(**

ERICA MINI CASTORS

MATERIAL | black, PA

| RIH1431 | RIH1430 no brake











| ITEM 1631/1630

plate

Re fe re nc e

Ø50mm

55mm

45mm 45kg 47x47mm

ERICA CASTORS MATERIAL | black, PA

| RIH2245 | RIH2246 no brake with brake



















| ITEM 695/696

plate





Re fe re nc e



POLYURETHANE CASTORS

MATERIAL

| clear, polyurethane RIH816 | RIH817 no brake with brake









Reference |

39mm

55kg 47x47mm

| ITEM 673

| ITEM 674

POLYURETHANE CASTORS

CODE

Re ference

MATERIAL | clear, polyurethane RIH822 | RIH823 no brake with brake









38x38mm

Polyurethane





orobby

ITEM 1973 MATERIAL SIZE FINISH

SANTIAGO STEEL

210mm overall 390mm MATT BLACK | RKL019

· weight capacity: 100kg





ITEM 1974 MATERIAL SIZE FINISH

ELANA STEEL

150mm overall 200mm | RKL021

MATT BLACK | RKL027 · weight capacity: 80kg ITEM 1975 MATERIAL SIZE FINISH

MATEO STEEL 150mm СН

|RKL028 MATT BLACK | RKL022 weight capacity: 80kg ITEM 1976 MATERIAL SIZE FINISH

ISLA STEEL 170 m m MATT BLACK | RKL023 · weight capacity: 80kg









ITEM 1977 ANGELLO LEG MATERIAL STEEL

SIZE 170mm FINISH

CHROME | RKL371

weight capacity: 80kg



ITEM 1978 SAVANNAH MATERIAL STEEL SIZE 150mm

FINISH MATT BLACK | RKL025

· weight capacity: 80kg

ITEM 1979 ISABEL MATERIAL STEEL SIZE 100mm

FINISH CHROME | RKL026

· weight capacity : 60kg



ITEM 1345 MATERIAL SIZE FINISH

SESTO LEG 19

STEEL

130MM RKL010 | 200MM RKL011

1006 SADDLE WOOD

weight capacity: 80kg

ITEM 1581 MATERIAL SIZE FINISH

SESTO LEG 25

1130MM 104 CHROME | RKL367 · weight capacity: 150kg

ITEM 1058 MATERIAL SIZE FINISH

TRIANGLE LEG STEEL

150MM

104 CHROME | RKL279 weight capacity: 150kg







ITEM 1577 | SPIGILO LEG MATERIAL ALUMINIUM SIZE 130MM | RKL370

• Weight capacity: 150kg



ITEM 1348 NEO LEG STRAIGHT (MTO)

MATERIAL STEEL SIZE 150MM

FINISH 1006 SADDLE WOOD | RKL017

· weight capacity : 80kg

ITEM 1349 NEO LEG ANGLED (MTO)

MATERIAL STEEL SIZE 150MM

1006 SADDLE WOOD | RKL018 FINISH

weight capacity: 80kg







made to order products

we are able tdo manufacture designs on order, the following guidelines concerning custom designs will apply

designs will have to be approved and may be subject to specification change.

minimum order quantities will apply. (MOQ)

lead times may vary from 4 - 6 weeks



Size

Item 1062 | 25 x 25mm Square Leg

RKL100 100mm | Brushed Nickel 150mm | Brushed Nickel RKL101

• Weight capacity: 85kg







Size

Item 1065 | Ø60mm Round Leg Adjustable

100mm | Brushed Nickel | RKL211 150mm | Brushed Nickel | RKL213

• Weight capacity: 100kg







Size

Item 1063 | Ø30/35mm Round Leg

Ø30/100mm | Brushed Nickel RKL108 Ø30/150mm Brushed Nickel RKL109 Ø35/100mm Brushed Nickel

RKL110 Ø35/150mm | Brushed Nickel | RKL111

• Weight capacity: 100kg







Item 1066 | Size

Ø50mm Round Leg Adjustable

100mm | Brushed Nickel | RKL105 150mm | Brushed Nickel | RKL210

• Weight capacity: 85kg







Square Leg Couch Feet

Item 476

Size

Square Leg Concealed Base RKL152 RKL322

105mm | 145mm







• Weight capacity: 85kg





Item 1094 | Size

Item 1611 |

40 x 40mm Square Leg

RKL291 80mm | Brushed Nickel 150mm | Brushed Nickel | RKL292

· Weight capacity: 85kg









Item 1632 | Size

Ø50mm Adam Couch Feet With Top Plate

Ø50 x 50mm | Brushed Nickel | RKL484

• Weight capacity: 85kg






103 brushed nickel



60 x 150mm | Grain Black | RKL377 Size

60mm Couch Feet (square)

• Weight capacity: 100kg



grain black






Item Size



| Item 103 | Ø60 x 710mm R | ound Legs | |
|----------|----------------------|------------------|---------|
| Size | Ø60 x 710mm | Matt Chrome | RKL121 |
| | Ø60 x 710mm | Brushed Nickel | RKL307 |
| | Ø60 x 710mm | Chrome | RKL118 |
| | Ø60 x 710mm | Grain Black | RKL117 |
| | | | |
| Item 104 | Ø60 x 870mm R | ound Legs | |
| Size | Ø60 x 870mm | Matt Chrome | RKL127 |
| | Ø60 x 870mm | Brushed Satin | RKL310 |
| | Ø60 x 870mm | Chrome | RKL126 |
| | Ø60 x 870mm | Grain Black | RKI 122 |

| 105 | Ø60 x | 1 | 100mm | Round | Legs | |
|-----|-------|---|-------|-------|--------|--------|
| | Ø60 x | 1 | 100mm | Matt | Chrome | RKL227 |

| Item 106 Size | Ø80 x 710mm R Ø80 x 710mm Ø80 x 710mm Ø80 x 710mm | ound Legs Matt Chrome Chrome Grain Black | RKL135 RKL132 RKL134 |
|--------------------|---|--|--------------------------------------|
| Item 107 Size | Ø80 x 870mm R Ø80 x 870mm Ø80 x 870mm Ø80 x 870mm Ø80 x 870mm | ound Legs Matt Chrome Brushed Nickel Chrome Matt Black | RKL128 RKL309 RKL130 RKL129 |
| Item 108 Size | Ø80 x 1100mm Ø80 x 1100mm | | RKL115 |



| Item 1528 Size | Ø60 x 700mm | ! - | RKL388 RKL389 RKL390 RKL391 |
|---------------------|-------------|---|--------------------------------------|
| Item 1527 Size | Ø80 x 700mm | Round Office Legs Brushed Nickel Silver Powder Coat Grain Black | RKL314 RKL312 RKL313 |
| Item 1529 Size | Ø50 x 700mm | Tapered Office Legs Brushed Nickel Silver Powder Coat | RKL317 RKL315 |

| 29 | Ø50 x 700mm | Tapered Office Legs Brushed Nickel Silver Powder Coat Grain Black White | RKL317 RKL316 RKL316 RKL392 |
|----|----------------------------|---|--------------------------------------|
| | Ø50 x 700mm Ø50 x 700mm | Silver Powder Coat Grain Black | RKL31 RKL31 |


| 1103 | 1102 | 103 | 1102 |
|---------------|-------------|------------------------|-----------------------|
| silver powder | grain | brushed | grain |
| coat | black | nickel | black |
| Ø60 x 700mm | Ø80 x 700mm | Ø50 x 700mm Tapered | Ø50 x 700mm Angled |

| Item 1880 Size | Bolt for Leg M6 x 15 M6 x 15mm RIH1835 | 0 |
|---------------------|---|-------|
| | Bolt for Leg M8 x 15 | 20.00 |
| Size | M8 x 15mm RIH1836 | 4: |
| Refer to page | 192 for technical details. | 20 |

ALL OFFICE LEGS are supplied with a fixed TOP plate.

| Item 1586 | Ø50 x 700mm Angled Tapered Legs | | | |
|-----------|--|--------------------|--------|--|
| Material | Steel | | | |
| Size | Ø50 x 700mm | Brushed Nickel | RKL341 | |
| | Ø50 x 700mm | Silver Powder Coat | RKL340 | |
| | Ø50 x 700mm | Grain Black | RKL339 | |





SHEARER SPACE SERIES

FEATURES

- BASKETS ARE MANUFACTURED FROM ALUMINIUM ALLOY
- MORE DURABLE AND ANTI RUST
- NEAT AND EFFICIENT STORAGE FUNCTIONS
- SHELVES ARE EASLIY ADJUSTABLE







CODE LOAD

RKW119 70KG



110° TANDYM 450/500 ITEM 1970 CODE RKW121 LOAD 70KG



ITEM 1968 MAGIC CORNER 900 RKW118 CODE LOAD 30KG



ITEM 923 INTERNAL PULL OUT RKW140 - 600MM RKW141 - 900MM CODE LOAD 30KG



ITEM 1811 300 SPICE PULL OUT RKW142 CODE LOAD 25KG



ITEM 907 600 KITCHEN PULL DOWN CODE RKW377 LOAD 25KG



| UNIVERSAL ORGANISER 900 WITH LED LIGHT ITEM 1980 CODE | RKW143

Item 1810 | Material Size

Spice Pull-Out, Soft Closing Chromed Steel Frame with Aluminium Base 150mm | RKW479(left) RKW403 (right)





Fitting instructions on page 81Load capacity 25kg per basket

Item 1811 | Material Size

Tray Basket 3 Layer, Soft Close

Chrome Steel Frame with Chrome

200mm | With Metal Base RKW480 | RKW530 300mm | With Metal Base RKW481 RKW452

LEFT **RIGHT** HAND HAND

Item 931 Material Size

Economical Spice Pull-Out, Soft Closing Chromed Steel Frame with Chrome Base 150mm | RKW100



Item 49 Material Size

Economical Tray Basket 2 Layer, Chrome Steel Frame with Chrome Base 300mm | With Metal Base | RKW535





Fitting instructions for both products on page 81Load capacity for both products 25kg per basket





Item 1812 | 270° Lazy Susan Unit

Material Chromed Steel Frame with Chrome or Wooden Base Size

900mm | With Metal Base RKW483 900mm | With Wooden Base | RKW458



Item 48 Material Size

Economical 270° Lazy Susan Unit Plastic

900mm | With Plastic Base | RKW536

- Fitting instructions for both products on page 81Load capacity of both products 10kg per basket







Size

Item 1016 | 180° **Revolving** Baskets
Material | Chromed Steel Frame with Chrome or Wooden Base | RKW512

900mm | Metal Base 900mm | Wooden Base | RKW513

- Fitting instructions on page 82Load capacity 10kg per basket







Item 838 Material Size

Butterfly Pull-Out, Soft Close

Powder Coated Steel Frame with Wooden Base

800mm | Pull-Out Left | RKW370 800mm | Pull-Out Right | RKW371

- Fitting instructions on page 81
 Load capacity 10kg per basket
 Minimum internal height of cabinet 600mm





| Item 1813 | Magic Corner Universal, Left or Right, Soft Closing Material | Powder Coated Steel Frame with Chrome | Size | 660 x 515 x 600mm | With Metal Base | RKW4

| RKW484

- Fitting instructions on page 82Load capacity 6kg per basketMinimum internal height of cabinet 650mm





| Item 1015 | Chef's Pantry Half, Universal, Left or Right Material | Powder Coated Steel Frame with Chrome Size | 450mm | Half, Metal Base | RKW460


| RKW460

- Fitting instructions on page 82Height 1959 2959mmLoad capacity 4kg big basket and 2kg small basket





450/500





Two Half Chef's Pantries together to make a complete unit.

Item 1814 | 110° Tandem Pantry Unit, Universal, Left or Right Material | Powder Coated Steel Frame with Chrome Size | 450/500mm | With Metal Base | RKW485

- Fitting instructions on page 82Height 1959 2359mmLoad capacity 4kg big basket and 2kg small basket











Item 1815 | High Pantry Pull-Out, Soft Close
Material | Powder Coated Steel Frame with Chrome
Size | 300mm | 6 Layer Pull-Out With Metal Base
400mm | 6 Layer Pull-Out With Metal Base

RKW455 RKW486

Fitting instructions on page 82
Height 1959 - 2359mm | • Load capacity 10kg per basket





Item 825 Material Size

Seven Layer Spice Basket Powder Coated Steel Frame with Chrome Base 400mm | RKW331

- Fitting instructions on page 83
 Load capacity 6kg per basket
 Minimum internal height of cabinet mm




Item 45 Material Size

4 Layer Spice Rack 500x390x55mm Powder Coated Steel Frame with Chrome Base 400mm | RKW537



* space size







Item 923 Material Size

Internal Pull-Out, Soft Close

Chromed Steel Frame with Chrome Base

450mm | RKW106 500mm | RKW107 600mm RKW108 900mm | RKW109

- Fitting instructions on page 83Load capacity 10kg per trayMinimum internal height of cabinet 180mm



VEGGIE BASKETS ARE SOLD WITH OR WITHOUT RUNNERS

| Material | Vegi Basket Powder Coated Steel 300mm White 110mm height | Without Runner RKW321 | |
|----------|--|-----------------------------|--------|
| | 400mm White 110mm height | RKW123 | RKW489 |
| | 450mm White 110mm height | RKW125 | RKW491 |
| | 450mm White 200mm height | | RKW494 |
| | 500mm White 110mm height | RKW128 | RKW495 |

• Load capacity 6kg per tray • Fitting instructions on page 83

Item 112 | White Vegi Spacer Plastic Material 25mm | RKW133 Size





Item 1006 | 🏶 Clover White Runner | RIH568

• Refer to page 171 for Runners specifications





Stainless Steel Baskets Item 1129 |

Material Stainless Steel

Size 450mm | Square Basket **RKW518** 450mm | Rounded Basket | RKW519

NB! Only the Stainless Steel Basket is supplied.

The wooden Top Frame and Base is to be manufactured and fitted by the customer to match the colour of your cupboard.
Fitting instructions on page 84



Synthetic Wicker Baskets (not supplied with a wooden base) Item 964 Material

Size

| Wicker | | |
|--------|-------------------------|--------|
| 450mm | Synthetic Oak | RKW470 |
| 450mm | Synthetic Maple | RKW471 |
| 450mm | Synthetic Dark Burgundy | RKW473 |
| 450mm | Synthetic White | RKW516 |
| 500mm | Synthetic Oak | RKW474 |
| 500mm | Synthetic Maple | RKW475 |
| 500mm | Synthetic Dark Burgundy | RKW477 |
| 500mm | Synthetic White | RKW517 |

- New and improved Wicker Baskets manufactured from synthetic material
 More resistant to wear
- Easy to clean

- Compliant with hygenic norms
 Fitting instructions on page 84
 Load capacity 10kg per basket
 Use with Euro Slides or Ball Bearing Slides









Item 965 Material Size

Wine Racks Chromed Steel 400mm | RKW337 600mm | RKW338

• Fitting instructions on page 84



Item 885 Material Size

Glass Rack Chromed Steel 340 x 115 x 63mm | Glass Rack - 1 Column | RKW407 340 x 215 x 63mm | Glass Rack - 2 Column | RKW408 340 x 435 x 63mm | Glass Rack - 4 Column | RKW311

• Fitting instructions on page 84




Ring Wine Racks Item 1117 | Material Chromed Steel Size

660 x 195 x 110mm | 6 Ring Wine Rack | RKW432 960 x 195 x 110mm | 9 Ring Wine Rack | RKW450

Fitting instructions on page 84Minimum internal height of cabinet - 668/968mm





Item1996 Appliance Lift and Soft Close Away Mechanism

Material Steel Code RKW122

Fitting instructions on page 85
Load capacity 5 - 20kg
min. depth 400mm / min. height 600mm / min. width 268mm



Item 878 Material Size

Draining Dish Rack

Stainless Steel
600mm | Stainless Steel Draining Dish Rack | RKW158
900mm | Stainless Steel Draining Dish Rack | RKW159

Fitting instructions on page 85Load capacity 5kg per rack



Material Size

Item 914 | Ironing Board (can rotate)

Wooden Base

450mm | Ironing Board | RKW327 | Ironing Board Cover | RKW424

Fitting instructions on page 83Minimum internal height of cabinet - 650mm



Item 909 Material Size

Laundry Basket Chromed Steel


385 x 310 x 500mm | RKW134





FEATURES

- THE FRAMES ARE EPOXY COATED WHITE.
- PULL OUTS ARE FITTED WITH FULL EXTENSION.
 SOFT CLOSING CONCEALED SLIDES.
- THE FRAME PULLS OUT COMPLETELY FOR EASY ACCESS WITH DAMPENED RETURN.
- THE WIDTH OF THE FRAME IS ADJUSTABLE ACCORDING TO YOUR INTERNAL WIDTH OF YOUR CABINET.
 AVAILABLE IN TWO SIZES: 600MM & 900MM.




 THE SLIDES WHICH ARE FITTED TO THE CABINET ARE CONCEALED WITH A WHITE COVER.





ITEM 62 | PULL OUT PANTS RACK SOFT CLOSE
SIZE | (600) 564X477X65MM | RKW538

SIZE | (600) 564X477X65MM | RKW538 SIZE | (900) 864X477X65MM | RKW539








ITEM 64 | PULL OUT STORAGE BASKET SOFT CLOSE


SIZE | (600) 564X477X150MM | RKW540 SIZE | (900) 864X477X160MM | RKW541





ITEM 65 | PULL OUT ORGANISER BOX SOFT CLOSE


SIZE | (600) 564X477X90MM | RKW542 SIZE | (900) 864X477X90MM | RKW543






ITEM 66 | PULL OUT SHOE RACK SOFT CLOSE

SIZE | (600) 564X477X170MM | RKW544 SIZE | (900) 864X477X170MM | RKW545





ITEM 67 | PULL OUT TIE AND BELT RACK
SIZE | 460X85X175MM | RKW546



SIDE MOUNTED SINGLE EXTENSION BALL BEARING SLIDE





ITEM 68 | WARDROBE LIFT ELITE
MATERIAL | PLASTIC & ALUMINIUM

SIZE | 746/1064MM | RKW547

• MAXIMUM LOADING CAPACITY IS 15KG

Item 936 | Shoe Rack Material | Chromed Steel

Size | 600mm | Shoe Rack No Runners | RKW190 900mm | Shoe Rack No Runners | RKW191 Available on Request | Bottom Mounted Runner | RKW192 | Side Mounted Runner | RKW193

• Fitting instructions on page 81



ITEM 911 | WARDROBE LIFT

MATERIAL | PLASTIC & ALUMINIUM

SIZE | 830/1150MM | RKW343

• MAXIMUM LOADING CAPACITY IS 12KG

Item 1419 | Tie Rail Material | Chromed Steel Size | 305mm | RIH1295






Item 1446 | Broom Holder Material | Metal | RIH1296







Item 1810 | Spice Pull-Out, Soft Close




Item 931 | Economical Spice Pull-Out




Item 1811 | Tray Basket 3 Layer, Soft Close (200 & 300mm)




Item 49 | Economical Tray Basket 2 Layer, Soft Close




Item 48 | Economical 270° Lazy Susan



Item 860 | 270° Magic Lazy Susan




Item 838 | Butterfly Pull-Out, Soft Close




Information and data supplied is based on information believed to be reliable. However, it is not binding and inaccuracies may occur. We reserve the right to change specifications and design without notice.




Item 1016 | 180° Revolving Basket (metal basket)




Item 1016 | 180° Revolving Basket (wooden base)




Item 1813 | Magic Corner, Universal Left or Right (mirror left open)




Item 1015 | Chef's Pantry Half, Universal, Left or Right (left hand, mirror right)





Item 1814 | 110° Tandem Pantry Unit, **Universal**, Left **or** Right (right hand, mirror left)






Item 1815 | High Pantry Pull-Out, Soft Close (300 & 400mm width)












Item 825 | Seven Layer Spice Basket




Item 863 | Cupboard Pull-Out Organiser, Universal Left or Right




Item 923 | Internal Pull-Out, Soft Close




Item 45 | Four Layer Spice Rack



Item 914 | Ironing Board





Item 112 | Vegi Basket





















Information and data supplied is based on information believed to be reliable. However, it is not binding and inaccuracies may occur.


We reserve the right to change specifications and design without notice.




Item 878 | Draining Dish Rack




Item 911 | Wardrope Lift




Item 909 | Laundry Basket



Item 936 | Shoe Rack



Item 1996 | Appliance Lift and Soft Close Away Mechanism



Information and data supplied is based on information believed to be reliable. However, it is not binding and inaccuracies may occur.

We reserve the right to change specifications and design without notice.





LAUNDRY BASKET PULL OUT 48L

FEATURES

- LARGE BUCKET VOLUME :48L
- SUITABLE FOR CABINET DEPTH MIN.520MM
- USED WITH **UTA** DOUBLE WALL SLIDES (NOT INC.)
- LOADING CAPACITY FOR THE MECHANISM IS 25KG

ITEM 1908 | LAUNDRY BASKET PULL OUT 48L


FINISH | WHITE | RKW112

SIZE | W412-418 X D506 X H545mm

ITEM 1010 | UTA FULL EXTENSION DOUBLE WALL

SOFT CLOSING SLIDE

SIZE | WHITE | 84 X 500MM | RIH2010






LAUNDRY BASKET FLIP DOWN 48L

FEATURES

- LARGE BUCKET VOLUME :48L
- SUITABLE FOR CABINET DEPTH MIN.350MM, ESPECIALLY INSTALLED IN THE BATHROOM VANITY
- EQUIPPED WITH TILT-OUT MECHANISM FOR BOTTOM HINGED DOOR
- LOADING CAPACITY FOR THE MECHANISM IS 10 KG

ITEM 1909 | LAUNDRY BASKET FLIP DOWN 48L FINISH | WHITE I RKW113

SIZE | W400 X D346 X H530mm







ADDIS LAUNDRY BASKET 60L (435x320x610mm)

FEATURES


- LARGE BUCKET VOLUME **60L**
- HINGED LID STAYS OPEN FOR EASY ACCESS
- ALLOWS YOUR LAUNDRY TO BREATH
- EASY TO CLEAN & DURABLE

manufactured in South Africa

ITEM 1907 | LAUNDRY BASKET 60L

FINISH | LIGHT GREY CODE | RKW111

SIZE | W435 X D320 X H610mm







ADDIS LAUNDRY BASKET 56L (480x335x600mm)

FEATURES


- LARGE BUCKET VOLUME 56L
- HINGED LID STAYS OPEN FOR EASY ACCESS
- ALLOWS YOUR LAUNDRY TO BREATH
- EASY TO CLEAN & DURABLE



ITEM 1906 | LAUNDRY BASKET 56L

FINISH | GREY CODE | RKW110


SIZE | W480 X D335 X H600mm












FEATURES

- LARGE BUCKET VOLUME 2X27L (54L)
- EASY REMOVED AND CLEANED
- FITTED WITH **UTA** DOUBLE WALL SLIDES
- LOADING CAPACITY FOR THE MECHANISM IS 30KG

ITEM 47 2X27L CUPBOARD BIN GREY

FINISH | GREY | RKW103

SIZE | W412-418 X D506 X H570mm




ITEM 1702 | 35 LITRE X 1 CUPBOARD BIN

MATERIAL | PLASTIC

SIZE 35 LTR

|35 LTR WITH SOFT CLOSE SLIDES, GREY | RKW533 35 LTR | 35 LTR NO SLIDES, GREY RKW525

• CABINET WIDTH 400MM • INTERNAL CABINET SIZE: 368 (WIDTH) X 513 (DEPTH) X 563MM (HEIGHT)









ADDIS BIN 45L (610x380x315mm)

FEATURES

- LARGE VOLUME 45L
- HINGED LID STAYS OPEN FOR EASY ACCESS
- EASY TO CLEAN & DURABLE

manufactured in South Africa

ITEM 830 | 45 Litre Addis Bin (all parts sold seperately)

FINISH | Anthracite BASE | RKW447 FLAT TOP | RKW448 BRACKET | RKW290









Minimum internal width - 390mm Minimum internal height - 620mm

We reserve the right to change specifications and design without notice.



ADDIS BIN 50L (660X305X405mm)

FEATURES

- LARGE BUCKET VOLUME **50L**
- LID SWINGS BOTH WAYS FOR EASY ACCESS
- EASY TO CLEAN & DURABLE





ITEM 830/1905 | 50 Litre Addis Bin (all parts sold seperately)

FINISH Anthracite RKW104 BASE TOP | RKW105 BRACKET | RKW114









Minimum internal height - 670mm





FLAT LID



COUNTER TOP BIN

FEATURES

- MANUFACTURED FROM 403 GRADE STAINLESS STEEL
- EASY TO INSTALL
- SITS ALMOST FLUSH WITH THE SURFACE WORKTOP
- CAN BE USED WITH ANY BIN WHERE DIMENSIONS OF THE OPENING IS AT LEASE 200MM WIDE

ITEM 1781 | SSS 403 COUNTER TOP BIN FINISH | STAINLESS STEEL | RKW620 SIZE | 325X235X40MM


CLEANING AND MAINTENANCE

FROM TIME TO TIME THESE LIDS WILL NEED PERIODIC CLEANING WITH A SSS POLISH. DO NOT USE ABRASIVE CHEMICALS, ONLY A DAMP CLOTH









We reserve the right to change specifications and design without notice.





ITEM 834 | COUNTER TOP BIN FINISH | STAINLESS STEEL

CODE | RKW282

SIZE | Ø240mm (top hole size) stainless steel bucket inc.



ITEM 834 | COUNTER TOP BIN FINISH | STAINLESS STEEL

CODE RKW283

SIZE | Ø240mm (top hole size) plastic bucket inc.




STEPTOP2 LADDER


FEATURES

- LESS SPACE
- ONLY 40MM IN WIDTH WHEN FOLDED
- EASY OPENING AND CLOSING 120KG WEIGHT CAPACITY

ITEM 1396 | STEPTOP2 LADDER FINISH | ALUMINIUM I RKW101 SIZE | 700X432X38MM









Item 831 8 Litre Bin Material Steel & Plastic

8 Ltr | White Bin | RKW286 Size

• Fitting template supplied with Bin • Minimum Internal Width - 355mm • Minimum Internal Height - 335mm



Item 829 30 Litre Bin Material Size

Stainless Steel 30 Ltr | White Bin | RKW369

Fitting template supplied with Bin
Minimum Internal Width - 418mm
Minimum Internal Height - 495mm



Item 828 | 14 Litre Bin Material | Steel & Plastic

| 14 Ltr | Stainless Steel Black Bin | RKW288 Size

Fitting template supplied with Bin
Minimum Internal Width - 450mm/Minimum Internal Height - 365mm



Item 44 5 Litre Bench Bin

Material Plastic

Size 5 Ltr | Cupboard Bin Without Drawer Runner, Light Grey | RKW532

• Bin gets hung on a cabinet door or used on a counter top

• Easy to clean











ONDA SERIES

FEATURES

- MOVABLE MULTI-FUNCTIONAL ACCESSORIES
- HARD WEARING POLYPROPOLENE
- AVAILABLE IN WHITE & ANTHRACITE
- OPTIONAL EXTRA NON-SLIP MATS IN PVC REF:P84 AVAILABLE IN WHITE & ANTHRACITE



NON SLIP MATS





LINEAR

DOTS




ITEM 1981 MATERIAL SIZE FINISH

UNDERSINK DRAWER INSERT \$\$35

POLYPROPYLENE

315X181X83MM (drawer internal min 350mm)

WHITE | RKW621 ANTHRACITE | RKW622



ITEM 1983 MATERIAL SIZE

| LARGE DRAWER ACCESSORY (bin exc.)

POLYPROPYLENE

322X236X84MM (drawer internal min 350mm) FINISH


|RKW625 ANTHRACITE | RKW626 ITEM 1982 MATERIAL SIZE FINISH

UNDERSINK DRAWER INSERT SS27

POLYPROPYLENE

253X181X83MM (drawer internal min 270mm)

WHITE | RKW623 ANTHRACITE RKW624



white anthracite

ITEM 1984

MATERIAL

SIZE

FINISH


MULTI PURPOSE REMOVABLE BOX SET POLYPROPYLENE 254X254X205MM (drawer internal min 270mm) |RKW627

REMOVABLE BOXES FOR HANDY USE ALSO ON WORKTOPS


ANTHRACITE | RKW628

WHITE









ITEM 1985 MATERIAL SIZE FINISH

BATHROOM BIN 5L POLYPROPYLENE 5L 170X170X202MM

WHITE |RKW629 ANTHRACITE | RKW630







ITEM 1987 MATERIAL SIZE

FINISH

UPPER DRAWER SET CA35VM


POLYPROPYLENE

241X322X85MM (drawer internal min 350mm)

IRKW633 WHITE ANTHRACITE |RKW634







ITEM 1986 MATERIAL


UPPER DRAWER SET CA35VL

POLYPROPYLENE SIZE

308X322X90MM (drawer internal min 350mm) FINISH WHITE | RKW631 ANTHRACITE

RKW632

white anthracite



ITEM 1988 |

UPPER DRAWER SET CA35SP

MATERIAL POLYPRYLENE

SIZE 146X322X69MM (drawer internal min 350mm) FINISH


| RKW 635 WHITE

|RKW636 ANTHRACITE









ACCESSORIES:

ITEM 1989 | MATERIAL SIZE

TISSUE BOX WITH LID POLYPROPYLENE 290X155X90MM

FINISH WHITE | RKW637 ANTHRACITE | RKW638

ITEM 1990 MATERIAL SI7F

MULTI PURPOSE TRAY POLYPROPYLENE

270X136X42MM FINISH WHITE |RKW639 ANTHRACITE | RKW640

ITEM 1991 | COSMETIC HOLDER MATERIAL POLYPROPYLENE 138X72X42MM SIZE

|RKW641 FINISH WHITE ANTHRACITE | RKW642

ITEM 1992 SMALL BOX WITH LID MATERIAL POLYPROPYLENE SIZE 114X90X66MM

IRKW643 FINISH WHITE ANTHRACITE | RKW644























SET-UP SUGGESTIONS OR CREATE YOUR CUSTOM COMBINATION:










NON-SLIP MATS


SOFT AND RESISTANT AT THE SAME TIME, ANTISLIP DRAWER MATS ARE IDEAL FOR COVERING SHELVES OR DRAWER INTERIORS. THEY PREVENT OBJECTS FROM SLIDING AND GUARANTEE PROTECTION AGAINST KNOCKS, DAMAGE AND DIRT. THEY ARE KNOWN FOR THEIR STRONG ANTI-SKID ABILITIES, A FUNCTIONAL SURFACE AND THE EASE IN WHICH THEY CAN BE CLEANED.

FEATURES

ITEM NO. 917/1312


- EASY TO CLEAN
- SOFT AND ANTISLIP
- ABRASION RESISTANCE
- AVAILABLE BY THE ROLL OR CUT TO MEASUREMENT.











| LINEAR · ANTHRACITE · DO | DTS |
|-----------------------------------|--------|
| DOTS 480mm x 20m x 1.2mm (ROLL) | RKW469 |
| LINEAR 480mm x 20m x 1.2mm (ROLL) | RKW376 |
| ITEM NO. 917/1314 | |



| LINEAR · LIGHT GREY · DOT | S |
|-----------------------------------|--------|
| DOTS 600mm x 20m x 1.2mm (ROLL) | RIH674 |
| DOTS 480mm x 20m x 1.2mm (ROLL) | RKW310 |
| LINEAR 480mm x 20m x 1.2mm (ROLL) | RKW335 |
| LINEAR 600mm x 20m x 1.2mm (ROLL) | RKW381 |
| ITEM NO. 917/1310/1316 | |



















| Item 669 Material | Cutlery Tro Plastic | ау | |
|------------------------|------------------------|-------------------------------|---------|
| Size | 900mm | Tray Grey | RIH1090 |
| | 900mm | Tray White | RIH1094 |
| | 600mm | Tray Grey | RIH1089 |
| | 600mm | Tray White | RIH1093 |
| | 500mm | Tray Grey | RIH1088 |
| | 500mm | Tray White | RIH1092 |
| | 450mm | Tray Grey | RIH1087 |
| | 450mm | Tray White | RIH1091 |
| | 142mm 142mm | Divider Grey Divider White | |
| | 95mm 95mm | Divider Grey Divider White | |

• Depth all 450mm

900mm (see max & min)



600mm (see max & min)

TRAY MAXIMUM & MINIMUM CUTTING SIZES FOR CUSTOM FITTING

| Drawer Width | Maximum Size | Minimum Size |
|--------------|-----------------|-----------------|
| | (depth x width) | (depth x width) |
| 900mm | 480 x 830mm | 410 x 755mm |
| 600mm | 480 x 530mm | 410 x 455mm |
| 500mm | 480 x 430mm | 410 x 355mm |
| 450mm | 480 x 380mm | 410 x 315mm |



500mm (see max & min)



450mm (see max & min)

Cutlery Tray Dividers



500/600/900 trays are supplied with two small dividers (95mm) and one large divider (143mm). 450's are supplied with two small dividers only. Exra dividers available on order.

| Item /65 | Spice Iray | / | |
|----------|------------|------------|--------|
| Material | Plastic | | |
| Size | 500mm | Tray White | RIH951 |
| | 600mm | Tray White | RIH953 |
| | 450mm | Tray White | RIH949 |



| Item 38 | Plate Tray - only availab | le in WHIIL |
|----------|----------------------------------|-------------|
| Material | Plastic | |
| Size | 900mm Tray White | RIH1659 |
| | 600mm Tray White | RIH1660 |
| | | |





Item 815 Material Size

| Square Aluminium Bar Consols | Aluminium | 201mm | **Top Mounted** | RKW379




Item 816 Material Size

Diagonal Bar Consols Aluminium Ø50 x 200mm | RKW296




102 matt chrome







• Space between Consols should not exceed 600mm to carry weight of 15kg





Item 826 Material Size

Square Aluminium Bar Consols

Aluminium
322mm | Side Mounted | RKW380









Material Size


Item $1784 \mid 40 \text{ x } 40 \text{mm}$ Square Aluminium Consol

Aluminium

100mm | RKL397







Item 1786 | Ø40mm Round Aluminium Consol


Material Aluminium Size

35mm | RKL416 100mm | RKL412



natural anodised





Item 1788 | Round End Cap

Aluminium

Material Size

Ø40 x 12mm | RKL426 | RKL427







Size





Ø40



Item 1790 | Round End Cap Material

Aluminium Ø24.5 x 12mm | RKL430



103 brushed nickel



Item 1789 | Material Size

Round Fusing Disc Aluminium

Ø40 x 12mm | RKL427



• Brushed Nickel End Cap also used as a Fusing Disc

Item 1836 | M10 Ready Bolts

Material

Steel

35mm Ready Bolt for End Caps & Base Foot | RKL443 Size 20mm Ready Bolt for Fusing Discs

RKL444

Material Size

Item 1835 | M10 Bolts Steel

15mm Bolt for Fastening the Top Plate 35mm Bolt & Washer for 16 - 22mm Tops 45mm Bolt & Washer for 32mm Tops

RKL447 RKL446 RKL445


















Item 1797 | Material Size


Rubber Cushion Disc for Glass

Rubber

Ø39.5 x 1mm | RKL438 Ø24 x 1mm RKL439













Various combinations are possible to create various applications, when selecting the consol components.

Aluminium available in Natural Anodised and Brushed Nickel.


NB! All components are sold separately - you choose and create!



Application 1 A \emptyset 10.5mm hole is drilled through the glass, which is then fastened to the console using a round or square end cap.



Application 2
A fusing disc is fused to the glass.



Application 3
The console is fitted to a wooden top.





NATURE INSPIRES THE FINEST THINGS.

FIXING HARDWARE & LIFT SYSTEMS

THE FULL PRODUCT CATALOGUE CAN BE DOWNLOADED AT WWW.RAIEL.COM



KIARO OPENING SYSTEM

FEATURES

KIARO IS AN OPENING SYSTEM FOR DROP DOWN DOORS WITH A CONCEALED MECHANISM WHICH ALLOWS TO ADJUST THE SETTINGS DEPENDING ON DOOR WEIGHT AND DIMENSION, THUS ENABLING TO MANAGE A WIDE RANGE OF DOORS WITH ONLY ONE REFERENCE. AS IT IS A TWO-HANDED MECHANISM, IT CAN BE INSTALLED BOTH ON RIGHT AND LEFT SIDE. A HIGH RESISTANCE TECHNICAL WIRE GRANTS A SIGNIFCANT LOADING CAPACITY TOGETHER WITH MINIMAL SHAPES AND ELEGANT DESIGN.

ONE REFERENCE OF MECHANISM TO MANAGE EVERY SITUATION: ANY DOOR WEIGHT AND DIMENSION.

THE SAME MECHANISM HAS 4 DIFFERENT STRENGTH SETTINGS WHICH COVER THE MOST COMMON DOOR SIZES AND WEIGHT. THE ADJUSTMENT OF STRENGTH SETTINGS CAN BE CARRIED OUT DIRECTLY ON THE MECHANISM BY SLOTTING THE BESPOKE SCREWS INTO THE CORRESPONDING PLACES.





ITEM 1938 | ALUMINIUM PROFILE 550MM CODE |550x12.5x8MM | RIH2474



ITEM 1938 | SURFACE MOUNT KIARO DOOR FIXING BRACKE (OPTIONAL) |42X15X14MM | RIH2475




**OPTIONAL - NO RECESS REQUIRED EACH KIARO SYSTEM IS SUPPLIED WITH A RECESS FIXING BRACKET



FOR PUSH OPEN DOORS K-TECH PUSH CATCHES ARE TO BE USED

*KIMANA HINGES ARE TO BE USED





FULL SPECIFICATIONS AVAILABLE ON REQUEST OR CAN BE DONWLOADED AT WWW.RAIEL.COM






K12 GAS STAY

FEATURES


- EASY-TO-INSTALL SOLUTION THAT MAKES ADDITIONAL SCREWS UNNECESSARY
- IMPROVING THE AESTHETIC AND REDUCING ASSEMBLY TIME
- THE SYSTEM OPERATES THROUGH CLICK-IN DOOR AND SIDE SUPPORTS REDUCING THE RISK OF UNSAFE OR INCORRECT INSTALLATION
- LENGTH: 244MM
- STRENGTH: 80N / 0N
- MAX WEIGHT PER DOOR: 4 5KG AVERAGE
- MAX SIZE PER DOOR: 900 X 400MM
- VERSIONS: LIFT UP AUTOMATIC AND DROP DOWN
- MOUNTING BRACKET: Ø15MM OR A SCREW
- HANDLESS OPENING OPTION: YES
- REFER TO K PUSH SECTION PAGE 32 33
- USED WITH SPRUNG OR UNSPRUNG (PUSH) OR KIMANA HINGES REFER TO HINGES SECTION

 REPUND PAGE AND UNSPRUNG (PUGH) PAGE 32 42 44 (MANA P
 - SPRUNG PAGE AND UNSPRUNG (PUSH) PAGE 32 33 / KIMANA PAGE 31



K12 GAS STAY LIFT UP AUTOMATIC 80N

USE THE CONFIGURATOR TO CALCULATE WHAT STRENGTH STAY YOU WOULD REQUIRE PER YOUR DOOR SIZE: www.italianaferramenta.it




ITEM 91 | K12 GAS STAY LIFT UP AUTOMATIC 80N
SIZE | 244MM | RIH2055
MOUNTING BRACKET SOLD SEPARATELY
REFER TO MOUNTING BRACKET SECTION





K12 GAS STAY DROP DOWN ON

USE THE CONFIGURATOR TO CALCULATE WHAT STRENGTH STAY YOU WOULD REQUIRE PER YOUR DOOR SIZE: www.italianaferramenta.it




ITEM 92 SIZE K12 GAS STAY DROP DOWN
244MM | RIH2056
MOUNTING BRACKET SOLD SEPARATELY
REFER TO MOUNTING BRACKET SECTION




THE DIMENSIONS OF THE ABOVE DRILLING PLAN REFER TO CARCASSES WHICH USE STANDARD SPRUNG OR UNSPRUNG HINGES



MOUNTING BRACKETS









KRABY GAS STAY

FEATURES

- EASY-TO-INSTALL SOLUTION THAT MAKES ADDITIONAL SCREWS UNNECESSARY
- IMPROVING THE AESTHETIC AND REDUCING ASSEMBLY TIME
- LENGTH: 244MM
- STRENGTH: 60N / 80N / 100N
- MAXIMUM WEIGHT PER DOOR: 4 5KG AVERAGE
- MAXIMUM SIZE PER DOOR: 900 X 400MM
- VERSIONS: LIFT UP AUTOMATIC AND DROP DOWN
- MOUNTING BRACKET: SCREW ON
- HANDLESS OPENING OPTION: YES
- REFER TO K PUSH SECTION PAGE 32 33
- USED WITH SPRUNG OR UNSPRUNG (PUSH) OR KIMANA HINGES REFER TO HINGES SECTION SPRUNG PAGE AND UNSPRUNG (PUSH) PAGE 32 / KIMANA PAGE 31



FRICTION STAY, THE DOOR STAYS OPEN AT THE OPENING ANGLE

USE THE CONFIGURATOR TO CALCULATE WHAT STRENGTH STAY YOU WOULD REQUIRE PER YOUR DOOR SIZE: www.italianaferramenta.it


ITEM 97 | KRABY GAS STAY LIFT UP FRICTION 60& 90N

SIZE | 60N | 244MM | RIH2061 | 90N | 244MM | RIH137

9011 | 2441/11/1 | 11111137

MOUNTING BRACKET SOLD SEPARATELY
REFER TO MOUNTING BRACKET SECTION












KRABY GAS STAY LIFT UP AUTOMATIC 80N

USE THE CONFIGURATOR TO CALCULATE WHAT STRENGTH STAY YOU WOULD REQUIRE PER YOUR DOOR SIZE: www.italianaferramenta.it

ITEM 99/1574 KRABY GAS STAY LIFT UP AUTOMATIC 80/100N SIZE . | 80N |244MM|RIH2062 | 100N | 244MM | RIH1048





KRABY GAS STAY DROP-DOWN

USE THE CONFIGURATOR TO CALCULATE WHAT STRENGTH STAY YOU WOULD REQUIRE PER YOUR DOOR SIZE: www.italianaferramenta.it

FOR BETTER FUNCTION AND FOR SAFETY REASONS, WE SUGGEST TO USE AT LEAST TWO STAYS PER PIECE OF FURNITURE. THE DIMENSIONS OF THE DRILLING PLANS ON THIS PAGE REFER TO CARCASSES WHICH USE STANDARD SPRUNG OR UNSPRUNG HINGES.

244MM | RIH2063 MOUNTING BRACKET SOLD SEPARATELY REFER TO MOUNTING BRACKET SECTION L=244 32 164 224 / 37

DRILLING DETAIL


KRABY GAS STAY DROP-DOWN

164MM|RIH138

DRILLING DETAIL







CODE | 42X36X9MM | RIH2065

83° min

94° max

32



ITEM 114 | KRABY PLASTIC COVER FOR DOOR SUPPORT CODE | 42X36X9MM | RIH2066








ITEM 160

SIZE





INSTALLATION:



ADJUSTMENTS FRONT TO BACK ADJUSTMENT 0 - 10MM









FRONT TO BACK ADJUSTMENT

THE OPENING AND CLOSING OF THE DOOR CAN BE CHANGED BY ADJUSTING THE POSITION OF THE PISTON BASE PLATE WITHIN THE SLOT:

- FORWARDS ADJUSTMENT = THE DOOR OPENS AUTOMATICALLY LATER (AUTOMATIC STAY ONLY) AND CLOSES AUTOMATICALLY IN ADVANCE (BOTH STAYS AUTOMATIC AND FRICTION).
- BACKWARDS ADJUSTMENT = THE DOOR OPENS AUTOMATICALLY IN ADVANCE (AUTOMATIC STAY ONLY) AND CLOSES AUTOMATICALLY LATER (BOTH STAYS AUTOMATIC AND FRICTION).


THE DIMENSIONS OF THE ABOVE DRILLING PLAN REFER TO CARCASSES WHICH USE STANDARD SPRUNG OR UNSPRUNG HINGES

KIMANA HINGES FOR FLAP AND DROP-DOWN DOORS

KIMANA HINGES

FEATURES


- KIMANA IS THE NEW HINGE TO OPEN AND CLOSE FLAP AND DROP-DOWN DOORS. THE SMALL DIMENSIONS (Ø26MM BORING FOR BOTH THE DOOR AND THE BOTTOM).
- THE MINIMALISTIC AND ELEGANT DESIGN CONTRIBUTE TO MAKE KIMANA NOT ONLY A FUNCTIONAL HINGE, BUT ALSO A PRODUCT UNIQUE IN ITS GENRE.
- THE FIXING SCREWS ARE PERPENDICULAR, THUS MAKING KIMANA SUITABLE FOR PERFECT POSITIONING, AS WELL AS FOR ALUMINIUM PROFILES.
- KIMANA CAN BE EASILY ADJUSTED THROUGH THE SCREWS (PZ2) WHICH ARE HIDDEN UNDERNEATH THE COVER, SO THAT THE IDEAL MOVEMENT AND ALIGNMENT OF THE DOOR ARE GUARANTEED.








KIMANA SPACER SIZE PER CABINET AND DOOR THICKNESS




| С | D | CS | DS | Х | Υ | Z |
|----|----|----|----|---|-----|-----|
| 16 | 16 | 4 | 2 | 4 | 2.5 | 2.5 |
| 16 | 20 | 4 | - | 2 | 4.5 | 1.5 |
| 18 | 18 | 2 | - | 2 | 2.5 | 2.5 |
| 18 | 20 | 2 | - | 2 | 2.5 | 0.5 |

FULL SPACER PROGRAM FOR CABINET AND DOOR THICKNESS AVAILABLE AT WWW.RAIL.COM OR ON CD



DOOR PANEL DRILLING PLAN



| REFER TO CARCASS WHICH USE KIMANA HINGES |
|---|
| DEEED TO CARCAGO WILLION LIGH |
| THE DIMENSIONS OF THE ABOVE DRILLING PLAN |
| |

| X+ < | Y+ | L1 | L2 |
|--------|------------|----|-------|
| 16 + 4 | 16 + 2 | 43 | 187.5 |
| 16 + 4 | 19 | 44 | 187.5 |
| 18 + 2 | 18 | 43 | 185 |
| 18 + 2 | 19 | 44 | 185 |
| 19 | 16 + 2 | 42 | 185 |
| 19 | 19 | 43 | 185 |
| 20 | 20 | 43 | 185 |




PUSH CATCHES - MAGNETIC OR WITH BUFFER


FEATURES

- FOR AUTOMATIC OPENING SYSTEMS FOR DOORS WITHOUT HANDLES
- K PUSH TECH SHORT AVAILABLE WITH MAGNET AND BUFFER
- K PUSH TECH AVAILABLE IN THREE FINISHES WHITE, GREY, ANTRACITE





WITH BUFFER FOR CABINETS USING SPRUNG HINGES




K TECH SHORT ARM WITH MAGNET USED WITH THE: K12 & KRABY GAS STAY FOR HANDLESS DOORS



INSTALLATION ON CD





EMBEDDED INSIDE THE PANEL




K TECH SHORT ARM WITH MAGNET USED WITH THE K12 & KRABY GAS STAY FOR HANDLESS DOORS. INSTALLATION ON CD.

THROUGH ADAPTER HOUSING











K LOCK - MAGNETIC CATCHER


FEATURES

- KEEPS THE DOOR SAFELY CLOSED
- SUITABLE FOR UNSPRUNG HINGES
- · AVAILABLE IN THREE FINISHES- WHITE, GREY, ANTRACITE


ITEM 150 FINISH


K LOCK WITH MAGNET | WHITE RIH2100 GREY RIH2101 ANTHRACITE | RIH2102



















ITEM 148 FINISH

K PUSH TECH HOUSING WHITE RIH2094

GREY RIH2095 ANTHRACITE | RIH2096








ITEM 149

| K PUSH TECH LONG

HOUSING FINISH

WHITE RIH2097 GREY RIH2098 ANTHRACITE RIH2099





ITEM 146 FINISH

| K PUSH TECH DOOR PLATE | RIH2090 NICKEL











SHELF SUPPORTS & FASTENERS

FEATURES

- VERY SIMPLE DRILLING OPERATIONS
- PROVIDES THE FURNITURE WITH STRUCTURAL FASTENING
- EASY CLIP IN AND SHELF RELEASE

K-LINE



FUNCTIONAL SOLUTION & ELEGANT SHAPE USED FOR BOTH WOOD AND GLASS SHELVES.

FLIPPER MIN PANEL THICKNESS 14MM



PROVIDES STRUCTURAL FASTENING. THE SHELF FLUSHES WITH THE SIDES DUE TO THE ANGLED SHAPE OF THE SHELF SUPPORT SOCKET.

UNICO MIN PANEL THICKNESS 15MM



IDEAL FOR MODULAR CABINETS AND FURNITURE. THE ROUND LEDGE FLUSHES WITH THE LOWER SIDE OF THE SHELF MAKING IT AESTHETICALLY ELEGANT.



IDEAL FOR MODULAR CABINETS AND FURNITURE. EASY REPOSITIONING OF THE SHELF BY THE CLICK RELEASE CLIP.

PK2 MIN PANEL THICKNESS 16MM



PROVIDES STRUCTURAL FASTENING, IT ALLOWS TO JOIN TOGETHER ANY SIDE AND SHELF. INCLUDING BOTTOM AND TOP.



SHELF SUPPORTS

ITEM 821 | K-LINE SHELF SUPPORT Ø5MM FINISH

NICKEL PLATED | RIH2068 | RIH2486 MATT BLACK



ITEM 127 | K-LINE ADD ON RUBBER FINISH | CLEAR | RIH2069



OPTIONAL

GLASS SHELF SUPPORTS

ITEM 179 | GEKO GLASS SUPPORT 6MM FINISH | TRANSPARENT | RIH1997






ITEM 183 | COBRA GLASS SUPPORT 5-6MM FINISH NICKEL PLATED | RIH1892










ITEM 185 | KUBIC GLASS SUPPORT BODY FINISH | NICKEL PLATED | RIH1893






ITEM 185 | KUBIC GLASS SUPPORT UPPER PART FINISH | NICKEL PLATED | RIH1894





RIH1893 AND RIH1894 ARE TO BE ORDERED TOGETHER













RIH2070 AND RIH2071 ARE TO BE ORDERED TOGETHER





RIH2072 AND RIH2073 ARE TO BE ORDERED TOGETHER





| RIH2080 RIH2075, RIH2076 AND RIH2077 ARE TO BE ORDERED TOGETHER





RIH2118 AND RIH2119 ARE TO BE ORDERED TOGETHER

REKORD 12-LEVELLER



ITEM 225 | REKORD SIDE PANEL LEVELLER CODE | RIH1975

- LOADING CAPACITY 120KG
- ADJUSTEMENT 0 12MM







VERY IMPORTANT

- · CENTRE OF THE HOLE IS SHIFTED 3,5MM UPWARDS
- PLEASE KEEP IN MIND WHEN LEVELLING THE SHELF

TRIADE MAXI- HEAVY DUTY SHELF SUPPORT

FFATURES

- TRIADE MAXI IS A CONCEALED MOUNTING BRACKET FOR SHELVES, MINIMUM 40MM THICK
- IT IS PROVIDED WITH THREE INDEPENDENT ADJUSTMENTS: VERTICAL, HORIZONTAL AND INCLINATION
- THE LOADING CAPACITY IS 20KG PER BRACKET (SHELF WEIGHT INCLUDED) FOR A SHELF MAXIMUM 400MM DEEP
- SHELE MINIMUM DEPTH IS 200MM

OPTIONAL BRACKET

ITEM 212 | BRACKET FOR TRIADE

CODE RIH1899

ITFM 211 PANHEAD SCREW M5 X 12MM CODE | RIH1898





FIXING TO A CEMENT WALL

VERY IMPORTANT • TRIADE MAXI HAS TO BE INSTALLED WITH THE ARROW FACING UPWARDS

- TO CEMENT WALL WITH RAWL PLUGS Ø8MM AND PAN HEAD SCREWS Ø5 X 50MM
- IT IS THE RESPONSIBILITY OF THE CUSTOMER TO ENSURE THE WALL IS OF A SUITABLE QUALITY TO HOLD THE SHELF FIXING IN PLACE




COMBINATION SHELF LOAD AND SHELF DEPTH (THE FIGURES REFER TO ONE SHELF SUPPORT)




TILT THE SHELF TO MATCH

*OPTIONAL FIXING




INSERT THE SHELF PARTIALLY






ADJUST THE SHELF HORIZONTALLY

ACCORDING TO THE APPLICATION (I.E. MULTI-SHELF COMPOSITION)





SHELF SUPPORT HEAVY DUTY TRIADE ITFM 201 | MATERIAL ZINC ALLOY & STEEL CODE | RIH1897

SHELF INSERTING & HORIZONTAL ADJUSTMENT



TRIADE - HEAVY DUTY SHELF SUPPORT

FEATURES

- TRIADE IS A CONCEALED MOUNTING BRACKET FOR SHELVES, MINIMUM 25MM THICK
- IT IS PROVIDED WITH THREE INDEPENDENT ADJUSTMENTS: VERTICAL, HORIZONTAL AND INCLINATION
- THE LOADING CAPACITY IS 15KG PER BRACKET (SHELF WEIGHT INCLUDED) FOR A SHELF MAXIMUM 300MM DEEP
- SHELF MINIMUM DEPTH IS 160MM

OPTIONAL BRACKET

ITEM 204 | BRACKET FOR TRIADE | RIH1996 CODE





| RIH1898





- VERY IMPORTANT . CENTRE OF THE HOLE IS SHIFTED 3,5MM UPWARDS
 - PLEASE KEEP IN MIND WHEN LEVELLING THE SHELF

FIXING TO A CEMENT WALL


- **VERY IMPORTANT** TRIADE HAS TO BE INSTALLED WITH THE ARROW FACING UPWARDS
 - TO CEMENT WALL WITH RAWL PLUGS Ø8MM AND PAN HEAD SCREWS Ø5 X 50MM • IT IS THE RESPONSIBILITY OF THE CUSTOMER TO ENSURE THE WALL IS OF A
 - SUITABLE QUALITY TO HOLD THE SHELF FIXING IN PLACE

SHELF INSERTING & HORIZONTAL ADJUSTMENT




INSERT THE SHELF PARTIALLY






ADJUST THE SHELF HORIZONTALLY ACCORDING TO THE APPLICATION (I.E. MULTI-SHELF COMPOSITION)









COMBINATION SHELF LOAD AND SHELF DEPTH (THE FIGURES REFER TO ONE SHELF SUPPORT)

+ SHELF WEIGHT = 15KG FOR EACH BRACKET













INSTALLATION ON THE REAR PANEL AND ON THE WALL

CONCEALED HANGER

FEATURES

- CONCEALED HANGING BRACKET FOR FIXING MIRRORS, PANELS AND SMALL WALL CABINETS.
- IT IS SLOTTED INTO THE REAR PANEL BY MAKING FACE BORING.
- A Ø5MM THROUGH HOLE IN THE TOP EDGE, ALLOWS TO ALIGN BRACKETS VERTICALLY, BY USING A CROSS SCREWDRIVER.
- LOADING CAPACITY:
- MIRRORS AND PANELS: 80KG PER PAIR.
- SMALL WALL CABINET: 50KG PER PAIR (EMPIRICAL TEST WITH UNIT (600 X 600 X 250MM)
- IT IS THE RESPONSIBILITY OF THE CUSTOMER TO VERIFY THAT THE WALL IS IN CONDITION AND OF SUFFICIENT QUALITY TO SUPPORT THE FIXING AND THAT THE TOOLS USED ARE COMPATIBLE WITH THE SURFACE ON WHICH CONCEALED HANGER IS INTENDED TO BE FIXED.
- NO GUARANTEE FOR THE STRENGTH OF THE CONCEALED HANGER IN THE ABSENCE OF ADEQUACY OF LOAD-BEARING WALL.














PZ2 CROSS SCREWDRIVER LATERAL ADJUSTMENT 10 M M

VERTICAL ADJUSTMENT 11MM

CONCEALED HANGER





ITEM 254 SIZE CODE


CONCEALED HANGING BRACKET Ø35MM WITH HOOK RIH1995



BI-MATERIAL-DOOR BUMPER

SIDE, BOTH MANUAL AND BY AN AUTOMATIC MACHINE.






DOOR BUFFER BI-MATERIAL ITEM 253 FINISH NATURAL CODE RIH1994



THE STIFF PART ALLOWS AN EASY AND SAFE PLACING ON THE HOLE SIDE, BOTH MANUAL AND BY AN AUTOMATIC MACHINE.

FEATURES

WHEN THE DOOR CLOSES, THE IMPACT OF THE DOOR IS SENSIBLY ABSORBED BY OUTER



• THE DOOR BUMPER BI-MATERIAL IS THE RESULT OF A PARTICULAR TECHNOLOGY THAT ALLOWS TO MELT TOGETHER TWO DIFFERENT MATERIALS: ONE STIFF AND THE OTHER EXTREMELY TENDER. • THE STIFF PART ALLOWS AN EASY AND SAFE PLACING ON THE HOLE






LIBRA H1-HANGERS


FEATURES

- THE LIBRA HANGERS ARE TO BE INSTALLED BEHIND THE REAR PANEL WITH THE ONLY SMALL COVER CAPS LEFT VISIBLE INSIDE THE CABINET.
- THE LIBRA FAMILY FEATURE AN INNOVATIVE ANTI-TURNOVER DEVICE WHICH IS COVERED BY PATENT.
- LIBRA CABINET HANGERS ALLOW TO ADJUST THE CABINET VERTICALLY AND HORIZONTALLY. THE 2 MOVEMENTS ARE 100% INDEPENDENT OF EACH OTHER AND THEREFORE MAKE THE ADJUSTMENTS MUCH EASIER AND MORE EFFICIENT.
- LOADING CAPACITY IS 75KG PER PIECE.

DRILLING PLAN FOR LIBRA H1 FIXED UNDER THE CABINET TOP







head wood screws Ø3.5x20mm


- for details refer to 'LIBRA WALL PLATES"

It is the responsibility of the customer:

· to ensure that the wall is of a suitable quality to hold the unit

- fixing in place.
- to use the proper hardware fittings according to the construction of the wall.

INSTALLATION ON THE WALL











COVER CAP INSERTING

- for details refer to "LIBRA COVER CAPS"







LIBRA H7 - HANGERS - OPTIONAL VERSION

FEATURES

- THE LIBRA HANGERS ARE TO BE INSTALLED BEHIND THE REAR PANEL WITH THE ONLY SMALL COVER CAPS LEFT VISIBLE INSIDE THE CABINET.
- THE LIBRA FAMILY FEATURE AN INNOVATIVE ANTI-TURNOVER DEVICE WHICH IS COVERED BY PATENT.
- LIBRA CABINET HANGERS ALLOW TO ADJUST THE CABINET VERTICALLY AND HORIZONTALLY. THE 2 MOVEMENTS ARE 100% INDEPENDENT OF EACH OTHER AND THEREFORE MAKE THE ADJUSTMENTS MUCH EASIER AND MORE EFFICIENT.
- LOADING CAPACITY IS 200KG PER PIECE.

LIBRA H7 SCREW FIXING "PEG JOINT" FOR OPTIONAL ALUMINIUM BAR

ITEM 241/242 | LIBRA H7 SCREW FIXING WITH "PEG JOINT"

CODE

RIGHT | RIH1983 LEFT | RIH1984

ITEM 1796

| LIBRA H7 COVERS WHITE


CODE

RIGHT | RIH2440 LEFT | RIH2439












LIBRA H7 SCREW FIXING ACCESSORIES






ITEM 241 CODE

SCREW FLAT HEAD M6 X 12MM RIH1985








ITEM 247 CODE

WP5 WALL PLATE


RIH1989





NOTE: Stress resistence calculated in Newton according to normative UNI 10768

| LOADING CAPACITY | | | | | |
|---|---------------------|--|--|--|--|
| LIBRA H7 AND CABINET WITH STRUCTURAL TOP | FURNITURE TYPF | LIBRA H7 DOWEL FIXING AND ALU BAR H.40,2 WITH | | | |
| SCREW FIXING | IIFL | 2 EXTRA HANGING POINTS | | | |
| 200KG | CABINET | 210KG | | | |
| 160KG + 30KG | CABINET + DRAWER | 170KG + 30KG | | | |



NOTE: THE REPORTED DATA, EMPRICALLY OBTAINED, EXCLUSIVELY REFER TO THE CONSTRUCTIONS AND EXAMPLES SHOWN, CORRECTLY POSITIONED AND ASSEMBLED BY USING WP5 WALL PLATE.



WP5 WALL PLATE INSTALLATION


THE HANGING SYSTEM IS NEVER INTERVERING WITH THE SLIDES FOR DRAWERS THANKS TO THE SLIM SIDE BRACKET WINGS

FASY ACCESS TO THE ADJUSTMENTS



DRILLING PLAN WITH BACK PANEL WOOD THICKNESS 4MM AND H. 40,2MM ALUMINIUM BAR





BENEFITS OF LIBRA H7 HANGING SYSTEM:

- VERTICAL AND IN-DEPTH ADJUSTMENTS AS WELL AS THE LOCKING OF THE CABINET, CAN BE EASILY AND SMOOTHLY CARRIED OUT FROM THE INSIDE.
- THE HANGING SYSTEM IS NEVER INTERFERING WITH THE SLIDES FOR DRAWERS THANKS TO THE SLIM SIDE BRACKET WINGS.
- · ABSOLUTELY NO MILLS, NOR GROOVES REQUIRED ON THE SIDE PANELS.

THE FOLLOWING SIMULATIONS ARE MEANT TO GIVE OUR CUSTOMERS VALID REFERENCE POINTS CONCERNING CABINET DIMENSIONS, WEIGHTS, RECOMMENDED LOADING CAPACITY EVEN WHEN LOADED DRAWERS ARE OPENED.THE CUSTOMER MUST ENSURE THAT THE WALL IS OF SUITABLE QUALITY AND STRUCTURE.

OTHER IMPORTANT FACTORS TO BE TAKEN INTO CONSIDERATION ARE DETERMINED BY:

- THE TYPE OF SIDE PANEL, THE ACTUAL THICKNESS AND THE MATERIAL USED.
- THE TYPE AND DIMENSIONS OF THE SCREWS USED.
- THE ACTUAL POSITIONING DEPTH AND WIDTH OF THE GROOVE MILLED FOR THE BACK SIDE INSTALLATION.
- THE LOADING CAPACITY OF THE DRAWER SLIDES USED AS WELL AS THE ACTUAL CONSTRUCTION OF THE DRAWER.

WE ALWAYS RECOMMEND TO TEST A COMPLETE CABINET.



THE REPORTED DATA EXCLUSIVELY REFER TO THE CONSTRUCTIONS & EXAMPLES SHOWN, CORRECTLY POSITIONED & ASSEMBLED BY USING WP5 WALL PLATE.



LIBRA H7 ALUMINIUM BAR H. 40,2

ITEM 244 | ALUMINIUM PROFILE FOR LIBRA H7

H. 40,2MM

SIZE | 2000 (L) X 40.2MM (H)

CODE | RIH1987





OPTIONAL PRE-DRILLING OPERATION/S TO BE CARRIED OUT BY THE CUSTOMER.

TO BE CUT BY THE CUSTOMER

LIBRA H7 ALUMINIUM BAR H. 80,5

ITEM 245 | ALUMINIUM PROFILE FOR

LIBRA H7 H. 80,5MM

SIZE | 2000 (L) X 80.5MM (H)

CODE | RIH1988





OPTIONAL PRE-DRILLING OPERATION/S TO BE CARRIED OUT BY THE CUSTOMER.

TO BE CUT BY THE CUSTOMER


LIBRA H7 ALUMINIUM BAR H. 40,2MM

INSIDE CABINET WIDTH: 72MM



LIBRA H7 ALUMINIUM BAR H. 80,5MM

INSIDE CABINET WIDTH: 72MM





LIBRA CH-HANGERS

FEATURES

LIBRA CH

- LIBRA CH IS A HANGING SOLUTION TO BE COMBINED WITH A PAIR
 OF STANDARD CABINET HANGERS TO BE FIXED TO THE SIDE PANELS LIBRA H1 OR H7.
- IT IS RECOMMENDED FOR WALL-MOUNTED SUSPENDED CABINETS WITH HEAVY LOADS OR PARTICULARLY DEEP DRAWERS.
- THE FIXING TO BOTH THE BOTTOM AND THE TOP ALLOWS THE HANGING TO BE MORE RIGID AND AVOIDS ANY STRUCTURAL FAILURE.
- THE ADJUSTMENT AND THE LOCKING OF THE ANTI-TURNOVER BOLT CAN BE CARRIED OUT FROM THE INSIDE OF THE CABINET BY USING A STANDARD PZ2 SCREWDRIVER. STEEL, ALUMINIUM, ZINC ALLOY AND ENGINEERING PLASTIC ACCORDING TO RELATED VERSION.

LIBRA H7



LIBRA CH WITH UPPER END ELEMENT PRE-MOUNTED (SEPARATE LOWER END ELEMENT)

LIBRA CH WALL HANGING ITFM 233

VERTICAL PROFILE

SIZE 507MM RIH1979 CODE



LOWER END ELEMENT

| FIX PLATES 2K FOR LIBRA ITEM 256

CH WALL HANGER

CODE I RIH1980






FIXING ACCESSORY FOR LOWER END ELEMENT

ITEM 240 SCREW SIZE Ø4.8 X 22MM CODE RIH1982






ITEM 257 CHIPBOARD SCREW PAN HEAD SIZE Ø4.8 X 18MM

CODE





LIBRA CH APPLICATIONS BARS

BENEFITS OF LIBRA CH HANGING SYSTEM:


- · VERTICAL AND IN-DEPTH ADJUSTMENTS AS WELL AS THE LOCKING OF THE CABINET, CAN BE EASILY AND SMOOTHLY CARRIED OUT FROM THE INSIDE.
- THE HANGING SYSTEM IS NEVER INTERFERING WITH THE SLIDES FOR DRAWERS AS IT IS PLACED BEHIND THE BACK PANEL.
- · ABSOLUTELY NO MILLS, DRILLING OR GROOVES REQUIRED INSIDE THE CABINET.

THE FOLLOWING SIMULATIONS ARE MEANT TO GIVE OUR CUSTOMERS VALID REFERENCE POINTS CONCERNING CABINET DIMENSIONS, WEIGHTS, RECOMMENDED LOADING CAPACITY EVEN WHEN LOADED DRAWERS ARE OPENED. THE CUSTOMER MUST ENSURE THAT THE WALL IS OF SUITABLE QUALITY AND STRUCTURE.

OTHER IMPORTANT FACTORS TO BE TAKEN INTO CONSIDERATION ARE DETERMINED BY:

- THE TYPE OF SIDE PANEL, THE ACTUAL THICKNESS AND THE MATERIAL USED.
- THE TYPE AND DIMENSIONS OF THE SCREWS USED.
- THE ACTUAL POSITIONING, DEPTH AND WIDTH OF THE GROOVE MILLED FOR THE BACK SIDE INSTALLATION.
- · THE LOADING CAPACITY OF THE DRAWER SLIDES USED AS WELL AS THE ACTUAL CONSTRUCTION OF THE DRAWER.

WE ALWAYS RECOMMEND TO TEST A COMPLETE CABINET.



STRESS INTENSITY LEVEL ON THE WALL



FOR DETAILS REFER TO SECTIONS:

- · LIBRA H7 SCREW FIXING (TO BE USED WITHOUT ALUMINIUM BAR)
- · LIBRA H7 DOWEL FIXING (TO BE USED WITHOUT ALUMINIUM BAR)
- LIBRA CH



BY ADDING LIBRA CH TO LIBRA H7, THE LOADING CAPACITY IS MORE EVENLY DISTRIBUTED. THUS SENSIBLY REDUCING THE STRESS INTENSITY LEVEL ON THE WALL

THE REPORTED DATA EXCLUSIVELY REFER TO THE CONSTRUCTIONS & EXAMPLES SHOWN, CORRECTLY POSITIONED & ASSEMBLED BY USING WP5 WALL PLATE.



IT IS THE RESPONSIBILITY OF THE CUSTOMER: • TO ENSURE THE WALL IS OF A SUITABLE QUALITY TO HOLD SHELF FIXING IN PLACE. • TO USE THE PROPER HARDWARE FITTINGS ACCORDING TO CONSTRUCTION WALL.

GCAMAR - HEAVY DUTY HANGING BRACKETS


FEATURES


- THE NEW PATENTED 807 HANGING SYSTEM IS A REVOLUTION FOR THE WORLD OF SUSPENDED BASE CABINETS. MADE TOTALLY IN METAL, IT HAS A THICKNESS OF ONLY 10MM, AND IS ABLE TO SUPPORT VERY HEAVY LOADS WITH A GUARANTEE OF SAFETY.
- THE INNOVATIVE AND REVOLUTIONARY ANTI-DROP SYSTEM WHICH IS
 ACTIVATED AUTOMATICALLY WHEN THE BRACKET IS HOOKED INTO THE WALL
 PLATE AND PREVENTS THE CABINET FROM ACCIDENTALLY FALLING FROM
 THE WALL.
- TESTED TO EUROPEAN NORMS EN14749, EN14688 AND ISO 7170, IT HAS A
 DECLARED LOADING CAPACITY OF 120KG, WHICH IS STAMPED ON EACH PIECE.
- VERY EASY TO FIT, THROUGH 4 X 10MM DIAMETER HOLES IN THE SIDE PANEL
 OF THE CABINET, WHERE THE 4 DOWELS ARE INSERTED, IT HAS AN
 ADJUSTMENT RANGE OF 19MM HORIZONTALLY AND 22MM VERTICALLY.

ITEM 1657 | **HEAVY DUTY HANGING BRACKETS** MATERIAL | ZINC ALLOY & STEEL

RIGHT BASE CABINET HANGER | RIH1488 LEFT BASE CABINET HANGER | RIH1489 ANTI DROP WALL PLATE | RIH1490 RIGHT WHITE COVER CAP | RIH1486 LEFT WHITE COVER CAP | RIH1487







ITEM 1653 | **HEAVY DUTY FLOATING BRACKETS**MATERIAL | ZINC ALLOY & STEEL


PER PAIR | RIH1427


- LOADING CAPACITY IS 250KG PER BRACKET
- 2.5MM STEEL















6 INSTALLATION AND ASSEMBLY

VIS - CONNECTINGS

FEATURES

- VIS IS THE NEW CONCEPT IN CONNECTING FITTINGS, DESIGNED TO ACHIEVE PRACTICAL AND STRONG ASSEMBLING, CONCEIVED TO JOIN BED SIDES AND PANELS.
- IT CAN BE MOUNTED ON RELATIVELY THIN PANELS, WITH A MINIMUM THICKNESS OF 18MM; FOR PANELS WITH A MINIMUM THICKNESS OF 25MM IT IS POSSIBLE TO ADD A Ø35MM COVER CAP.
- THIS CONNECTING FITTING BOASTS TWO DIFFERENT TIGHTENING POSITIONS: STANDARD (+) AND STRONG (++), WHICH HELPS IN CASE OF INACCURATE DRILLINGS. IT IS NOT NECESSARY TO DISASSEMBLE THE WHOLE STRUCTURE TO CHANGE THE TIGHTENING POSITION.
- VIS IS MADE UP OF A THREADED M8 STEEL DOWEL, A SPECIAL M6 SCREW AND THE Ø35MM ZINC ALLOY CYLINDRIC JOINT.


-Slot for cross PZ2 screwdriver



ITFM 248 SI7F CODE

VIS CONNECTOR Ø35MM RIH1990





Maximum tightening position (++) = 1.2mm

ITEM 249


| CONNECTOR DOWEL

FOR M8

FINISH CODE

ZINC PLATED RIH1991







0.8


3.3

ITEM 250


GRUB SCREW FOR VIS M6 X 15.3MM

ZINC PLATED FINISH

CODE RIH1992



ITEM 251 | RUMBER NUT SIZE M8 X 12MM CODE RIH1993



ITEM 316 SI7F CODE

VIS M8 SLEEVE Ø10 X 17.8MM RIH2171



| | | - | | |
|------|---|-------|-----|------|
| | | | -2- | |
| | | - + O | | 0 |
| | | 4 | -98 | W15. |
| 2.00 | A | 3.A | | |

ITEM 312 | VIS COVER CAP SIZE FOR HOLE 35MM CODE BROWN | RIH2167 BLACK RIH2168 WHITE

RIH2169 GREY RIH2170






J10 - connecting fitting

FEATURES


- TARGET J10 is the new connecting fitting characterized by a very strong fastening capacity and it suitable for wardrobes, bookcases, modular furniture, officefurniture.
- The 10mm diameter screw barely visible on the panel makes TARGET a mini malistic solution with a much more captivating aesthetical look compared to the traditional connecting fittings like minifix.
- Very narrow gap required for the assembly of the furniture which makes TARGET especially practical when working inside a niche.
- Available with M6 thread to be used in combination with zinc alloy bush or with Euro thread for direct fastening to the panel.
- Minimum panel thickness 15mm.
- Materials: zinc alloy, engineering plastic, tempered steel for the gear part.








Press strongly with PZ2 cross screwdriver to slot the pinion screw in.




COVER with adhesive hole cover




VERY IMPORTANT

ASSEMBLING

Cordless driver drill to be used ONLY with **friction mode**










ITEM 1538 | TARGET J10 FOR PANEL THICKNESS 15 - 16MM, M6 THREAD FINISH | ZINK PLATED | RIH1036




19,5

machine thread


ITEM 242 | M6 INSERT

FINISH | ZINK PLATED | RIH1986







ITEM 1539 | TARGET J10 FOR PANEL THICKNESS 15 - 16MM, WITH EURO THREAD ZINK PLATED | RIH1037 FINISH






ITEM 1544 | TARGET J10 PINION SCREW Ø10MM FOR PANEL THICKNESS 15 - 16MM FINISH | STEEL ZINK PLATED | RIH1038









DRILLING JIG FOR PANEL - RIH1049 ITEM NO. 1575

• No marking out required, place in

• For Easy drilling on site.

position and drill



DRILLING JIG FOR SIDE PANEL - RIH1256 ITEM NO. 1582

SPACERS FOR TARGET J10/J12 DRILLING JIG

Aluminium.

On demandif 17 / 18mm board been used



ITEM 1588 | STOP COLLAR FOR Ø5 / 8 / 10 & 12MM DRILL BITS

STEEL BLACK FINISH SIZE

05 RIH1843 RIH1844 Ø8

Ø10 | RIH1847 Ø12 | RIH1848



further information and instructions

go to:www.raiel.com > CATALOGUE > ITALIANA FERRAMENTA> DRILLING JIGS






J12 - connecting fitting


FEATURES

- TARGET J12 is the new connecting fitting characterized by a very strong faste ning capacity and it suitable for wardrobes, bookcases, modular furniture, office furniture.
- The passing-through hole on the pinion screw gives direct access to the adjustable feet without drilling extra holes.
- Very narrow gap required for the assembly of the furniture which makes
- TARGET especially practical when working inside a niche.

 Available with M6 thread to be used in combination with zinc alloy or plastic bush or with On Demand Euro thread for direct fastening to the panel.
- Minimum panel thickness 15mm.
- Materials: zinc alloy, engineering plastic, tempered steel for the gear part.








Press strongly with PZ2 screwdriver to slot the p












For details about adjustable levellers for TARGET J12 refer to the related sections.








ITEM 1547 | TARGET J12 FOR PANEL THICKNESS 15 - 16MM, M6 THREAD | ZINK PLATED |RIH1039








machine thread


ITEM 242 | M6 INSERT


FINISH | ZINK PLATED |RIH1986





ITEM 1559| TARGET J12 PINION SCREW Ø10MM FOR PANEL THICKNESS 15 - 16MM | STEEL ZINK PLATED | RIH1040






INTEGRATO - leveler

FEATURES

- Integrato is the leveller suitable to align heavy duty wardrobes, bookcases and modular furniture
- The leveller is installed and safely fixed to the side panel by 2 countersunk head screw \emptyset 4 x 16 mm and also 2 pan head screws \emptyset 4 x 15 mm.
- The leveller adjustment is possible thanks to the passing through hole of TARGET J12 pinion screw by using a S4 allen wrench
- The zinc alloy die-cast foot, i provided with an independent engineering plastic glide in order to make the adjustment easier and to prevent the scratching of the floor too.
- Capable of supporting a 175 Kg load each

ITEM 1571 | INTEGRATO A (CAN BE USED) WITH TARGET J12 FINISH | RAW ZINK AND PLASTIC BLACK | RIH1041



INTEGRATO - leveler LH7.28

FEATURES

• LH7.20 are suitable for heavy duty furniture units with weight-bearing bottoms and offer 5 mm adjustment with leveller safety locking when fully adjusted. The engineering plastic glide is indipendent to prevent the scratching of the floor. The loading capacity is 150 Kg each for both versions.

Specific features of LH7.28:

- Minimum panel thickness 16mm in combination with Target J10.
- Adjustment to be carried out with an S4 key by drilling a bespoke hole on the panel.

ITEM 1572 | INTEGRATO LH7.28 FLAT ADJUSTABLE LEVELER RAW ZINK AND PLASTIC BLACK | RIH1046









KALABRONE MINI-WOOD & GLASS SHELF

- KALABRONE MINI IS THE NEW SHELF SUPPORT FOR FREE-STANDING SHELVES.
- SUITABLE FOR SHELVES FROM 5 10MM THICK.
- GUARANTEED **LOADING CAPACITY OF 6KG** FOR EACH SUPPORT WITH SHELF 150MM DEEP.
- KALABRONE COMES WITH A VERTICAL ADJUSTMENT THROUGH THE OVAL HOLE POSITIONED ON THE UPPER BRACKET.


SHELF LOCKING

ITEM 189

FINISH



COMBINATION SHELF LOAD AND SHELF DEPTH (THE FIGURE REFER TO 1 SHELF SUPPORT)







+ shelf weight = 6KG MAX for each shelf support










MOON - WOOD & GLASS SHELF SUPPORT


- MOON IS THE NEW SHELF SUPPORT FOR FREE-STANDING SHELVES.
- SUITABLE FOR SHELVES FROM 15 50MM THICK.
- GUARANTEED LOADING CAPACITY OF 50KG PER PAIR SUPPORT WITH SHELF 320MM DEEP.
- MOON COMES WITH A VERTICAL ADJUSTMENT THROUGH THE OVAL HOLE POSITIONED ON THE UPPER BRACKET.



Shelf Locking









Item 494 Material Size

Glass Dome Shelf Support Aluminium

65 x 75 x 30mm 40 x 40 x 25mm

RIH786







Item 445 Material Size

Glass L-Bracket Shelf Support

Aluminium 65 x 75 x 30mm 35 x 50 x 25mm


103 brushed nickel

103 brushed nickel














Item 493 | Material

Size

Shelf Supports & Panel Screw

Aluminium

250mm Aluminium Shelf Support 250mm Stainless Steel Shelf Support RAS224 RAS225

• Exclusive shelf support system


• Multi-functional for wall attachements or for chipboard/ MDF panels


Load bearing capacity is 20kg eachNot recommended for glass less than 5mm in thickness

Maximum thickness between shelf supports may not exceed 750mm













| Item 1243 | Shelf Support 276LC | Size | 112mm | RIH1197


- For invisible of shelves in woodwork or masonry
- Wood thicknesses: minimum 24mm
- Height adjustment: ±2mm
- Inclination adjustment via supporting bolt which presses on the rear plate when turned in
- Distance between shelf supports: maximum 700mm
- Shelf depth: maximum 300mm







Shelf Support 276LC Brackets are sold in pairs with Melamine Floating Shelves. See specifications for Melamine Floating Shelves on page 123







Combo Wooden Shelf Brackets & 10mm Rod Item 1451 |

Material Aluminium & Wood

Size

180 x 180 x 30mm | White Stain Bracket & Brushed Nickel Rod | RWS009











Item 1452 | Combo Wooden Shelf Brackets & 10mm Rod with Pillars

Material Aluminium & Wood Size

180 x 180 x 30mm | White Stain Bracket & Brushed Nickel Rod | RWS012

Aluminium |



Wood |





Item 1453 | Aluminium Shelf Brackets & 10mm Rod

Material Aluminium

Size

180 x 180 x 25mm | Antique Brass 180 x 180 x 25mm Brushed Nickel 180 x 180 x 25mm | White







201 antique brass

RAS219





RAS220







Item 1454 | Aluminium Shelf Brackets & 10mm Rod with Pillars

Material Aluminium

Size

180 x 180 x 25mm | Antique Brass 180 x 180 x 25mm Brushed Nickel

180 x 180 x 25mm White

















Item 1449 | Rod Shelf Bracket

Material

Wood

| Ø35 x 180 mm | White | RWS004


• Sold in pairs












Item 1187 | Aluminium LED Strip

Size 865mm

Aluminium LED Strip | RKW445 LED Driver 3-Way Connector | RKW446

• Used with 8mm glass & shelf studs to support the glass







LED MIRRORS

FEATURES

- · EXUDES A RADIANT ORA, ILLUMINATING YOUR SPACE WITH A GENEROUS HELPING OF ADDITIONAL LIGHT.
- MIRRORS ARE AVAILABLE WITH A 220V POWER SUPPLY OR A 12V BATTERY PACK OPTION. BATTERY LAST UP TO \pm 3 HOURS AT FULL POWER AND 5 HOURS AT 50%.
- EASY ON / OF TOUCH FUNCTION, AND DIMMABLE
- MIRRORS OR HUNG ON KEY HOLES ON REAR OF THE MIRRORS. ALL FIXTURES AND FITTINGS ARE INCLUDED.
- ENSURE INSTALLATION AREA HAS SUFFICIENT VENTILATION TO AVOID EXCESSIVE MOISTURE.



ITEM 1958 MATERIAL TYPE

ORBIT LED MIRROR

4MM MIRROR/MDF

|600 - RWB053 |800 - RWB054 |1000 - RWB055 |600 - RWB056 |800 - RWB057 |1000 - RWB058 BATTERY 12V

FEATURES

- THE ROUND ORBIT MIRRORS EXUDES A RADIANT ORA, ILLUMINATING YOUR SPACE WITH A GENEROUS HELPING OF ADDITIONAL LIGHT.
- MIRRORS ARE AVAILABLE WITH A 220V POWER SUPPLY OR A 12V BATTERY PACK OPTION.
- THREE SIZES MIRRORS ARE AVAILABLE WITH LED ILLUMINATION, Ø600, Ø800 & Ø1000MM.
- ENSURE INSTALLATION AREA HAS SUFFICIENT VENTILATION TO AVOID EXCESSIVE MOISTURE.



ITEM 1957 MATERIAL TYPE

ORBIT PLAIN MIRROR

4MM MIRROR

|600 - RWB050 |800 - RWB051 |1000 - RWB052

- THREE SIZES MIRRORS ARE AVAILABLE, Ø600, Ø800 & Ø1000MM.
- WALL HANGING KEYHOLES ON REAR. ALL FIXTURES AND FITTINGS ARE INCLUDED.



ITEM 1959 MATERIAL SIZE 600 SIZE 800

ORBIT WOOD 6X50MM OAK FRAME

4MM MIRROR/OAK RWB061 | RWB063 | RWB065 RWB062 | RWB064 | RWB066







FEATURES

- THE CONSTRUCTION OF THE MIRROR MAKES THEM SOLID AND ROBUST.
- THE WOODEN FRAME IS AVAILABLE IN OAK NATURAL OIL, DARK STAIN AND WHITE.
- WALL HANGING KEYHOLES ON REAR, ALL FIXTURES AND FITTINGS ARE INCLUDED.



ITEM 1960 MATERIAL SIZE 800 ORBIT WOOD 6X50MM OAK FRAME 4MM MIRROR/POLYURETHANE/LEATHER RWB043





FEATURES

- THE MIRROR FRAME IS MADE OF ROBUST POLYURETHANE CASTED RESIN; THE STRAP IS MADE OF NATURAL LEATHER WHICH THE STRAP IS FIXED WITH A BUCKLE MAKING IT ADJUSTABLE, TO YOUR DESIRED HEIGHT.
- IDEAL FOR BATHROOMS, ENTRANCE HALLS OR BEDROOMS
- THIS MIRROR IS AVAILABLE IN ONE STANDARD SIZE Ø800MM THE Ø600 & Ø1000 ARE MADE TO ORDER (MOQ25)
- THE MIRROR'S STRAP IS ADJUSTABLE, WHICH IS FIXED TO THE WALL WITH A HANGING HOOK. (WALL PLUG INC.)



ITEM 1961 MATERIAL OVAL MIRROR LED 850X600MM

4MM MIRROR/MDF 220V | RWB067 BATTERY 12V | RWB068

FEATURES

- THE OVAL LED MIRROR EXUDES A RADIANT ORA, ILLUMINATING YOUR SPACE WITH A GENEROUS HELPING OF ADDITIONAL LIGHT.
- MIRRORS ARE AVAILABLE WITH A 220V POWER SUPPLY OR A 12V BATTERY PACK OPTION.
- ENSURE INSTALLATION AREA HAS SUFFICIENT VENTILATION TO AVOID EXCESSIVE MOISTURE.



ITEM 1961 MATERIAL OVAL MIRROR PLAIN 850X600MM 4MM MIRROR/MDF

PLAIN | RWB069

- EASY INSTALLATION, ALL MIRRORS ARE FITTED WITH WALL BRACKETS (ALTERNATIVE SCREWS MAY BE REQUIRED.)
- ENSURE INSTALLATION AREA HAS SUFFICIENT VENTILATION TO AVOID EXCESSIVE MOISTURE.






ITEM 1962 MATERIAL TYPE

OBLIQUE MIRROR LED 850X600MM

4MM MIRROR/MDF 220V | RWB086 BATTERY 12V | RWB087





FEATURES

- THE OBLIQUE LED MIRROR EXUDES A RADIANT ORA, ILLUMINATING YOUR SPACE WITH A GENEROUS HELPING OF ADDITIONAL LIGHT.
- MIRRORS ARE AVAILABLE WITH A 220V POWER SUPPLY OR A 12V BATTERY PACK OPTION.
- MIRRORS CAN BE PLACED VERTICAL OR HORIZONTALLY.



ITEM 1962 | OBLIQUE MIRROR PLAIN 850X600MM MATERIAL | 4MM MIRROR TYPE | PLAIN | RWB085





FEATURES

- INSTALLATION FOR EASY INSTALLATION, ALL MIRRORS ARE FITTED WITH WALL BRACKETS (ALTERNATIVE SCREWS MAY BE REQUIRED.)
- MIRRORS CAN BE PLACED VERTICAL OR HORIZONTALLY.
- ENSURE INSTALLATION AREA HAS SUFFICIENT VENTILATION TO AVOID EXCESSIVE MOISTURE.



ITEM 1963 MATERIAL TYPE

R80 CORNER LED MIRROR

4MM MIRROR/MDF

220V |900X600 - RWB079 |1200x800 - RWB080|1500x600 - RWB081 12V |900X600 - RWB082 |1200x800 - RWB083|1500x600 - RWB084

FEATURES

- THE R80 LED MIRROR EXUDES A RADIANT ORA, ILLUMINATING YOUR SPACE WITH A GENEROUS HELPING OF ADDITIONAL LIGHT.
- MIRRORS ARE AVAILABLE WITH A 220V POWER SUPPLY OR A 12V BATTERY PACK OPTION.
- MIRRORS CAN BE PLACED VERTICAL OR HORIZONTALLY.





VERTICA

ITEM 1964 MATERIAL TYPE

R80 CORNER PLAIN MIRROR

4MM MIRROR

PLAIN |900X600 - RWB076 |1200x800 - RWB077 |1500x600 - RWB078

- INSTALLATION FOR EASY INSTALLATION, ALL MIRRORS ARE FITTED WITH WALL BRACKETS (ALTERNATIVE SCREWS MAY BE REQUIRED.)
- MIRRORS CAN BE PLACED VERTICAL OR HORIZONTALLY.
- ENSURE INSTALLATION AREA HAS SUFFICIENT VENTILATION TO AVOID EXCESSIVE MOISTURE.







ITEM 1965 MATERIAL SIZE 900X600 SIZE 1200X800 SIZE 1500X600 | FRAMELESS LED MIRROR | 3MM MIRROR/ALUMINIUM | RWB070 | RWB073 | RWB071 | RWB074 | RWB072 | RWB075









FEATURES

- THE FRAMELESS LED MIRROR EXUDES A RADIANT ORA, ILLUMINATING YOUR SPACE WITH A GENEROUS HELPING OF ADDITIONAL LIGHT.
- MIRRORS ARE AVAILABLE WITH A 220V POWER SUPPLY.
- AVAILABLE IN NATURAL ANODISED & MATT BLACK FINISH.
- MIRRORS CAN BE PLACED VERTICAL OR HORIZONTALLY.

CARE & MAINTENANCE: FOR LONGER LASTING MIRRORED SURFACE

TO MAINTAIN THE APPEARANCE OF ANY MIRRORED SURFACES, PARTICULARLY WHEN USED IN WET OR MOISTURE-PRONE AREAS IT IS IMPORTANT TO FOLLOW THE FOLLOWING CARE RECOMMENDATIONS:

DO NOT USE AMMONIA-BASED CLEANING PRODUCTS SUCH AS GLASS CLEANER - THESE MAY ERODE THE MIRRORS SILVER BACKING, BE SURE TO READ THE LABEL OF ANY SUCH CLEANING PRODUCTS BEFORE USE.

FOR BEST RESULTS USE A SLIGHTLY MOISTENED MICROFIBER CLOTH TO REMOVE DRY DIRT OR GRIME, THEN BUFF CLEAN WITH DRY MICROFIBER CLOTH OR USE A SOFT DRY CLOTH WITH TIGHT WEAVE (WHICH IS MORE SOFT THAN ABRASIVE) THIS WILL LEAVE YOU WITH A CLEAN FINISH. BY USING ABRASIVE CHEMICALS PRODUCTS YOU NOT ONLY RISK DAMAGING THE SILVERED BACKING OF THE MIRROR, BUT ALSO LEAVE BEHIND STREAKS AND SMEARS.

PROTECTING AGAINST "BLACK SPOTTING" - ALKALINE, ACID AND MOISTURE ELEMENTS CAN CAUSE THE SILVERED BACKING OF A MIRROR TO DARKEN, THIS IS USUALLY REFERRED TO AS :BLACK SPOTTING". AN EASY WAY TO PROTECT YOUR MIRROR AGAINST THIS IS TO REGULAR OIL ANY EXPOSED EDGES I.E. POLISHED OR BEVELED EDGES. THIS WILL ACT AS A SEAL TO PROTECT AGAINST SUCH ELEMENTS. ALWAYS REMEMBER TO KEEP YOUR MIRROR DRY AND WIPE OFF ANY WATER, MOISTURE OR STEAM.

INSTALLATION - FOR EASY INSTALLATION, ALL MIRRORS ARE FITTED WITH WALL BRACKETS (ALTERNATIVE SCREWS MAY BE REQUIRED.) ENSURE INSTALLATION AREA HAS SUFFICIENT VENTILATION TO AVOID EXCESSIVE MOISTURE.

BATTERY PACK POWER SUPPLY:

EACH MIRROR EXCEPT FOR THE FRAMLESS LED IS AVAILABLE WITH A 12V BATTERY PACK POWER SUPPLY OPTION.

THE MIRRORS POWER PACK CAN BE CHARGE, BY INSERTING THE CHARGER INTO THE BOTTOM CHARGE PORT AT THE BOTTOM OF THE MIRROR (IMAGE 1), OR ALTERNATIVELY (IMAGE 2,3,4) THE BATTERY PACK CAN BE REMOVED AT THE BACK OF THE MIRROR AND CHARGED, WHEN FULLY CHARGED CAN THE BATTERY PACK BE PLACED BACK AND THE LIGHT CONNECTION FITTING PLACED BACK INTO THE BATTERY PACK, S PORT. (±3HOURS FOR FULL CHARGE) BATTERY LAST UP TO ± 3 HOURS AT FULL POWER AND 5 HOURS AT 50%.









POWERDOCKS

FEATURES

- LOCALLY MANUFACTURED
- EASY TO INSTALL
- SITS ALMOST FLUSH WITH THE SURFACE WORKTOP
- THE PERFECT SOLUTION FOR: **KITCHENS** WORKSHOPS TV STANDS OFFICE DESKING AND MUCH MORE





POWERDOCK MK1


ITEM 1778 | POWERDOCK MK1 FINISH | BLACK / SILVER I RKW608


TECHNICAL SPECIFICATIONS

CONSISTS OF:

- 3 X SA 3PIN SOCKETS (15A)
- 3 X EURO 2 PIN SOCKET (10A)
- BUILT IN OVERLOAD TRIP SWITCH
- OPERTAING VOLTAGE 220V AC 250 V AC @ 50 HZ
- MAX. POWER 3000W @ 220 VAC 250V AC
- HEIGHT: 392MM
- EXTRUDES 205MM FROM COUNTER
- WIDTH: Ø109.5MM
- MOUNTING HOLE: Ø80MM
- WORKSURFACE THICKNESS MIN.10MM MAX.50MM







cut out

Ø95mm

POWERDOCK PDOMK3

ITEM 1779 | POWERDOCK PDOMK3 FINISH | BLACK / SILVER I RKW609

TECHNICAL SPECIFICATIONS


CONSISTS OF:

- 2 X SA 3PIN SOCKETS (15A)
- 1 X 2 PIN SOCKET (10A)
- 1 X EURO 2 PIN SOCKET (10A)
- 2 X USB PORTS / SWIVEL CAP IMPUT
- BUILT IN OVERLOAD TRIP SWITCH
- OPERATING VOLTAGE 220V AC 250 V AC @ 50 HZ
- MAX. POWER 3000W @ 220 VAC 250V AC
- HEIGHT: 372MM / EXTRUDES 205MM FROM COUNTER
- WIDTH: Ø102MM
- MOUNTING HOLE: Ø95MM
- WORKSURFACE THICKNESS MIN.10MM MAX.50MM









POWERDOCK PDOMK2C


ITEM 1780 | POWERDOCK PDOMK2C FINISH | BLACK / NATURAL ANODISED | RKW610

TECHNICAL SPECIFICATIONS


CONSISTS OF:

- 2 X SA 3PIN SOCKETS (15A)
- 1 X 2 PIN SOCKET (10A)
- 1 X EURO 2 PIN SOCKET (10A)
- 2 X USB PORTS / SWIVEL CAP IMPUT
- BUILT IN OVERLOAD TRIP SWITCH
- OPERATING VOLTAGE 220V AC 250 V AC @ 50 HZ
- MAX. POWER 3000W @ 220 VAC 250V AC
- HEIGHT: 372MM / EXTRUDES 205MM FROM COUNTER
- WIDTH: Ø102MM
- MOUNTING HOLE: Ø95MM
- WORKSURFACE THICKNESS MIN.10MM MAX.50MM











FRANKE KITCHEN SYSTEMS PRODUCT RANGE

PRODUCT RANGE

MAKE IT WONDERFUL



CASCADE - SQUARELINE RANGE





DOUBLE BOWL - SATIN FINISH



ITEM 330 SINK SI7F **BOWL SIZE** CUT-OUT SIZE CODE

INCLUDES

CUT-OUT SIZE

CODE

INCLUDES

WASTE FITTING (*BSW) CASCADE CDX621-120 1200L X 500W MM 343L X 410W X 157D MM

343L X 410W X 169D MM

1 X 90MM BASKET STRAINER

1180L X 480W MM **RKW563**

CASCADE CDX611

925L X 500W MM

905L X 480W MM

RKW564

2 X 90MM BASKET STRAINER WASTE FITTING (*BSW)



1340L X 480W MM RKW562

3 X 90MM BASKET STRAINER WASTE FITTING (*BSW) PLASTIC INSERT BASKET

PLASTIC INSERT BASKET WHITE (ADDITIONAL) | RKW607 CODE



NOUVEAU - SQUARELINE RANGE

FEATURES

TRIPLE BOWL

SATIN FINISH



SINGLE BOWL - SATIN FINISH



CUT-OUT SIZE CODE INCLUDES

INCLUDES

ITEM 333 NOUVEAU NVN611 SINK SIZE 800L X 460W MM BOWL SIZE 340L X 370W X 149D MM CUT-OUT SIZE 780L X 440W MM CODE RKW565

1 X 90MM BASKET STRAINER WASTE FITTING (*BSW)

ITEM 338 **NOUVEAU NVN621** SINK SIZE 1160L X 460W MM 340L X 370W X 149D MM **BOWL SIZE** 1140L X 440W MM **RKW566**

> 2 X 90MM BASKET STRAINER WASTE FITTING (*BSW)

PROJECTLINE PLN611

800L X 460W MM 340L X 370W X 140D MM

780L X 440W MM

RKW567



DOUBLE BOWL - SATIN FINISH

PROJECTLINE - SQUARELINE RANGE

FEATURES

- PROJECTLINE SINKS ARE MANUFACTURED USING STATE OF THE ART MONO BLOCK TECHNOLOGY FOR STRENGTH AND HYGIENE.
- SINKS ARE SUPPLIED WITH 38MM PVC WASTE FITTINGS WITH PLUGS.

ITEM 340

SINK SIZE


BOWL SIZE







SINGLE BOWL - SATIN FINISH



DOUBLE BOWL - SATIN FINISH

CUT-OUT SIZE CODE INCLUDES ITEM 341 SINK SIZE **BOWL SIZE**

CODE

PROJECTLINE PLN621

1160L X 460W MM 340L X 370W X 140D MM CUT-OUT SIZE 870L X 440W MM **RKW568 INCLUDES**

2 X 38MM PVC WASTE FITTING & PLUG WITH HANDLE

1 X 38MM PVC WASTE FITTING & PLUG WITH HANDLE







QUINLINE - SOFTLINE RANGE



SINGLE BOWL -SATIN FINISH



DOUBLE BOWL SATIN FINISH



DOUBLE CENTRE BOWL - SATIN FINISH

ITEM 343 QUINLINE QLX611 900L X 500W MM SINK SI7F **BOWL SI7F** 343L X 410W X 166D MM CUT-OUT SIZE | REFER TO TEMPLATE INCLUDED WITH PACKAGING

CODE | RKW569 INCLUDES | 1 X 90MM *BSW

ITEM 344 **OUINLINE OLX621-120** SINK SIZE 1200L X 500W MM **BOWL SIZE** 343L X 410W X 149D MM CUT-OUT SIZE | REFER TO TEMPLATE INCLUDED WITH PACKAGING

CODE | RKW570

| 2 X 90MM *BSW INCLUDES ITEM 345 QUINLINE QLX622 SINK SI7F 1500L X 500W MM **BOWL SIZE** 343L X 410W X 153D MM

CUT-OUT SIZE | REFER TO TEMPLATE INCLUDED WITH PACKAGING

| RKW571 CODE INCLUDES | 2 X 90MM *BSW



RONDO - INSET - PREP BOWLS



SATIN FINISH ITEM 347 RONDO RDX610-48 SINK SIZE 480Ø MM **BOWL SIZE** 380L X 161D MM

REFER TO TEMPLATE INCLUDED CUT-OUT SIZE |

WITH PACKAGING

CODE | RKW572 | 1 X 90MM *BSW INCLUDES



SATIN FINISH ITEM 349 RONDO RDX610-45 SINK SIZE 450Ø MM **BOWL SIZE** 380L X 161D MM REFER TO TEMPLATE INCLUDED CUT-OUT SIZE I

WITH PACKAGING

CODE | RKW573 | 1 X 90MM *BSW INCLUDES




SATIN FINISH ITEM 350 RONDO RDX610-44* SINK SIZE 340Ø MM **BOWL SIZE** 300L X 139D MM REFER TO TEMPLATE INCLUDED CUT-OUT SIZE I

WITH PACKAGING

| RKW574

CODE

INCLUDES 1 X 38MM PVC WASTE FITTING & PLUG WITH HANDLE



STELLA - UNDERMOUNT SINK



SATIN FINISH ITEM 351 STELLA SVX110-40 SINK SIZE 428L X 428W MM **BOWL SIZE** 400L X 400W X 190D MM REFER TO TEMPLATE INCLUDED CUT-OUT SIZE I WITH PACKAGING

CODE | RKW575 | 1 X 90MM *BSW INCLUDES

U B - UNDERMOUNT SINK



SATIN FINISH ITEM 352 | CUB 150 SINK SIZE 390L X 455W MM **BOWL SIZE** 345L X 410W X 140D MM CUT-OUT SIZE | REFER TO TEMPLATE INCLUDED WITH PACKAGING

> CODE I RKW576

| 1 X 90MM *BSW INCLUDES



OPTIONAL FIXING BRACKETS FOR DROP-ON SINKS

ITEM 591

| FALCON BRACKET

CODE | RKW605

WALL FIXING BRACKETS 4401 X 280W MM TO BE MANUFACTURED FROM GALVANISED MILD STEEL



SA94 - DROP-ON SINK SINGLE BOWL



SATIN FINISH

ITEM 353 SINK SIZE **BOWL SIZE** CODE

DROP-ON SA94 900L X 460W MM 460L X 410W X 120D MM RKW577



SINGLE END BOWL - 460MM WIDE





ITEM 354 SINK SIZE BOWL SIZE CODE

340L X 370W X 140D MM RKW578 TRENDLINE 711 1000X460 SEB ITEM 355 SINK SI7F 1000L X 460W MM **BOWL SIZE** 460L X 350W X 140D MM

| RKW579

800L X 460W MM

SINGLE END BOWL - 535MM WIDE



ITEM 356 SINK SIZE **BOWL SIZE** CODE

CODE

TRENDLINE 711 1200X535 SEB 1200L X 535W MM 460L X 350W X 140D MM | RKW580

TRENDLINE 711 800X460 SEB

DOUBLE END CENTRE BOWL - 535MM WIDE

ITEM 365 SINK SIZE

TRENDLINE 1500X535 DCB 1500L X 535W MM **BOWL SIZE** 343L X 410W X 146D MM CODE RKW582





DOUBLE END BOWL - 535MM WIDE

ITEM 357 SINK SIZE **BOWL SIZE**

CODE

TRENDLINE 721-1200X535 DEB 1200L X 535W MM 410L X 343W X 140D MM

RKW581



SIRX WASH TROUGH - INSET OR WALL MOUNTED TYPE



ITEM 368

SINK SIZE

BOWL SIZF CUT-OUT SIZE | 582L X 482W MM CODE RKW585

ITEM 366

CODE

SIRX WASH TROUGH -INSET OR WALL MOUNTED TYPE 500L X 450W MM

450L X 400W X 240D MM

BRACKET FOR SIRX WASH TROUGH SOLD IN PAIRS

| RKW583

WASH TROUGHS - LUXTUB RANGE

LDL LUXTUB - WALL MOUNTED/DROP-ON WASH TROUGH



ITEM 367 SINK SIZE **BOWL SIZE**

CODE

| WALL MOUNTED/DROP-ON WASH TROUGH LDL LUXTUB 600L X 500W MM 525L X 425W X 257D MM RKW584 BRACKETS NOT INCLUDED

| INSET TYPE WASH TROUGH

DLT LUXTUB - INSET TYPE WASH TROUGH



SINK SIZE **BOWL SIZE** CUT-OUT SIZE

ITEM 369

CODE

DLT LUXTUB 600L X 500W MM 582L X 425W X 257D MM 582L X 482W MM RKW586

OPTIONAL FIXING BRACKETS FOR LUXTUB AND DROP-ON SINKS

ITFM 591 CODE

FALCON BRACKET I RKW605



ET RANGE WASH TROUGHS

- THE ET RANGE IS OUR ECONOMY RANGE OF WASH TROUGHS, AVAILABLE IN SINGLE, DOUBLE AND MINI VERSIONS.
- THE ECONOMY TYPE OF WASH TROUGHS ARE NOT RECOMMENDED FOR COASTAL, HEAVY DUTY OR CORROSIVE APPLICATIONS.

ET101 - FABRICATED SINGLE WASH THROUGH



ITEM 370

SINK SIZE BOWL SIZE CODF | FABRICATED SINGLE WASH TROUGH ET101

540L X 430W MM 485L X 395W x 300D MM RKW587

ET102 - FABRICATED DOUBLE WASH THROUGH



SINK SIZE

SINK SIZE BOWL SIZE CODE | FABRICATED DOUBLE WASH TROUGH ET102

| 1030L X 430W MM | 485L X 395W x 300D MM | RKW588

WASTE FITTING NOT INCLUDED



SINK MIXERS

FEATURES

- CERAMIC DISK CARTRIDGE WITH ANTI-SCOLD
- SOLID DZR BRASS CONSTRUCTION
- SMART LIME CLEANING AERATOR (EXCEPT FOR THE ENIX SQUARE SWIVEL)
- CHROME PLATED
- 5 YEAR GUARANTEE
- 2 YEAR GUARANTEE ON CERAMIC CARTRIDGE



CASCADE PROFESSIONAL

ITEM 391 | 12L/MIN RETRACTABLE CODE | RKW591



LUCIDO SWIVEL

ITEM 422 | 12L/MIN SWIVEL CODE | RKW596



MIRUS PROFESSIONAL

ITEM 397 | 12L/MIN RETRACTABLE CODE | RKW593



PROJECTLINE SINGLE LEVER

ITEM 396 | 12L/MIN SWIVEL CODE | RKW592



ENIX SQUARE SWIVEL

ITEM 383 | 12L/MIN SWIVEL CODE | RKW589



HIGHRISE SWIVEL

ITEM 388 | 12L/MIN SWIVEL CODE | RKW590



WARRANTIES FOR SINKS & MIXERS

STAINLESS STEEL DOMESTIC KITCHEN SINKS: 25 YEARS AGAINST CORROSION FROM DATE OF PURCHASE STAINLESS STEEL SA94 SINK: 24 MONTHS AGAINST MANUFACTURING DEFECTS
ACCESSORIES (WASTE FITTINGS, CUTTING BOARDS, BASKETS, ETC): 12 MONTHS AGAINST MANUFACTURING DEFECTS
WASTE DISPOSAL: 12 MONTHS AGAINST MANUFACTURING DEFECTS
KITCHEN SINK MIXERS: BODY - 5 YEARS AGAINST MANUFACTURING DEFECTS
CARTRIDGE: 24 MONTHS AGAINST MANUFACTURING DEFECTS

ECONOMY WASH TROUGHS AND ECONOMY PREP BOWLS: 12 MONTHS AGAINST MANUFACTURING DEFECTS







MARINE

SHINE

MARINE SHINE

POLISH

RIH278

75ML TUBE

ITEM 470

SIZE

CODE

WASTE DISPOSER

FEATURES

- FOOD WASTE DISPOSER WITH AIR SWITCH AND BRUSH PLUG.
- DURABLE AND ENERGY EFFICIENT, MINIMISES WASTE AND ODOURS.
- HYGIENIC AND EFFECTIVE DISPOSAL OF WASTE IN THE HOME.
- STAINLESS STEEL GRINDING CHAMBER.
- · REQUIRES A 90MM WASTE FITTING OUTLET.
- FRUIT AND VEGETABLE PEELS, RICE, SOFT CHICKEN BONES AND EGG SHELLS MAY BE EFFORTLESSLY GROUNDED WITH WATER AND FLUSHED THROUGH YOUR WASTE WATER SYSTEM.
- SUITABLE FOR SEPTIC TANK SYSTEMS.
- 12 MONTHS WARRANTY
- ELECTRICAL CERTIFICATION: SABS IEC 60 335-2-16



ITFM 440

CODE

| FOOD WASTE DISPOSER 0.75 HP

MODEL FP

(WITH AIR SWITCH)

I RKW597

AIR SWITCH INCLUDED

CLEANING AND MAINTENANCE

CLEANING PROCEDURE

- · CLEAN THE STAINLESS STEEL WHEN NOTICEABLY DULL OR DIRTY.
- STAINLESS STEEL REACTS BEST TO CLEAN WATER OR MILD DETERGENT SOLUTION APPLIED WITH A SOFT CLOTH OR SPONGE, RINSED WELL AND WIPED DRY.
- ROUTINE, SIMPLE, GENTLE AND INEXPENSIVE CLEANING WILL RETAIN BOTH THE CORROSION RESISTANCE AND APPEARANCE OF STAINLESS STEEL THROUGH YEARS OF EXPOSURE AND USE
- OCCASIONALLY A SMALL AMOUNT OF MARINE SHINE MAY BE USED ON A SOFT, DAMP CLOTH WITH THE DETERGENT SOLUTION TO REMOVE STUBBORN DIRT OR STRAINS. RUB GENTLY.

CLEANING DO'S

- REGULAR ROUTINE CLEANING INSTEAD OF AGGRESSIVE SINGLE CLEANING.
- ONLY USE PROPRIETY BRANDS OF CLEANERS THAT STATE "SUITABLE FOR STAINLESS STEEL".
- · ALWAYS RINSE AND DRY AS THE FINAL STEP IN A CLEANING PROCEDURE.

CIFANING DON'TS

- DO NOT USE COARSE, ABRASIVE POWDERS, METALLIC SCORERS OR BRUSHES WITH METAL BRISTLES.
- DO NOT USE "SILVER CLEANERS" OR ACIDS (EXCEPT NITRIC ACID WHERE INDICATED.

STORAGE OF PRODUCTS

PRODUCT RESEARCH HAS PROVEN THAT CERTAIN HOUSEHOLD PRODUCTS WHICH MAY BE STORED UNDERNEATH A SINK, CAN LEAD TO DAMAGE OF THE SINK'S BASE, CHLORINE IS A MAJOR CULPRIT AND CAN BE FOUND IN: CHLORINE OF SWIMMING POOLS; HOUSEHOLD BLEACH; BATHROOM CLEANING PRODUCTS SUCH AS TOILET CLEANERS, MILDEW TREATMENTS AND TILE CLEANERS KITCHEN CLEANING PRODUCTS - ESPECIALLY LIQUID CLEANERS; POWDERS FOR DISHWASHERS AND LAUNDRY DETERGENTS. PRESERVE THE LIFE AND BEAUTY OF YOUR SINK BY STORING THESE PRODUCTS AWAY FROM THE SINK AREA IN A WELL VENTUATED CUPBOARD THAT IS PREFERABLY CHILD-PROOF



SPAZI PLUMBING KITS

- WASTE MANAGEMENT

FEATURES

- · SPACE SAVING PLUMBING KITS WHICH FACILITATE OUTLET CONNECTIONS FOR WASHING MACHINES AND DISHWASHERS.
- FULLY ADJUSTABLE TO SUIT BOWL HEIGHTS AND POSITIONS.

ITFM 443 CODE

SPAZI F/1 SINGLE BOWL RKW600

ITFM 444 CODE

SPA7LE/2 DOUBLE BOWL I RKW601

ITEM 596

SPAZI CONVERSION & SPARES KIT | RKW606

CODE

SPAZI F/2

SPARES KIT





GENERAL ACCESSORIES WASTE FITTINGS



ITFM 442 CODE

90MM BASKET STRAINER WASTE FITTING (BSW) I RKW599



ITFM 515

| WASTE PLUG BASKET STRAINER FOR 90MM **BSW FITTING** I RKW603

ITEM 486 CODE

CODE

| 38MM WASTE FITTING & PVC PLUG WITH HANDLE I RKW602



ITEM 589 CODE

RUBBER GASKET FOR 90MM BASKET STRAINER | RKW604




Item 427 Material Size

Sink Cupboard Front/Back

| onik Copposia Front, Back | | | | | |
|---------------------------|---------------------------------|--------|--|--|--|
| Aluminium | | | | | |
| 418mm | Support Rail for 450mm Cabinet | RAS228 | | | |
| 468mm | Support Rail for 500mm Cabinet | RAS229 | | | |
| 568mm | Support Rail for 600mm Cabinet | RAS230 | | | |
| 718mm | Support Rail for 750mm Cabinet | RAS231 | | | |
| 868mm | Support Rail for 900mm Cabinet | RAS232 | | | |
| 968mm | Support Rail for 1000mm Cabinet | RAS233 | | | |
| 1168mm | Support Rail for 1200mm Cabinet | RAS234 | | | |
| | | | | | |

- Perfect for fitting in the cupboard under the sink so there is no need for the wooden support rail to be cut away for the sink
- This rail is fitted in the front and back and has a slot for a 3-4mm back board
- Rigid durable design and easy to install






Item 916 Material Size

Drip Protection Sheets

Plastic

2m x 0.58m Sheets | Drip Protection Sheets | RKW382

- Perfect for fitting in the cupboard under the sink or where you store household chemicals. Helps prevent water damage to the cupboard carcass
- Is resistant to household chemical spillage and is scratch resistant
- Collects occasional leakage caused by failure of sink waste fittings or waste disposers
- · Rigid durable design and is easy to install and remove







DOORS



FEATURES


- CUSTOM MADE TO YOUR SPECIFIC SIZE
- NO MINIMUM ORDERS
- DOORS ARE FULLY ASSEMBLED

TECHNICAL INFORMATION

- ALL DOORS CAN BE MADE TO ORDER IN VARIOUS PROFILES AND GLASS FINISHES, DEPENDING ON THE SPECIFIED REQUIREMENTS.
- PLEASE NOTE A TECHNICAL INFORMATION FORM WILL NEED TO BE FILLED OUT AND LEAD TIME FROM DATE OF ORDER WILL BE APPROXIMATELY 2 - 3 WEEKS.
- WE ADVISE WHEN PLACING THE ORDER THAT ALL LOWER LEVEL DOORS AND HANDLES OR KNOBS, WHICH ARE FITTED DIRECTLY TO THE GLASS, BE ORDERED WITH TOUGHENED GLASS TO PREVENT INJURY.
- ALL PROFILES CAN BE PURCHASED IN LENGHTHS AND THE COMPONENTS SEPARATELY FOR DIY, HOWEVER, THE GLASS WILL NOT BE SUPPLIED.

ITEM 77 | P1 ELITE PROFILE SILVER ANODISED SIZE 3M LENGTH | RIH973

ITEM 69 | C6 CORNER CONNECTOR SIZE | SET OF FOUR | RIH968




ITEM 70 | S1 GLASS GASKET SIZE | 2.2M LENGTH | RIH2485



ITEM 71 | P1 110° F/O CLIP-ON SOFT CLOSING HINGE

| EACH | RIH972

CONNECTOR



STEPS TO FOLLOW WHEN ORDERING COMPLETE MADE DOORS:

- 1. CHOOSE GLASS TYPE
- 2. INDICATE IF YOU REQUIRE THE GLASS TO BE TOUGHENED
- 3. CHOOSE ALUMINIUM PROFILE P1
- 4. CHOOSE TYPE OF DOOR:
 - STANDARD LEFT OR RIGHT DOOR
 - SIZE OF DOOR
 - HANDLE HOLE POSITIONING ON GLASS OR DOOR FRAME
 - TYPE OF HINGE REQUIRED FOR DOOR F/O
 - · LID STAY DOOR
 - SIZE OF DOOR
 - · HANDLE HOLE POSITIONING ON GLASS
 - HINGES REQUIRED PER DOOR
 - LID GAS STAY POSITION 80°, 90°, 100°

ORDERING FORMS CAN BE DOWNLOADED FROM THE RAIËL WEBSITE: WWW.RAIEL.COM






ORDERING INFORMATION

STEPS TO FOLLOW WHEN ORDERING COMPLETE MADE DOORS:

- 1. CHOOSE GLASS TYPE
- 2. INDICATE IF YOU REQUIRE THE GLASS TO BE TOUGHENED
- 3. CHOOSE ALUMINIUM PROFILE P4, P6, P7
- 4. INDICATE:
 - SIZE OF DOOR
 - HANDLE HOLE POSITIONING ON GLASS OR DOOR FRAME
 - HINGES ARE NOT SUPPLIED

ORDERING FORMS CAN BE DOWNLOADED FROM THE RAIËL WEBSITE: WWW.RAIEL.COM












FOR GLASS UP TO 5MM



ITEM 520 | **DUST GASKET FOR GLASS**THICKNESS | UP TO 5MM

0175

| 3M LENGTH CLEAR | RIH782 | 3M LENGTH BLACK | RIH2557


ITEM 517 |

| C5 CORNER BRACKET

| SET OF 4 WITH SCREWS | RIH780



SHUTTER SYSTEMSWITH BOX & SPRING COILER





- EASY TO INSTALL
- AVAILABLE IN STANDARD SIZES AND TWO FINISHES
- NO MILLING OR ROUTERING REQUIRED

BM1 BOX MILANO|SYSTEM WITH BOX & SPRING COILER

THIS SYSTEM IS IDEAL FOR CABINETS WHICH START AT THE END OF THE KITCHEN WORKTOP AND EXTENDS TO THE ROOF OF THE KITCHEN OR A TOP CUPBOARD.

KIT TS1 | SYSTEM WITH CURVE, WHEELS & VISIBLE SLIDES


THIS SYSTEM IS IDEAL FOR CABINETS BETWEEN THE KITCHEN WORKTOP AND CABINET. IDEAL FOR BREAD BINS AND SMALL APPLIANCES.

BM1 BOX MILANO | SYSTEM WITH BOX & SPRING






SHUTTER SYSTEMSWITH CURVE & WHEELS




KIT TS1 | SYSTEM WITH CURVE, WHEELS & VISIBLE SLIDES. NO MILLING OR ROUTERING REQUIRED

| | TS1 ALUROLL | ITEM 113 |
|------------------|------------------------|----------|
| | ALUMINIUM FINISH | FINISH |
| 101 natural | 510 X 600MM RIC112 | SIZE |
| anodised | 510 X 900MM RIC113 | SIZE |
| | | |
| 100 | TS1 ALUROLL | ITEM 113 |
| | STAINLESS STEEL FINISH | FINISH |
| 106 stainless | 510 X 600MM RIC114 | SIZE |
| steel finish | 510 X 900MM RIC115 | SIZE |





• PLEASE NOTE A SHELF HAS TO BE INSTALLED 134MM FROM THE TOP WITH A GAP OF 50MM FROM THE FRONT






JACK ALUMINIUMEDGING & DECORATIVE PROFILES




ITEM 217 | **ALUMINIUM EDGING**SIZE | 2.8M LENGTH | RAE001







ITEM 462 | ALUMINIUM DECORATIVE PROFILE
SIZE | 3M LENGTH | RAE002













APPLICATION



TRACK MOUNTING



MAXIMUM HEIGHT



MAXIMUM WIDTH PER DOOR



MAXIMUM WEIGHT PER DOOR



GLASS/PANEL THICKNESS




TWO WAY SOFT CLOSE option yes




- NEW IMPROVED VERTICAL PROFILE WITH A FINGER GRIP INTEGRATED IN THE PROFILE
- NOW AVAILABLE WITH SOFT OPENING/CLOSING DAMPERS

JACK DOOR SYSTEMDIY


- **FEATURES**
- PERFECT FOR STORAGE SPACES AND WARDROBES SURFACE MOUNTED BOTTOM TRACK AND TOP GUIDE
 - OPTIONAL WITH SOFT OPENING / CLOSING DAMPERS




USE OPTION & TRACKS



DOOR FRAME **PROFILES**



WHEELS & ACCESORIES



* DOOR SIZE CALCULATIONS



* FITTING YOUR DOOR & ADJUSTMENT


ABOUT THE SYSTEM

CAN BE USED FOR THE FOLLOWING APPLICATIONS:



WARDROBES

WALK IN



AS A ROOM DIVIDER




DIVIDER BETWEEN CABINETS

THE SYSTEM USES A BOTTOM TRACK & TOP GUIDE WHICH ARE SURFACED OR RECESSED FIXED, TO YOUR FLOOR, CEILING OR CABINET.



THE DOOR FRAME ALLOWS THE USE OF DIFFERENT MATERIALS AND DIFFERENT THICKNESSES. THE DOOR FRAME ACCEPTS 5MM GLASS OR MIRROR USED WITH A RUBBER GASKET. THE FRAME CAN FIT 16MM BOARD, FOR STANDARD SA BOARD SIZES.



THE SYSTEM IS NOW AVAILABILE WITH A SOFT OPENING-CLOSING DAMPER, WHICH IS FITTED ON TOP OF THE DOOR. THE APPLICATOR IS FITTED INSIDE THE TOP GUIDE.



THE SYSTEM HAS TOP WHEELS WHICH RUN IN A GUIDE AND BOTTOM WHEELS WHICH RUN IN A BOTTOM TRACK. BOTH WHEELS ARE FASTENED AT THE BACK OF THE DOOR AND ALSO HOLDS THE VERTICAL AND TOP/BOTTOM PROFILES TOGETHER.



THE DOORS ARE AVAILABLE IN DIY KITS, BUT WE RECOMMEND THAT ALL DOORS ARE MADE TO ORDER PER YOUR REQUIREMENTS, WHICH CAN BE INDICATED ON THE SPECIFICATION SHEET. ALL THAT WILL BE REQUIRED IS:





- 1. OPEN HEIGHT AND WIDTH
- 2. TRACK LENGTH
- 3. NUMBER OF DOORS PER OPENING
- 4. WHEEL TYPE: SOFT CLOSING OR STANDARD
- 5. GLASS FINISH


^{*} TECHNICAL DATA SHEET CAN BE DOWNLOADED AT WWW.RAIEL.COM

UPPER GUIDE SURFACE MOUNT

THE UPPER GUIDE AND BOTTOM TRACK ARE BOTH SURFACE MOUNT. THE BOTTOM TRACK CAN ALSO BE CONCEALED INTO YOUR FLOOR.









UPPER GUIDE SURFACE MOUNT AND CONCEALED

THE UPPER GUIDE AND BOTTOM TRACK ARE BOTH SURFACE MOUNT. THE TOP GUIDE CAN ALSO BE CONCEALED EITHER BY A SUSPENDED CEILING OR BOXED.


THE BOTTOM TRACK CAN ALSO BE CONCEALED INTO YOUR FLOOR.






TRACKS AND GUIDES









KITS

ITEM 1534 | UPPER GUIDE AND BOTTOM TRACK SET

SIZE | 2M | KIT 2 | RAD008

ITEM 1534 | UPPER GUIDE AND BOTTOM TRACK SET

SIZE | 3M | KIT 3 | RAD018

ITEM 1534 | UPPER GUIDE AND BOTTOM TRACK SET

SIZE | 4M | KIT 9 | RAD092

ITEM 217 | UPPER GUIDE AND BOTTOM TRACK SET

SOFT CLOSING

SIZE | 2M | RAD162

| 3M | RAD163


 BULK

ITEM 56 | UPPER GUIDE 10 LENGTHS


SIZE | 5.85M | RAD155

r

THE DOOR CONSISTS OF TWO VERTICAL PROFILES AND A TOP AND BOTTOM PROFILE, WHICH ARE HELD TOGETHER BY THE TOP & BOTTOM WHEELS. A H-PROFILE IS ALSO USED IF THE DOOR IS DIVIDED IN PANELS




THE PROFILES ALLOWS THE USE OF DIFFERENT MATERIALS AND DIFFERENT THICKNESSES, WHICH ACCEPTS 5MM GLASS OR MIRROR USED WITH A RUBBER GASKET.




THE PROFILE ALSO ACCEPTS 16MM BOARD.

FOR BOARD THICKER THAN 16MM THE BOARD CAN BE REBATED AS PER DIAGRAM BELOW.






THE VERTICAL PROFILE AND TOP AND BOTTOM PROFILES ARE HELD TOGETHER BY THE TOP AND BOTTOM WHEEL SET



VERTICAL, TOP & BOTTOM PROFILES & GLASS GASKETS



KITS

ITEM 1534 | DOOR SET SINGLE - KIT 1

SIZE | 2X2.7M DOOR PROFILE | KIT 1 | RAD006

1 X 2M TOP & BOTTOM PROFILES

ITEM 1534 | H-PROFILE - KIT 5

SIZE | 1X1M H-PROFILE KIT | KIT 5 | RAD025

2 X 20MM SCREWS, 2 X SCREW CAPS

ITEM 1534 | SLIDING DOOR GLASS GASKET - KIT 6

SIZE | 4X2.8M GASKETS | KIT 6 | RAD026

1 X 1M FOAM GREY

EACH

ITEM 1534 | DOOR PROFILE

 SIZE
 | 2.7M | RAD166

 ITEM 1534 | TOP AND BOTTOM PROFILE


 SIZE
 | 4M | RAD058

 ITEM 1534 | H-PROFILE

 SIZE
 | 1.5M | RAD098

 SIZE
 | 4M | RAD045

THE VERTICAL PROFILE AND TOP/BOTTOM PROFILES ARE HELD TOGETHER BY THE TOP AND BOTTOM WHEELS. THE SYSTEM IS NOW AVAILABLE WITH A SOFT OPENING-CLOSING DAMPER, WHICH IS FITTED ON TOP OF THE DOOR. THE APPLICATOR IS FITTED INSIDE THE TOP GUIDE



THE VERTICAL PROFILE AND TOP/BOTTOM PROFILES ARE HELD TOGETHER BY THE TOP AND BOTTOM WHEELS





THE SYSTEM IS NOW AVAILABLE WITH A SOFT OPENING
CLOSING DAMPER, WHICH IS FITTED INSIDE THE TOP GUIDE.
OPTION 1 - SOFT CLOSING ONE SIDE WITH THE STANDARD
TOP WHEEL ON THE OTHER SIDE

OPTION 2 - SOFT CLOSING BOTH SIDES RECOMMENDED






WHEN USING THE DAMPER THE JD CORNER BRACKETS IS USED TO FASTEN THE PROFILES TOGETHER IN THE CORNERS.






WE ADVISE THAT A DUST SEALING BRUSH BE APPLIED TO THE ONE SIDE OF THE DOOR FRAME.

TO COVER THE $\emptyset 8 \text{MM}$ HOLE IF THE H-PROFILE IS USED, AN ALUMINIUM SELF ADHESIVE HOLE COVER CAN ALSO BE APPLIED.




WHEEL DAMPERS AND ACCESSORIES



KITS ITEM 1534 | SLIDING DOOR WHEEL KIT | 2 TOP & BOTTOM WHEELS | KIT 4 | RAD019 1 ALLEN KEY, 1 STOPPER, 12 SCREWS | SOFT CLOSING DAMPER SET* ITEM 60 | NORMAL DUTY | <30KG SI7F | RAD141 HEAVY DUTY | >30KG | RAD142 ITEM 61 | JD CORNER FITTING | 2 SETS & 6 SCREWS | RAD149 ITEM 1534 | DUST SEALING BRUSH SIZE | 10M | KIT 7 | RAD027 **BULK** ITEM 781 | SELF ADHESIVE HOLE COVERS ALU Ø14MM SIZE | 36 PER SHEET | RIH2404









JACK DOOR SYSTEMTOP HUNG


- PERFECT FOR ROOM DIVIDERS AND WALK IN CLOSETS
- FEATURES THE JACK CONCEALED AND DIY PROFILES ARE USED WITH THIS SYSTEM
 - THE WHEELS ARE FITTED WITH A TWO-WAY DAMPER FOR DOORS TO SOFT OPEN AND CLOSE




USE OPTION & TRACKS



DOOR FRAME PROFILES



WHEELS & ACCESORIES



DOOR SIZE CALCULATIONS




* FITTING YOUR DOOR & ADJUSTMENT

ABOUT THE SYSTEM

CAN BE USED FOR THE FOLLOWING APPLICATIONS:



THE SYSTEM USES A TOP GUIDE AND A UNDER TRACK WHICH IS FITTED TO THE BOTTOM OF THE DOOR. A COVER IS USED TO HIDE THE TOP GUIDE.




THE TOP HUNG WHEELS AND UNDER TRACK CAN BE FITTED TO THE JACK DOOR CONCEALED SYSTEM. JACK DOOR SYSTEM CONCEALED P4

THE SYSTEM HAS A DAMPING FUNCTION, FOR THE DOORS TO SOFT OPEN AND CLOSE.



THE DOOR IS GUIDED BY A BOTTOM ROLLER WHICH IS MOUNTED ON THE FLOOR WHICH IS PLACED AT THE OPPOSITE OPEN END UNDERNEATH THE DOOR NO VISIBLE TRACK ON THE FLOOR.



WE RECOMMEND THAT ALL DOORS ARE MADE TO ORDER WHICH CAN BE INDICATED ON THE SPECIFICATION SHEET.




- ALL THAT IS REQUIRED IS:
- 1. OPEN HEIGHT AND WIDTH
- 2. DOOR TYPE
- 3. NUMBER OF DOORS PER OPENING
- 5. GLASS FINISH


* TECHNICAL DATA SHEET CAN BE DOWNLOADED AT WWW.RAIEL.COM




UPPER GUIDE SURFACE MOUNT

THE SYSTEM USES A TOP GUIDE WHICH IS SURFACE MOUNT AND IS FASTENED ONTO YOUR CEILING OR BOARD. A COVER IS USED TO COVER THE GUIDE









THE DOOR IS GUIDED BY THE BOTTOM ROLLER WHICH IS MOUNTED TO THE FLOOR. NO VISIBLE TRACK ON THE FLOOR

UPPER GUIDE SURFACE MOUNT AND CONCEALED


THE SYSTEM USES A TOP GUIDE WHICH IS SURFACED MOUNT AND IS FASTENED ONTO YOUR CEILING OR BOARD, WHICH CAN BE CONCEALED BY A SUSPENDED CEILING OR BOXED WITH BOARD





TOP HUNG SYSTEM





ITEM 60 | HANGING TRACK
SIZE | 4M | RAD139

ITEM 60 | HANGING TRACK CLIP ON COVER

DOUBLE TRACK

SIZE | 3M | RAD140

ITEM 60 | BOTTOM TRACK


SIZE | 4M | RAD138

THE BOTTOM TRACK GUIDE IS INCLUDED IN THE HANGING ROLLER WHEEL SET




THE TOP HUNG WHEELS AND UNDER TRACK CAN BE FITTED TO THE JACK DOOR CONCEALED SYSTEM. JACK DOOR SYSTEM CONCEALED - PAGE 4

DOOR HEIGHT CALCULATION: DOOR HEIGHT = OPEN HEIGHT - 95MM



DOOR FRAME PROFILES



PAGE 4


| DOOR PROFILE SILVER ANODISED

| TOP & BOTTOM PROFILE SILVER ANODISED

| GLASS GASKET VTP

| CORNER CONNECTOR

THE TOP HUNG WHEELS AND UNDER TRACK CAN BE FITTED TO THE JACK DOOR CONCEALED SYSTEM.



THE WHEEL ADAPTER IS FASTENED TO THE FRAME WITH M4 MACHINE SCREWS



THE WHEELS MUST FIRST BE PLACED INTO THE TRACKS




THEN THE DOOR MUST BE LIFTED IN PORISTION AND CLIPPED ONTO THE WHEELS AND LOCKED IN PLACE BY SCREW A



TURN SCREW B TO ADJUST THE DOOR UP AND DOWN



WHEELS & ACCESSORIES



ITEM 60 | HANGING ROLLER WITH DAMPER

SIZE | SET | RAD137

EACH SET INCLUDES: 2X TOP ROLLERS WITH DAMPERS 2X DAMPER STOPPERS

2X BOTTOM GUIDES FOR BOTTOM TRACK



ROLLER DOOR SYSTEM & ACCESSORIES

GIVE YOUR HOME THAT UNIQUE FEEL..... BY FITTING A SLIDING BARN DOOR TO A STANDARD HOUSE DOOR OPENING. IT IS ESPECIALLY USEFUL IN A ROOM WHERE THERE IS NOT ENOUGH SPACE FOR A NORMAL OPEN SWING DOOR, EG WALK IN PANTRY'S, ON SUITE BATHROOMS, HIDDEN SPACES ETC. THE SYSTEM MAKES USE OF A HIDDEN FLOOR DOOR GUIDE BY MEANS OF A GROOVE THAT IS NEEDED TO BE GROOVED AT THE DOOR'S BOTTOM.

BENEFITS:

- · HIGH QUALITY STEEL
- · EASLIY ADJUSTABLE
- · SOFT CLOSING DAMPERS ARE INCLUDED
- · THE WHEELS CAN CARRY SAFELY UO TO 150KG OF DOOR WEIGHT
- · FOR NORMAL DOOR THICKESS OF ± 30 40MM

ROLLER DOOR SYSTEM & ACCESSORIES

1. SELECT WHEEL SET 2. SELECT TRACK LENGTH 3. SELECT DAMPER (OPTIONAL EXTRA) 4. SELECT HANDLE 5. SELECT DOOR LOCK (OPTIONLA EXTRA)



| BARN DOOR WHEEL SET FSH005

ITEM 1955 MATERIAL STEEL / MATT BLACK

CODE | RAD185

SET INCLUDES: 1 X SET WHEELS



ITEM 1955 MATERIAL

| BARN DOOR WHEEL SET FSH005A

STEEL / MATT BLACK

CODE | RAD186

SET INCLUDES: 1 X SET WHEELS



ITEM 1955 MATERIAL SI7F

BARN DOOR TRACK STEEL / MATT BLACK 1.5M|RAD190

3M | RAD189

ITEM 1955 MATERIAL

| BARN DOOR DAMPER STEEL / PLASTIC


CODE | RAD188

ITFM 1955 MATERIAL CODE

BARN DOOR LOCK STEEL / MATT BLACK RAD187

TO SELECT YOUR DOOR HANDLE REFER TO PG16 ONWARDS








JACK DOOR SYSTEMWOODECONOMICAL


- PERFECT FOR STORAGE SPACES AND WARDROBES
- **FEATURES**
- THE TRACKS ARE RECESSED
- OPTIONAL WITH TWO-WAY DAMPER FOR DOOR TO SOFT OPEN & CLOSE




USE OPTION & TRACKS




DOOR PANEL AND ACCESSORIES



WHEELS & ACCESORIES




* DOOR SIZE CALCULATIONS



* FITTING YOUR DOOR & ADJUSTMENT

ABOUT THE SYSTEM

CAN BE USED FOR THE FOLLOWING APPLICATIONS:



THE SYSTEM USES A CONCEALED TRACK ON BOTH TOP AND BOTTOM SURFACES, WHICH ARE RECESSED IN YOUR FLOOR, CEILING OR CABINET.



BOARD PANELS ARE USED WITH A MINIMUM THICKNESS OF 16MM.



THE SYSTEM HAS UP AND DOWN SLIDING WHEELS, WITH A SIMULTANEOUS DAMPING FUNCTION. THE WHEELS HAVE AN ANTI-JUMP AND SOFT CLOSING BUFFER, WHICH CREATES A SMOOTH, STEADY AND SILENT MOVEMENT IN THE TRACKS.



WHEELS ARE RECESSED AT THE BACK OF YOUR DOOR AND BY POSITIONING YOUR WHEELS AT VARIOUS PLACES ON THE DOOR, YOU CAN CUSTOMISE YOUR DOOR ACCORDING TO YOUR REQUIREMENTS.



ONLY THE WHEELS, TRACKS AND ACCESSORIES ARE SUPPLIED. THE DOORS ARE NOT SUPPLIED.




* TECHNICAL DATA SHEET CAN BE DOWNLOADED AT WWW.RAIEL.COM

RECESSED



UPPER AND LOWER TRACK CONCEALED

THE SYSTEM USES A CONCEALED TRACK ON BOTH TOP AND BOTTOM SURFACES WHICH ARE RECESSED IN YOUR FLOOR, CEILING OR CABINET.



RECESSED INTO BOARD




RECESSED INTO CONCRETE





CEILING CONCRETE




FLOOR CONCRETE




BOARD

CEILING CONCRETE

BOXED WITH BOARD




THE SYSTEM USES A CONCEALED TRACK ON BOTH TOP AND BOTTOM SURFACES. WHICH ARE RECESSED IN YOUR FLOOR, CEILING OR CABINET, WHICH CAN BE BOXED OR HIDDEN BY A SUSPENDED CEILING.



RECESSED INTO BOARD AND BOXED




RECESSED INTO CONCRETE



SUSPENDED CEILING

RECESSED



FLOOR CONCRETE




BOARD

TRACKS








ITEM 60/1 | SINGLE TRACK CONCEALED


SILVER ANODISED

| 5.2m LENGTH | RAD148 SIZE 4 X 2M KIT | RAD158 SIZE 4 X 3M KIT | RAD159

THE WOODEN PANEL USED FOR THIS DOOR MUST NOT BE THICKER THAN 16MM AND WEIGHING MORE THAN 80KG. THE WHEELS ARE CONCEALED AT THE BACK OF THE PANEL.




THE PANEL CAN EITHER HAVE 2-3MM PVC OR SOLID EDGING EDGED ALL AROUND THE BOARD OR THE OPTIONAL RAE001 ALUMINIUM PROFILE CAN BE USED. THE JACK DIY HANDLE GRIP (P 16) ON ONE OR BOTH SIDES CAN ALSO BE USED.



TO FIT THE ALUMINIUM PROFILE:

- 1. THE PANEL NEEDS TO BE GROOVED ALL SIDES 3.2X8MM DEEP.
- 2. THE PROFILE MUST BE MITRED AT BOTH ENDS AT A 45° ANGLE.
- 3. PLACE EITHER CLEAR SILICONE OR GLUE IN THE GROOVE BEFORE THE PROFILE IS INSERTED.
- 4. GENTLY TAP THE PROFILE INTO THE PANEL WITH A RUBBER MALLET.




TO OPEN AND CLOSE THE DOOR, EITHER RECESSED HANDLES OR GRIPS CAN BE USED. FOR THE FULL RANGE OF HANDLES VIEW OUR WEBSITE AT WWW.RAIEL.COM







DOOR FRAME PROFILES & ACCESSORIES



FOR THE FULL RANGE OF HANDLES VIEW OUR WEBSITE AT WWW.RAIEL.COM

ITEM 217 | ALUMINIUM EDGING

SIZE | 2.8m LENGTH | RAE001

ITEM 568 | BOSTON GRIP BRUSHED NICKEL

SIZE | 40X40mm | RIH191

ITEM 569 | VOID HANDLE

SIZE | Ø42mm | RIK116

ITEM 1020 | POST BOX HANDLE

SIZE | 96MM LENGTH | RAH104 | RAH105 128MM LENGTH | RAH106 | RAH107 192MM LENGTH | RAH109 | RAH110

> 101 natural anodised





THE WHEELS ARE RECESSED AT THE BACK OF YOUR DOOR, AND BY POSITIONING YOUR WHEELS AT VARIOUS POSITIONS. YOU CAN CUSTOMISE YOUR DOOR ACCORDING TO YOUR REQUIREMENTS.

WE ADVISE THAT

BRUSH BE APPLIED TO THE ONE SIDE OF THE DOOR.

TOP WHEELS


DUST

BRUSH

THE SYSTEM HAS UP AND DOWN SLIDING WHEELS, WITH A SIMULTANEOUS DAMPING FUNCTION. THE WHEELS HAVE AN ANTI - JUMP AND SOFT CLOSING BUFFER, WHICH CREATES A SMOOTH, STEADY AND SILENT MOVEMENT IN THE TRACKS.




THE WHEELS ARE RECESSED AT THE BACK OF YOUR DOOR, AND BY POSITIONING YOUR WHEELS AT VARIOUS PLACES, YOU CAN CUSTOMISE YOUR DOOR ACCORDING TO YOUR REQUIREMENTS.




ELITE - SOFT OPENING AND CLOSING ALL CORNERS STANDARD - SOFT OPENING OR CLOSING IN ONE CORNER **ECONOMICAL** - ROLLERS ONLY AND STOPPERS

THE PANEL MUST BE REBATED AS PER DIAGRAMS BELOW. THE WHEEL WITH DAMPER MUST BE REBATED 255X40X12MM DEEP AND THE WHEEL. TWO Ø45MM HOLES 12MM DEEP.




ITEM 179 | *DOOR STRAIGHTENING BAR 2700MM | STRAIGHTENING BAR | RIH2128

WE ADVISE FOR WOODEN DOORS WIDER THAN 600MM, THAT STRAIGHTENING BARS BE FITTED BEHIND THE DOORS TO PREVENT THE DOOR BOWING.



WHEELS & ACCESSORIES



| ITEM 61 | | WOODEN TOP WHEELS WITH DAMP | ER | 2 |
|-----------|---|---|----|-------------|
| | | TOP LEFT WHEEL | | RAD143 |
| | | TOP RIGHT WHEEL | | RAD144 |
| | | EACH WITH STOPPERS INCLUDED | | |
| ITEM 61 | | WOODEN BOTTOM WHEELS WITH D | ΑN | MPER |
| | | BOTTOM LEFT WHEEL | | RAD145 |
| | | BOTTOM RIGHT WHEEL | | RAD146 |
| | | EACH WITH STOPPERS INCLUDED | | |
| ITEM 61 | | WOODEN BOTTOM ROLLER | | |
| | | EACH | | RAD147 |
| ITEM 61 | ı | WOODEN TOP ROLLER | | |
| | | EACH | | RAD150 |
| ITEM 61 | ı | STOPPER FOR ROLLERS | | |
| | | EACH | | RAD151 |
| ITEM 1534 | ı | DUST SEALING BRUSH | | |
| | ĺ | OPTIONAL | | RAD027 |
| | | (applied to one side of the door frame) | | |






SALICE - EVOLIFT OPENING SYSTEMS


FEATURES


- AVAILABLE IN TWO SYSTEMS STANDARD FLAP AND PUSH TO OPEN
- STANDARD FLAP VERSION ARE AVAILABLE IN A WEAK AND STRONG VERSION, WHICH WITH THE WEIGHT CAPACITY PER DOOR SIZE DIAGRAM YOU CAN CHOOSE WHICH SYSTEM YOU REQUIRE AND IF YOU REQUIRE 1 OR TWO ARMS.
- BOTH SYSTEMS HAVE AN ITERGRATED PISTON ALREADY BUILT INTO THE ARM, WITH THE FLAP ALSO HAVING A SOFT CLOSING DAMPER ALSO ATTACHED.
- PUSH VERSION IS AVAILABLE IN A WEAK SYSTEM ONLY, WHICH WITH THE WEIGHT CAPACITY PER DOOR SIZE DIAGRAM YOU CAN CHOOSE WHICH SYSTEM YOU REQUIRE AND IF YOU REQUIRE 1 OR TWO ARMS.


THE FULL PRODUCT CATALOGUE CAN BE DOWNLOADED AT

WWW.RAIEL.COM











ITEM 1929 | SINGLE FLAP DOOR SOFT CLOSE WEAK

MATERIAL | ZINC ALLOY & STEEL

| LEFT HAND WEAK |RIH2008 | RIGHT HAND WEAK |RIH2009

ITEM 1929 | SINGLE FLAP DOOR SOFT CLOSE STRONG

MATERIAL | ZINC ALLOY & STEEL

LEFT HAND STRONG |RIH2467 | RIGHT HAND STRONG | RIH2468

ITEM 1929 | SINGLE FLAP DOOR PUSH MATERIAL | ZINC ALLOY & STEEL

| LEFT HAND WEAK |RIH2469 | RIGHT HAND WEAK |RIH2470








ITEM 1929 | SINGLE FLAP DOOR COVER WHITE

MATERIAL | PLASTIC

. | LEFT HAND |RIH2471 RIGHT HAND RIH2472





ITEM 1147 | SERIES 200 CLIP-ON HINGE F/O

MATERIAL | STEEL

| HINGE | RIH1132

ITEM 1178 | CLIP-ON MOUNTING PLATE

MATERIAL | ZINC ALLOY & STEEL

| PLATE |RIH1172





USED WITH PUSH FLAP ARMS

ITEM 1163 | MECHANICAL RELEASE DEVISE WITH ADJ, MATERIAL | PLASTIC

DEVISE |RIH1148

ITEM 1164 | RETAINING CATCH FOR DOOR

MATERIAL | PLASTIC

CATCH |RIH1149





Ø26mm HOLE TO BE DRILLED FOR RETAINING CATCH

SALICE

SALICE - WIND OPENING SYSTEM

FEATURES

WIND IS CHARACTERISED BY COMPACTNESS AND ELEGANT DESIGN.

COMBINING THE HIGHEST LEVELS OF PERFORMANCE WITH SMOOTH AND PERFECTLY CONTROLLED MOVEMENT, WIND IS SMALL, UNOBTRUSIVE AND ELEGANTLY DESIGNED.

THIS COMPACT LIFT SYSTEM HAS STRONG FUNCTIONAL APPEAL AND TAKES UP A MINIMUM OF VALUABLE STORAGE SPACE.

WIND IS VERSATILE AND SUITABLE FOR A VAST RANGE OF FURNITURE APPLICATIONS: OFFICE FURNITURE, KITCHENS, BATHROOMS, LIVING- AND BEDROOM FURNITURE.

WITH AN OPTIONAL CARRIER, WIND CAN BE USED IN CORNER CABINETS AND FOR DOORS OF LARGE WEIGHT AND DIMENSIONS.

THIS SYSTEM INCORPORATES A SOFT CLOSE MECHANISM FOR DECELERATED CLOSING.





ITEM 1930 | WIND SYSTEM SET

MATERIAL | ZINC ALLOY & STEEL

WEAK LEFT & RIGHT | RIH2501 STRONG LEFT & RIGHT | RIH2500

ITEM 1930 | WIND SYSTEM COVER

MATERIAL | PLASTIC

COVER WIND WHITE LEFT & RIGHT | RIH2502

OPTIONAL EXTRA FOR CORNER CABINETS AND IF A CENTRE ARM IS REQUIRED

ITEM 1930 | WIND CARRIER SET

MATERIAL | STEEL & PLASTIC

CARRIER & COVER | RIH2503



DRILLING PATTERN:

Тор



17.5 + K








16 17

19 20

3=



| 104 | 55 | 18 | | D1 |
|-----|-----------------|----|----------------------------------|------|
| | al cabinet side | 19 | D 24 0 \$8.5 21 0 95x13 | 19+D |
| | | | | |

0

| | T= | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
|-----|---------|----|----|------|----|------|----|------|----|------|----|------|----|-----|
| K=3 | A = min | 00 | .1 | 0.10 | .2 | 0.20 | .3 | 0.50 | .6 | 0.70 | .9 | 1.11 | .8 | 2.7 |
| K=4 | A = min | 00 | .1 | 0.10 | .2 | 0.20 | .3 | 0.40 | .6 | 0.70 | .9 | 1.11 | .3 | 2.1 |
| K=5 | A = min | 00 | .1 | 0.10 | .2 | 0.20 | .3 | 0.40 | .6 | 0.70 | .9 | 1.11 | .3 | 1.5 |
| K=6 | A = min | 00 | .1 | 0.10 | .2 | 0.20 | .3 | 0.40 | .6 | 0.70 | .9 | 1.01 | .2 | 1.5 |
| K=7 | A = min | 00 | .1 | 0.10 | .2 | 0.20 | .3 | 0.40 | .6 | 0.70 | .8 | 1.01 | .2 | 1.4 |



• SIZE: 720

• STRENGTH: WEAK & STRONG

MAX SIZE PER DOOR: 720MM

VERSION: FOLDING SOFT CLOSING

MOUNTING BRACKET: CLIP-ON

PUSH OPENING OPTION: NO




LIFTING SYSTEMS SALICE FOLDING

- EASY-TO-INSTALL SOLUTION IMPROVING THE AESTHETIC AND REDUCING ASSEMBLY TIME
- FEATURES
- THE SYSTEM IS SOFT OPENING AND CLOSING
- NO FINGER PROTECTION NEEDED BETWEEN DOORS, AS THE CAP BETWEEN IS LESS THAN 8MM

GENERAL INFORMATION

THE STRENGTH ON THE ARM IS DETERMINED IN RELATIONSHIP WITH THE DIMENSIONS & WEIGHT OF THE DOORS, WHICH WILL ALSO DETERMINE IF ONE OR TWO ARMS ARE NECCESSARY. THEIR ARE ALSO TWO TYPES AVAILABLE IN THE VARIOUS STRENGTHS WHICH DETERMINES HOW YOU WANT

THE ACTION OF THE DOOR TO OPEN, WEAK OR STRONG OPTIONS



| Arm length | LHT Cabinet height | Formula to determine the B value |
|------------|-----------------------|----------------------------------|
| 720 | 691 ÷ 750 | 535 + D - HT - A |









FOLDING DOOR LEFT ARM





FOLDING DOOR RIGHT ARM



ITEM 1147 | SERIES 200 CLIP-ON 110° F/O HINGE

CODE | RIH1132

| RIH2568

COVERS SOLD SEPERATELY

CLIP-ON MOUNTING PLATE FOR HINGE SOLD SEPERATELY.

ITEM 1169 | FOLDING DOOR LEFT ARM WEAK

ITEM 1169 | FOLDING DOOR LEFT ARM STRONG

ITEM 1169 | FOLDING DOOR RIGHT ARM WEAK

ITEM 1169 | FOLDING DOOR RIGHT ARM STRONG

SIZE | 720MM | RIH2563

SIZE | 720MM | RIH2565

SIZE | 720MM | RIH2564

SIZE | 720MM | RIH2566

ITEM 1169 | COVER LEFT WHITE | RIH2567 ITEM 1169 | COVER RIGHT WHITE



SERIES 200 FULL OVERLAY HINGE





MOUNTING PLATE LINEAR


ITEM 1178 | CLIP ON MOUNTING PLATE FOR HINGE CODE | | RIH1172



CENTRAL HINGE USED BETWEEN THE DOORS







DIMENSIONS OF THE SYSTEM



• STRENGTH: WEAK OR STRONG

HEIGHT PER DOOR: 440min - 660max VERSION: PARALLEL SOFT CLOSING

MOUNTING BRACKET: CLIP - ON

PUSH OPENING OPTION: NO



LIFTING SYSTEMS SALICE PARALLEL

FEATURES

- EASY-TO-INSTALL SOLUTION IMPROVING THE AESTHETIC AND REDUCING ASSEMBLY TIME
- THE SYSTEM IS SMOOTH OPENING AND SOFT CLOSING
- THE DOOR IS FITTED WITH A STABILITY BAR


GENERAL INFORMATION

THE STRENGTH ON THE ARM IS DETERMINED IN RELATIONSHIP WITH THE DIMENSIONS & WEIGHT OF THE DOORS, WHICH WILL ALSO DETERMINE IF ONE OR TWO ARMS ARE NECCESSARY. THEIR ARE ALSO TWO TYPES AVAILABLE IN THE VARIOUS STRENGTHS WHICH DETERMINES HOW YOU WANT

THE ACTION OF THE DOOR TO OPEN, WEAK OR STRONG OPTIONS

PARALLEL STABILISING BAR IS AVAILABLE IN TWO WIDTH 900 & 1200MM THE BR CAN BE CUT DOWN TO SIZE ACCORDING TO YOUR CABINETS INTERNAL WIDTH













PARALLEL ARMS LEFT AND RIGHT, COVERS ARE SOLD SEPERATELY

ITEM 1824 | PARALLEL LIFTING SYSTEM WEAK

CODE | RIH2558

ITEM 1825 | PARALLEL LIFTING SYSTEM STRONG

CODE | RIH2559

ITEM 1824/5 | LEFT & RIGHT COVERS WHITE

CODE | RIH2560


PLEASE KEEP BEWTEEN THESE STANDARD CABINET HEIGHTS:


440min TO 660max



| ITEM 1826 | STABILISING BARS | SIZE | 900MM | RIH2561 | SIZE | 1200MM | RIH2562

CUT TO SIZE: INTERNAL CABINET WIDTH - 126MM





| FPM_C | |
|-------|-------|
| SP | X max |
| 16 | 29 |
| 18 | 31 |
| 19 | 31 |
| 20 | 32 |
| 22 | 33 |

| FPM_ L | |
|---------------|-------|
| SP | X max |
| 16 | 25 |
| 18 | 27 |
| 19 | 28 |
| 20 | 28 |
| 22 | 29 |















UPGRADE THE SLIDE ON OR CLIP ON HINGES BY ADDING THE WAVE SOFT CLOSING DAMPER. THROUGH THE ADJUSTING SCREW, IT IS POSSIBLE TO CALIBRATE THE DAMPING EFFECT.

FERRARI SLIDE ON HINGES

FEATURES

- THE RANGE INCLUDES TWO DIFFERENT TYPES: "SLIDE ON" HINGES THAT ARE EASILY MOUNTED BY A SIMPLE SLIDING MOVEMENT AND "ANYWAY CLIP" HINGES AND HINGES THAT ARE PROVIDED WITH AN INNOVATIVE, EASY AND SAFE METAL RELEASE.
- . THE CLIP ON MECHANISM DOESN'T REQUIRE ANY SPECIFIC POSITIONING OF THE HINGE: THE HINGE CAN BE CLIPPED ON THE PLATE IN ANY DIRECTION AND THE PLATES ARE REVERSIBLE.
- SUCH CHARACTERISTICS PERMIT MAXIMUM EASE IN MOUNTING AND INSTALLING EVEN WITH LARGE/TALL DOORS THAT REQUIRE THE USE OF MORE HINGES.







STANDARD SPRUNG HINGES SLIDE ON

NB! BASE PLATES SOLD SEPARATELY REFER TO BASE PLATES SELECTION. THE NUMBER IN THE DESCRIPTION INDICATES THE BASE PLATE USED.

NO 1

NO. 1 | RIH1900 | OPTION WITH Ø8X10MM DOWEL | RIH1908



NO. 1 | RIH1901 OPTION WITH Ø8X10MM DOWEL | RIH1909



| RIH1904

ITEM 78 | 110° FULL OVERLAY SLIDE ON HINGE | ITEM 78 | 110° HALF OVERLAY SLIDE ON HINGE | ITEM 78 | 110° INSET SLIDE ON HINGE | RIH1902 NO. 1 | OPTION WITH Ø8X10MM DOWEL | RIH1910



ITEM 78 | 170° FULL OVERLAY SLIDE ON HINGE | ITEM 78 | 170° HALF OVERLAY SLIDE ON HINGE | ITEM 78 | PIE CUT SLIDE ON HINGE NO 1 | RIH1903 | OPTION WITH Ø8X10MM DOWEL | RIH1911





NO 2 | RIH1905 OPTION WITH Ø8X10MM DOWEL | RIH1913



ITEM 78 | 45° SLIDE ON HINGE NO. 2 | RIH1906 OPTION WITH Ø8X10MM DOWEL | RIH1914



ITEM 78 | 90° BLIND CORNER SLIDE ON HINGE NO. 1 | RIH1907 OPTION WITH Ø8X10MM DOWEL



ITEM 1271 | DOWEL AND SCREW Ø8 x 10MM | RIH1226



BASE PLATES NO. 1 & 2 FOR SLIDE ON HINGES

ITEM 79 | NO.1 WITH WOOD SCREW FIXING H=6 | RIH1916 | NO.2 WITH WOOD SCREW FIXING H=4| RIH1917



ITEM 79 | NO.1 WITH EURO SCREW H=6 | RIH1918



ITEM 79 | NO.1 WITH EXPANDING DOWEL H = 6 | RIH1920 NO.2 WITH EXPANDING DOWEL H=4 | RIH1921



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

ITEM 81 | 110° INSET CLIP ON HINGE

NO. 3





L RIH1926

| RIH1934

OPTION WITH Ø8X10MM DOWEL

STANDARD SPRUNG HINGES ANY WAY CLIP ON

NB! BASE PLATES SOLD SEPARATELY REFER TO BASE PLATES SELECTION

| RIH1927

| RIH1935

ITEM 81 | 110° FULL OVERLAY CLIP ON HINGE
NO. 3 | RIH1924
| OPTION WITH Ø8X10MM DOWEL



ITEM 81 | 170° FULL OVERLAY CLIP ON HINGE

| OPTION WITH Ø8X10MM DOWEL

NO. 3

ITEM 81 | 110° HALF OVERLAY CLIP ON HINGE
NO. 3 | RIH1925
| OPTION WITH Ø8X10MM DOWEL
| RIH1933

The state of the s

ITEM 81 | 170° HALF OVERLAY CLIP ON HINGE
NO. 3 | RIH1928
| OPTION WITH Ø8X10MM DOWEL

| RIH1936

ITEM 81 | PIE CUT CLIP ON HINGE
NO. 4 | RIH1929
| OPTION WITH Ø8X10MM DOWEL
| RIH1937



ITEM 81 | 45° CLIP ON HINGE

NO. 4 | RIH1930

OPTION WITH Ø8X10MM DOWEL

RIH1938



ITEM 81 | 90° BLIND CORNER CLIP ON HINGE NO. 3 | RIH1931 | OPTION WITH Ø8X10MM DOWEL | RIH1939



ITEM 1271 | DOWEL AND SCREW Ø8 x 10MM | RIH1226

BASE PLATES NO. 3 & 4 FOR CLIP ON HINGES

ITEM 82 | NO.3 WITH WOOD SCREW
FIXING H=6 | RIH1940
| NO.4 WITH WOOD SCREW
FIXING H=4 | RIH1941



WAVE SOFT CLOSING ADAPTER


ITEM 84 | WAVE SOFT CLOSING DAMPER FOR FULL OVERLAY HINGES | RIH1948








CLIP WAVE ON THE HINGE SIMPLY MATCHING THE TWO RIBS WITH THE HOLES IN THE CUP FIRST AND THAN FIXING IT WITH A SMALL PRESSURE.



QUANTITY* WAVES FITTED ONTO THE HINGES ACCORDING TO DOOR HEIGHT FURTHER ADJUSTMENT CAN BE MADE ON THE DAMPER BY

ADJUSTING THE STRENGTH SCREW





MAGNETIC PUSH TO OPEN

FEATURES

- THE PUSH SYSTEM IS A SELF-OPENING SYSTEM FOR THE DOORS OF ALL TYPES
 OF HANDLELESS FURNITURE.
- IT CONSISTS OF A SERIES OF SELF-OPENING HINGES, RELEASE DEVICES (THE PUSH) THAT CAN BE FITTED TO THE TOP, BASE OR SIDE PANEL OF THE CABINET AND A DOOR PLATE.
- THE SYSTEM CAN BE USED WITH WOODEN OR ALUMINIUM FRAMED DOORS.





MAGIC PUSH TO OPEN HINGES & ACCESSORIES

NB! BASE PLATES SOLD SEPARATELY REFER TO BASE PLATES SELECTION. THE NUMBER IN THE DESCRIPTION INDICATES THE BASE PLATE USED.

ITEM 88 | 110° FULL OVERLAY PUSH OPEN
HINGE CLIP ON, NO. 3 | RIH1966
| OPTION WITH Ø8X10MM DOWEL
| RIH1969



ITEM 88 | 110° HALF OVERLAY PUSH OPEN
HINGE CLIP ON, NO. 3 | RIH1967
| OPTION WITH Ø8X10MM DOWEL
| RIH1970



ITEM 88 | 110° INSET PUSH OPEN HINGE
CLIP ON, NO. 3 | RIH1968
| OPTION WITH Ø8X10MM DOWEL
| RIH1971



BASE PLATES NO. 3




ITEM 82 | NO.3 WITH EURO SCREW H=6 | RIH1942




PUSH ACCESSORIES






ITEM 89 | MAGNETIC RELEASE DEVICE Ø10 | RIH1972





ITEM 89 | ADAPTER FOR RELEASE DEVICE | RIH1974





ITEM 89 | MAGNETIC PLATE ROUND | RIH1973

SPECIFICATIONS FOR ALL HINGES AVAILABLE AT WWW.RAIEL.COM OR ON CD · SUBJECT TO CHANGE WITHOUT NOTICE

110° Full Overlay Slide On Hinge With Base Plate Item 983 RIH519



110° Inset Slide On Hinge With Base Plate RIH523



Item 994 | Pie Cut Slide On Hinge With Base Plate RIH533



Item 997 90° Slide On Hinge With Base Plate RIH531



110° Half Overlay Slide On Hinge With Base Plate Item 985 RIH521



Item 989 165° Full Overlay Slide On Hinge With Base Plate Item 990 | 165° Half Overlay Slide On Hinge With Base Plate | RIH527



Item 995 45° Slide On Hinge With Base Plate RIH529



All TUTTi Hinges tested to quality standard ISO 9001:2000 • All technical information on page 165

CLIP ON HINGES

ITEM 984 | 110° FULL OVERLAY CLIP ON HINGE WITH BASE PLATE | RIH520



ITEM 989 | 110° INSET CLIP ON HINGE WITH BASE PLATE | RIH524




ITEM 986 | 110° HALF OVERLAY CLIP ON HINGE WITH BASE PLATE |RIH522



ITEM 991 | 165° FULL OVERLAY CLIP ON HINGE WITH BASE PLATE | RIH526





TISOFT CLOSING HINGES

ITEM 208 | 105° FULL OVERLAY SOFT CLOSE CLIP ON HINGE WITH BASE PLATE | RIH1888



ITEM 210 | 105° INSET SOFT CLOSE CLIP ON HINGE WITH BASE PLATE | RIH1890




All TUTTi Hinges tested to quality standard ISO 9001:2000 • All technical information on page 165

ITEM 209 | 105° HALF OVERLAY SOFT CLOSE CLIP ON HINGE WITH BASE PLATE | RIH1889



ITEM 1791 | 165° FULL OVERLAY SOFT CLOSE CLIP ON HINGE WITH BASE PLATE







Item 967 | 110° Full Overlay Slide On Hinge With Base Plate RIH490



110° Half Overlay Slide On Hinge With Base Plate Item 968 RIH494



Item 972 | 135° Pie Cut Slide On Hinge With Base Plate RIH659



Item 974 | Face Frame Slide On Hinge With Base Plate | RIH518



110° Inset Slide On Hinge With Base Plate Item 969 RIH498



Item 970 | 170° Full Overlay Slide On Hinge With Base Plate RIH502 Item 971 | 170° Half Overlay Slide On Hinge With Base Plate | RIH505



Item 973 | 45° Slide On Hinge With Base Plate RIH508



All **Clover Hinges tested to quality standard ISO 9001:2000

• All technical information on page 165





Clover Red Hinges - economical range

- economical
- slide on & available in Full, Half & Inset applications
- tested to 30000 openings







Item 1951 110° Inset Slide On Hinge With Base Plate | RIH1670



CLIP ON HINGES **Clover

ITEM 967 | 110° FULL OVERLAY CLIP ON HINGE WITH BASE PLATE | RIH1871




ITEM 988 | 90° CLIP ON HINGE WITH BASE PLATE | RIH1878



ITEM 972 | PIE CUT 135° CLIP ON HINGE WITH BASE PLATE | RIH1876





SOFT CLOSING HINGES **Clover



ITEM 1097 | 105° FULL OVERLAY SLIDE ON HINGE WITH BASE PLATE SOFT CLOSING | RIH1879



ITEM 1081 | 105° FULL OVERLAY CLIP ON HINGE WITH BASE PLATE SOFT CLOSING | RIH807



ITEM 1098 | 105° HALF OVERLAY SLIDE ON HINGE WITH BASE PLATE SOFT CLOSING | RIH1880


ITEM 1082 | 105° HALF OVERLAY CLIP ON HINGE WITH BASE PLATE SOFT CLOSING





ITEM 1083 | 105° INSET CLIP ON HINGE WITH BASE PLATE SOFT CLOSING | RIH809















Drilling detail for the 110 $^{\circ}$ Full Overlay & Half Overlay







180° Full Overlay








Drilling detail for the 180° Full Overlay & Half Overlay

















Drilling detail dor 45° hinge





Drilling detail for face frame





Item 1006 | Size |

Clover Drawer Runner - White & Black

300mm | RIH1576 350mm | RIH1577

400mm | RIH1578 | RIH1579 450mm | RIH1580

500mm | RIH1581



• Steel thickness is 0.7mm

• Load capacity is 10kg per pair

Available with dowels on request



Item 1006 | Size | Clover Drawer Runner - White


400mm | RIH566 450mm | RIH567 500mm | RIH568 550mm | RIH569





- Steel thickness is 0.9mm
- · Load capacity is 15kg per pair
- · Available with dowels on request









Item 960 UTA 45mm Full Extension Ball Bearing Slides

400mm RIH549 Size RIH550 450mm RIH551 500mm 550mm RIH552

bright silver

UTA

- Steel thickness is 1.0, 1.0mm, 1.2mm
- Load capacity is 35kg per pair on 450mm

Item 963 Clover 45mm Full Extension Ball Bearing Slides 250mm RIH1607 Size

300mm RIH1608 RIH1609 350mm 400mm RIH1610 450mm RIH1612 500mm RIH1613





- Steel thickness is 0.9, 0.9, 1.0mm
- Load capacity is 25kg per pair on 450mm

Item 962 Clover 35mm Full Extension Ball Bearing Slides Size

RIH1600 250mm 300mm RIH1601 350mm RIH1602 400mm RIH1603 450mm RIH1605 | RIH1604

RIH1606 500mm










• Steel thickness is 0.8, 0.8, 0.8mm

TRAVEL ±3


• Load capacity is 10kg per pair on 450mm



Drilling Detail For 45mm

| Α | | В | C | D | E | F | G | Н |
|-----|-----|-----|-----|-------|-----|-----|-----|-----|
| 300 | 300 | 128 | 224 | | | | 96 | 118 |
| 350 | 350 | 128 | 224 | | | 297 | 96 | 160 |
| 400 | 400 | 128 | 224 | 320 | | | 155 | 160 |
| 450 | 450 | | | FIG A | | | 160 | 192 |
| 500 | 500 | 128 | 224 | 320 | 416 | | 192 | 220 |
| 550 | 550 | 128 | 224 | 320 | 416 | 480 | 260 | 214 |

Drilling Detail For 35mm









ITEM 1695 | 45MM FULL EXTENSION BALL BEARING SLIDES, SOFT CLOSING

LENGTH

400MM | RIH589 450MM | RIH594 500MM | RIH593

- STEEL THICKNESS IS 1.2MM
- LOAD CAPACITY IS 35KG PER PAIR FOR 45MM, 450MM LENGTHS

• TESTED TO 50 000 OPENINGS

SOFT



Full Extension Ball Bearing Slides, Soft Close

Applications: Desk drawers, storage cabinets, kitchen cabinets, etc.

Features: Long slide travel. Close automatically.




DRILLING DETAIL

| SIZE | А | Α1 | A2 | В1 | B2 |
|------|-----|-----|-----|-----|-----|
| 400 | 398 | | 112 | 160 | 144 |
| 450 | 448 | 160 | | 160 | 176 |
| 500 | 498 | | 128 | 192 | 192 |

WOOD SCREW FIXING 6X16MM (P188)












CONCEALED SLIDES - SOFT CLOSING




孟黄 500

CONCEALED SLIDES - PUSH OPEN

Cabinet Internal Width

←21



SPACE REQUIREMENTS NL - NOMINAL LENGTH



96.5




UTA DOUBLE WALL

FEATURES

- · CONCEALED, FULL EXTENSION, SYNCHRONISED SLIDES
- FINISHES IN WHITE AND ANTHRACITE LIGHT OPENING AND CLOSING, SMOOTH SLIDING QUICK INSTALLATION AND EASY DISMANTLING
- INTEGRATED 3D FRONT PANEL ADJUSTMENT

• DYNAMIC LOAD CAPACITY: 30KG AND 50KG



UTA FULL EXTENSION DOUBLE WALL ITEM 1010

SOFT CLOSING SLIDE

WHITE 84 X 500MM | RIH2010 ANTHRACITE 84 X 500MM | RIH2480 . LOAD CAPACITY IS 30KG PER PAIR

ITEM 1014 | UTA FULL EXTENSION DOUBLE WALL

PUSH OPEN SLIDE

WHITE | 84 X 500MM | RIH2012 SIZE

· LOAD CAPACITY IS 30KG PER PAIR

ITEM 1017 | UTA FULL EXTENSION DOUBLE WALL

SOFT CLOSING SLIDE

WHITE | 84 X 500MM | RIH2014 SI7F

· LOAD CAPACITY IS 50KG PER PAIR

ITEM 1698 DRAWER FRONT DRILLING JIG


CODE | RIH6512


SOLD AS A SET, INCLUDING THE FOLLOWING:


- 1. SLIDES X 2
- 2. DRAWER SIDES X 2 (84M)
- 3. BACK FIXING BRACKETS LEFT AND RIGHT (84M)
- 4. FRONT FIXING BRACKETS X 2
- 5. UTA COVER CAPS X 2


INSTALLATION DIMENSIONS (MM) DRAWER INSTALLATION DIMENSIONS (MM) INSTALLATION DIMENSIONS (MM)

KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH / NL - NOMINAL LENGTH












DRAWER BACK AND BOTTOM DIMENSIONS (MM)

KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH / NL - NOMINAL LENGTH





SCREW POSITIONS OF THE SIDES (MM)



UTA DOUBLE WALL-ACCESSORIES

ITEM 1019 | FITTINGS FOR 135MM HIGH DRAWER -BACK FIXING BRACKETS AND RAILS | WHITE | 500MM | RIH2018

SOLD AS A SET




BACK FIXING BRACKETS LEFT AND RIGHT




LEFT AND RIGHT




DRAWER INSTALLATION DIMENSIONS



INSTALLATION DIMENSIONS



DRAWER BACK AND BOTTOM DIMENSIONS



KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH /

NL - NOMINAL LENGTH



ITEM 1020 | FITTINGS FOR 199MM HIGH DRAWER -BACK FIXING BRACKETS AND RAILS

| 500MM | RIH2020 WHITE 500MM | RIH2476 ANTHRACITE

SOLD AS A SET




BACK FIXING BRACKETS -LEFT AND RIGHT




LEFT AND RIGHT X 4


DRAWER INSTALLATION DIMENSIONS



INSTALLATION DIMENSIONS



DRAWER BACK AND BOTTOM DIMENSIONS



KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH / NL - NOMINAL LENGTH



SIZE

ITEM 1021 | FITTINGS FOR 199MM STEEL SIDE DRAWER -BACK FIXING BRACKETS AND RAILS | 500MM | RIH2022 | WHITE


• SOLD AS A SET




BACK FIXING BRACKETS -LEFT AND RIGHT




DRAWER INSTALLATION DIMENSIONS



INSTALLATION DIMENSIONS



RAIL SCREW FIXING



CUTLERY TRAY ORGANISER

- STAINLESS STEEL

FEATURES

- AN EFFECTIVE WAY TO STORE AND SEPARATE YOUR CUTLERY
- MANUFACTURED FROM HIGH QUALITY STAINLESS STEEL
- HYGIENIC AND CAN BE EASILY REMOVED FOR CLEANING

ITFM 1049 UTA CUTLERY TRAY D4 FINISH STAINLESS STEEL 500MM | RIH2053










UTA SLIM WALL-89 DRAWER SERIES

FEATURES

- EXTRA SLENDER SIDE PANEL, MAXIMIZING INTERNAL DRAWER SPACE
- COLOUR WHITE AND GREY
- FULLY SYNCRONISED MOTION, SMOOTH OPENING AND CLOSING
- QUICK AND EASY ASSEMBLY AND DISMANTLING
- HANDY 3D THREE DIMENTIONAL FRONT ADJUSTMENT
- DYNAMIC LOADING CAPACITY OF 40KG
- . OPTIONAL TILTING ADJUSTMENT



BASIC COMPONENTS







NL - NOMINAL LENGTH

SOLD AS A SET, INCLUDING THE FOLLOWING:

- 1. SLIDES X 2
- 2. DRAWER SIDES X 2 (89MM)
- 3. FRONT FIXING CLIPS LEFT AND RIGHT (89MM)
- 4. FRONT FIXING BRACKETS X 2
- 5. UTA COVER CAPS X 2

ITEM 786 UTA SLIM WALL 89


WHITE

ANTHRACITE

89 X 500MM | RIH2209 | 89 X 500MM | RIH2210


INSTALLATION DIMENSIONS (MM)

KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH NL - NOMINAL LENGTH




DRAWER INSTALLATION DIMENSIONS (MM)

SIZE



INSTALLATION DIMENSIONS (MM)


LW Internal cabinet width




DRAWER BACK AND BOTTOM DIMENSIONS (MM)

KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH / NL - NOMINAL LENGTH





SCREW POSITIONS OF THE SIDES (MM)






UTA SLIM WALL-121DRAWER SERIES

FEATURES

- EXTRA SLENDER SIDE PANEL, MAXIMIZING INTERNAL DRAWER SPACE
- . COLOUR WHITE AND GREY
- FULLY SYNCRONISED MOTION, SMOOTH OPENING AND CLOSING
- QUICK AND EASY ASSEMBLY AND DISMANTLING
- HANDY 3D THREE DIMENTIONAL FRONT ADJUSTMENT
- DYNAMIC LOADING CAPACITY OF 40KG
- . OPTIONAL TILTING ADJUSTMENT




BASIC COMPONENTS





SPACE REQUIREMENTS



SOLD AS A SET, INCLUDING THE FOLLOWING:

- 1. SLIDES X 2
- 2. DRAWER SIDES X 2 (121MM)
- 3. FRONT FIXING CLIPS LEFT AND RIGHT (121MM)
- 4. FRONT FIXING BRACKETS X 2

ITEM 786 UTA SLIM WALL 121

WHITE


ANTHRACITE

| 121 X 500MM| RIH2487 | 121 X 500MM | RIH2488

5. UTA COVER CAPS X 2


INSTALLATION DIMENSIONS (MM)

KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH NL - NOMINAL LENGTH




DRAWER INSTALLATION DIMENSIONS (MM)

SIZE




INSTALLATION DIMENSIONS (MM)




DRAWER BACK AND BOTTOM DIMENSIONS (MM)

KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH / NL - NOMINAL LENGTH



SCREW POSITIONS OF THE SIDES (MM)









UTA SLIM WALL - 185 DRAWER SERIES

FEATURES


SI7F

- EXTRA SLENDER SIDE PANEL, MAXIMIZING INTERNAL DRAWER SPACE
- COLOUR WHITE AND GREY
- FULLY SYNCRONISED MOTION, SMOOTH OPENING AND CLOSING
- QUICK AND EASY ASSEMBLY AND DISMANTLING
- HANDY (3D) THREE DIMENTIONAL FRONT ADJUSTMENT
- DYNAMIC LOADING CAPACITY OF 40KG
- OPTIONAL TILTING ADJUSTMENT


ITEM 787 | UTA SLIM WALL 185

• LOAD CAPACITY IS 40KG

BASIC COMPONENTS








SOLD AS A SET, INCLUDING THE FOLLOWING:


- 1. SLIDES X 2
- 2. DRAWER SIDES X 2 (185M)
- 3. FRONT FIXING CLIPS LEFT AND RIGHT (185M)
- 4. FRONT FIXING BRACKETS X 2
- 5. UTA COVER CAPS X 2

INSTALLATION DIMENSIONS (MM)


KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH NL - NOMINAL LENGTH



DRAWER INSTALLATION DIMENSIONS (MM)



INSTALLATION DIMENSIONS (MM)




DRAWER BACK AND BOTTOM DIMENSIONS (MM)

KB - CABINET WIDTH / LW - INTERNAL CABINET WIDTH / NL - NOMINAL LENGTH



SCREW POSITIONS OF THE SIDES (MM)




Drawer Damping System RIH1228 Item 1663


- Sold in pairs
- Supplied with 8 x 25mm and 8 x 16mm screws
- Technical data sheet inside packaging



on cabinet side board drawer upside 10.5 on cabinet side board 129 · • <u></u> •

Installation for Ball Bearing slide





Item 1177 SMOVE 6SNG RIH1171

- Insert Smove D006 at the centre of the top or the base panel of the cabinet
- For wood-based and alu-framed doors over 1600 mm height, it may be necessary to use two Smove, one to be inserted into the top and the second into the base panel of the cabinet
- Ø10 x 50mm Hole







| Delta Corner Joints | | | | |
|---------------------|---------------------|---|--------|--|
| 600mm | Espresso Black | | RWT500 | |
| 600mm | Mocha Dark Brown | ĺ | RWT501 | |
| 600mm | Cappuccino Brown | ĺ | RWT502 | |
| 600mm | Caramel Frappuccino | ĺ | RWT503 | |
| 600mm | Latté White | ĺ | RWT504 | |
| 600mm | Ice Aluminium Grey | ĺ | RWT505 | |
| 900mm | Espresso Black | I | RWT506 | |
| 900mm | Latté White | | RWT510 | |




Item 117 | **Delta End Trims** Size | 600mm | Latté

| 600mm | Latté White |
|-------|----------------|
| 600mm | Espresso Black |
| | |

| RWT515 | RWT511



| | Squareline | e R3 Corner Joint | |
|---|------------|--------------------|--------|
| Ì | 600mm | Espresso Black | RWT542 |
| | 600mm | Silver Vein | RWT641 |
| | 600mm | Cappuccino Brown | RWT544 |
| | 600mm | Mocha Dark Brown | RWT543 |
| | 600mm | Ice Aluminium Grey | RWT546 |
| | 600mm | Latté White | RWT545 |
| | | | |




| Delta T | loints | | |
|---------|--------------------|------|---|
| 600mm | Espresso Black | RWT5 | 2 |
| 600mm | Latté White | RWT5 | 2 |
| 600mm | Ice Aluminium Grey | RWT5 | 2 |
| | | | |



Item 1339 Size

| Squareline | R3 End Trim | | |
|------------|--------------------|---|--------|
| 600mm | Black | | RWT670 |
| 600mm | Espresso Black | İ | RWT594 |
| 600mm | Silver Vein | Ĺ | RWT671 |
| 600mm | Ice Aluminium Grey | Ĺ | RWT599 |
| 600mm | Mocha Dark Brown | Ĺ | RWT595 |
| 600mm | Latté Cream | Ĺ | RWT672 |
| 600mm | Latté White | j | RWT598 |
| | | | |

RWT675




| 8 Item 894 | Squarelin | e R3/4/6 T - Joint | |
|------------|---|---|--|
| ← Size | 600mm 600mm 600mm 600mm 600mm 600mm 600mm | Black Espresso Black Cappuccino Brown Mocha Dark Brown Caramel Frappuccino Biscuit Ice Aluminium Grey Latté White Silver Vein | RWT579 RWT578 RWT581 RWT580 RWT582 RWT661 RWT592 RWT583 RWT583 |
| | 900mm 900mm | Black Latté White | RWT585 RWT589 |

Item 893 | Size |

| Squareline | R4/6 | Comer | loint |
|------------|--------|--------|-------|
| Squarenne | N+1/ U | COITIE | JOHH |

900mm | Black

| Squarelin | e K4/6 Corner Joint | |
|----------------------------------|--|---|
| 600mm | Black | RWT567 |
| 600mm | Espresso Black | RWT566 |
| 600mm | Silver Vein | RWT622 |
| 600mm | Cappuccino Brown | RWT569 |
| 600mm | Mocha Dark Brown | RWT568 |
| 600mm | Caramel Frappuccino | RWT570 |
| 600mm | Ice Aluminium Grey | RWT590 |
| 600mm | Biscuit | RWT686 |
| 600mm | Latté White | RWT571 |
| 600mm | Latté Cream | RWT685 |
| 900mm 900mm 900mm 900mm | Black Espresso Black Mocha Dark Brown Caramel Frappuccino Latté White | RWT573 RWT572 RWT574 RWT576 |
| | 600mm 600mm 600mm 600mm 600mm 600mm 600mm 600mm 900mm 900mm 900mm 900mm | 600mm Espresso Black 600mm Silver Vein 600mm Cappuccino Brown 600mm Mocha Dark Brown 600mm Caramel Frappuccino 600mm Ice Aluminium Grey 600mm Biscuit 600mm Latté White 600mm Black 900mm Black 900mm Sepresso Black 900mm Mocha Dark Brown 900mm Caramel Frappuccino |



| Squarelin | e R6 End Trim | |
|-----------|---------------------|--------|
| 600mm | Black | RWT635 |
| 600mm | Espresso Black | RWT600 |
| 600mm | Silver Vein | RWT630 |
| 600mm | Cappuccino Brown | RWT602 |
| 600mm | Mocha Dark Brown | RWT601 |
| 600mm | Caramel Frappuccino | RWT603 |
| 600mm | Ice Aluminium Grey | RWT605 |
| 600mm | Latté White | RWT604 |
| 900mm | Black | RWT638 |
| 900mm | Espresso Black | RWT612 |
| 900mm | Cappuccino Brown | RWT614 |
| 900mm | Mocha Dark Brown | RWT613 |
| 900mm | Ice Aluminium Grey | RWT617 |
| 900mm | Latté White | RWT616 |



Item 892 | Sauareline R4 End Trim

| П | oquareiiii | e ka cha ilili | |
|---|------------|----------------|--------|
| ĺ | 600mm | Espresso Black | RWT554 |
| | 600mm | Latté White | RWT558 |




Steel Worktop Connector

145mm | RIH611 Size



| Item 119 | Squarelin | e R8 Corner Joint | |
|----------|-----------|---------------------|--------|
| Size | 600mm | Espresso Black | RWT533 |
| | 600mm | Mocha Dark Brown | RWT534 |
| | 600mm | Cappuccino Brown | RWT535 |
| | 600mm | Caramel Frappuccino | RWT536 |
| | 600mm | Latté White | RWT537 |
| | 600mm | Ice Aluminium Grey | RWT541 |





POSTFORM JOINERS - delta & squareline

Raiël postform joiners are made of aluminium, which is first pre-treated before been powder coated in various standard colours to match the most popular postform tops.

Joiners are used to cover up joints when tops are joined. Our range of joiners includes the DELTA range & SQUARELINE (R3, R4, R6).

There are various joiners to choose from.

- (CJ) corner joints used when two tops are joined in L-shape.
- (TJ) t-joints and/or used when two tops are joined in the length.
- (ET) end-trim, used on the ends of tops to finish off the top and give it a stylish look.

Please take note: The printed colour swatches on this page may vary to the actual colour sample.



COLOUR MATCH CHART

The swatches have been colour matched to the postform finishes marked 1 - 10, certain swatches have been matched with 1-3 options, client discretion applied































AVAILABLE FINISHES IN DELTA & SQUARELINE
















ice aluminium grev

DELTA JOINER CORNER JOINTS
























| Item 1326 | Stay Folding | Material | Zinc Plated Steel | Size | 152mm | RIH1267






Item 1327 | Stay Fiction Material | Zinc Plated Steel Size | 300mm | RIH1268





| Item 1325 | Stay Brake | Material | Zin Plated Steel | Size | 250mm | RIH1266







Item 857 Material

Knuckle Hinge (Pair)

Antique Brass ŘIH604 Antique Copper RIH603 RIH602 Bright Brass White RIH605



Item 1330 Material Finish: Material Finish:

Easy Fit Hinge 64 x1.2mm Matt Nickel Plated 64 x1.2mm | RIH1271 (Pair) Matt Brass 64 x1.2mm | RIH1272



Item 1333 | Material Size

Butt Hinge (Pair) Brass Plated 50mm | RIH1275



Item 1332 Material Size

Single Cranked Hinge (Pair) Yellow Zink 6mm Offset | RIH1274



Item 1335 Material

Cranked Hinge Yellow Zink RIH1277



Item 1331 Material Size

Flush Hinge Brass Plated 64mm Centre Pin | RIH1273



Item 1329 Material Size

Flush Hinge Yellow Zink 50mm | RIH1269



Item 1334 Material

Round Back Flap Hinge Brass Plated RIH1276



Item 1329 | Material Size

Easy Fit Hinge (Pair) Brass Plated 55mm | RIH1270



Item 1011 Material Size

Solid Brass Hinge Solid Brass | RIH606 12mm 14mm | RIH607



Item 1546 | Material Size

Hasp & Staple Brass Plated 75mm | RIH1393



Item 846 Material Size

Straight Barrel Bolt Brass 63mm | RIH713



Item 847 Material

Size

Straight Fush Bolt Nickel Plated Steel 70mm | RIH716



Item 845 Material Size

Necked Barrel Bolt Brass 63mm | RIH714



Item 848 Size

Neck Flush Bolt

Nickel Plated Steel 70mm RIH715 70mm Brass Plated Steel RIH1279



HARDWARE | LOCKS, BOLTS, CATCHES & ESCUTCHEONS

Item 852 Material

64mm Cupboard Lock & KEY

Brass

64mm | RIH717

Item 849 Material

Size

Striker Plate Brass Plated RIH718



Item 850 Plastic Lock Material

Plastic

Plastic Lock Brown

RIH720 RIH719 Key

Striker Plate White RIH721 Striker Plate Brown RIH722



Item 1347 Material

Escutcheon No 22, 23

Brass

No 22 No 23 RIH1284



Item 1307 Material

Size

Item 851

Item 856

Escutcheon

Plastic Black RIH1262

RIH1261 Gold RIH1260 Brown



RIH732

RIH733





Camlocks

D19 x L20mm Camlock with 33mm Notch Item 842

Chrome Plated | RIH726

Item 843 D19 x L25mm Camlock with 33mm Notch

Brass Plated RIH771 RIH727 Chrome Plated

D19 x L30mm Camlock with 33mm Notch Item 844

Brass Plated RIH728 Chrome Plated RIH729

* All above are key different

* General Master Key available on request

Item 927 Pedestal Lock Set

> Chrome Plated Lock Lock Bar, 3m

Lock Pin, 45mm RIH734 Lock Nut RIH811 Lock Pin, 16mm RIH735

Lock Set - 3 Draw 600mm * Master Key J11 available on request



Item 932

Pushlock Size D19 x L23mm

RIH730



Item 841 Material

Cabinet Lock

Brass Plated RIH724 Chrome Plated RIH725

* All above are key different



Item 873

Double Touch Magnetic Door Catch

RIH645

Steel Plate Item 875

45 x 13 x 15mm | RIH723 Size





Item 876 Single Touch Magnetic Door Catch

RIH642 Steel Plate Inc.



Item 874

Single Magnetic Catch

RIH643 Brown

RIH644 White

Item 875 Steel Plate

45 x 13 x 15mm | RIH723 Size



Item 853

Double Roller Catch RIH711

Antique Brass Zink

RIH612



Item 855

Cupboard Rooster Catch

Nickel Plated Steel | RIH712

Brass Plated Steel RIH1281





Plinth & Components Item 821 80mm | Plinth, 3.95m RIH1884 100mm Plinth, 3.95m RIH1867 RIH2481 150mm | Plinth, 3.95m RIH660 RIH2482 Item 822 | 80mm | Flexible Corner RIH1886 100mm | Flexible Corner | RIH1869 | RIH2483 150mm | Flexible Corner | RIH737 | RIH2484

Item 918 | 80mm | Aluminium Angle Corner | RIH1885 100mm | Aluminium Angle Corner | RIH1868

150mm | Aluminium Angle Corner | RIH736

Flexible Corner













Plastic corner

Clips

Item 817 Base Clip For Board Plinth RIH828 Item 820 Y-Clip Used With Aluminium Plinth | RIH792





Base clips & Y clips sold seperately

Item 818 Size

Base Adjuster Without Dowel

80mm Black | RIH1887 Black | RIH829 100mm 150mm Black | RIH831

• 120kg per adjuster







Item 818 Size

Base Adjuster Virgin White 150mm | Virgin White | RIH1658


• 180kg per adjuster




Side Leveler With Adjuster Size Side Leveler RIH1704 Key for Side Leveler | RIH1705

• 100kg per adjuster







Plinth systems & vents

PLINTH

VENTS


The aluminium plinth & vent system provides a visually harmonious finish with unrestricted functionality. the flat louver blades create a high-tech look, while the intelligent technology ensures high - tech functionality and optimum air circulation. heights can be customized.

SYSTEM &

Benefits:

- · High quality aluminium design
- · Adjustable height and length
- · Can easily be connected to the kitchen base feet






ITEM 1747 MIDDLE RAIL 980 015 MATERIAL ALUMINIUM RIH2378 | RIH2379 5 M









ITEM 1807 | RIH2461 | 530 097



J


ADD TO CUSTOMISE






anodised

107 SF stainless






SLIDE FIXING INTO 530 077

THEN SLIDE Y-CLIP IN 530 097

BRACKET FIX LEFT OR RIGHT 530 087 ITEM 1755 MATERIAL PLASTIC RIH2384

> BRACKET FIX CENTRE 530 077 PLASTIC RIH2385










107 SF 101 natural stainless anodised steel finish



Ø6



| Item 783 Oval Cupboard Rail Aluminium & Plastic 5m Oval Aluminium Cupboard Rail PCR103 0.6m L = 0.568m PCR105 0.9m L = 0.860m PCR102 1.2m L = 1.160m PCR100 1.5m L = 1.460m PCR104 Oval Rail Holder - Plastic PCR141 Oval Rail Holder - Matt Chrome PCR134 Oval Middle Support - Matt Chrome PCR134 | Item 783 |
|---|-----------------------|
| 000 | |
| Oval Rail | 15mm Rail Chrome Rail |

Item 802 Material

Fascia Bracket Plastic White | RIH678



Item 800 Material

Mounting Bracket Plastic White | RIH679



Item 792 Material

Corner Bracket Plastic White | RIH680

•pack of 50



Item 798 Material

Single Mount Bracket Plastic

White | RIH684 • pack of 50



Item 794 Material

Double Mounting Bracket Plastic

RIH681 White RIH682 Brown RIH683 Oak

• pack of 100



Item 801 Material

Fascia Bracket Steel

White | RIH685



Item 805 Material

Mounting Bracket Steel White | RIH686




Item 803 Material

L Bracket Steel White | RIH687



Item 1557 Material

Small Mounting Bracket Steel White Epoxy | RIH1320



HARDWARE | FIXING BRACKETS & SUPPORTS




Item 1388 | Material

Flat Plate Steel

White Epoxy | RIH1286



Item 1288 | Triangle Hanging Plate Steel Material Galvanised | RIH1235



Hanging Plate Item 1384 | Material Steel


62mm | 3 Hole | RIH1285 Size



Item 1287 Material Size

Fixing Plate 4 Holes Steel

40 x 50 x 1.6mm Galvanised | RIH1234



Item 804 Material

Z-Bracket Steel RIH688



Item 790 Size

Glass Surface Clip 3mm | RIH709 • pack of 50



Item 808 Size

Rebate Glass Clip 7mm | RIH710 • pack of 50



Size


Item 1399 | Mirror Corners Small STD Nickle Plated | 6mm | RIH1293



Size

Mirror Plate

Item 1389 | 32mm | Brass | RIH1287



Item 5026 |

Nail In Shelf Support White | RIH624

•pack of 1000



Item 798 Size

5mm | Clear | RIH627 5mm | White | RIH628

• pack of 1000

Shelf Support



Item 778

Alloy Board Support Nickel Plate RIH633

• pack of 100



Ø5mm

Item 797

Nail in Plastic Glide White | RIH638 | Ø14mm Brown RIH637 Ø16mm

• pack of 500



Item 796

Zinc Glass Support with Item 806 5mm Nylon Suction

RIH623

• pack of 100



RIH632 • pack of 100



Metal Support Nickel Plated Item 807

RIH631 • pack of 100

Centre Shaft Support



Item 1416 |

Shelf Studs Brass Plated Stud

RIH1294 Brass Plated Socket | RIH1298



Item 861 Size

Hole Cover Cap 5mm | RIH1227 | Black

• pack of 100



Ø5mm

Item 779

Stick-On Door Bumpers RIH617

sheet of 50



Item 115

Drill-In Door Bumpers 5mm | RIH697


• pack of 100




Ø5mm


















Item 1391 Modesty Block Material Plastic White RIH1291 Oak RIH1299









1000

RSP009


Support Bracket

Black | 70x70x50mm | RIH1627

Steel

Item 1802


Material



100 500 M4x20 ON REQ RSP007 M4x22 ON REQ RSP006

Item 1541/2 | Machine Screws

RSP014 RSP008 M4x25 ON REQ RSP010 RSP003 M4x30 ON REQ RSP011 RSP004 M4x35 ON REQ RSP012 M4x40 ON REQ RSP005 RSP013




HARDWARE | SCREWS & RUMBER NUTS



Item 1880 Machine Screw M6 x 50 M6 x 50mm | RIH1589 Size • pack of 1000








Item 1880 | Size

Machine Screw M6 x 10 M6 x 10mm | RIH1569

• Use with Office Desking • pack of 1000









Size

Item 1880 | Bolt for Leg M6 x 15 | M6 x 15mm | RIH1835








Size

Item 1880 | Bolt for Leg M8 x 15 | M8 x 15mm | RIH1836











Item 1801 | Size

Rumber Nuts M10 x 25 M10 x 25mm | RIH1621 | necked*

• Drill Ø13mm hole









Item 1642 | Size

Rumber Nuts M8 x 20 M8 x 20mm | RIH1448 | full thread**

• Drill Ø11mm hole









Size

Item 1880 | Rumber Nuts M8 x 13

• Drill Ø10mm hole









Item 1641/39 | Rumber Nuts (2 sizes) Size

| RIH1447 | full thread** M6 x 17mm M6 x 20mm RIH1445 | necked*

• Drill Ø8mm hole








Size


Item 1640 | Rumber Nuts M6 x 10 M6 x 10mm | RIH1446 | full thread** M6 x 13mm | RIH1453 | necked*

• Drill Ø8mm hole












Size


Item 1874 | Euro Screws

6 x 13mm | RIH1392 • Use with runners and slides





| Item 774 Size | Countersink Pozi Screws 3mm (no4) x 12 3mm (no4) x 16 | 100 On Req On Req | 500 RSC050 RSC054 | 1000 RSC049 RSC053 |
|--------------------|---|---------------------------|---------------------------------|--------------------------|
| | 3.5mm (no6) x 16 | ON REQ | RSC025 | RSC024 |
| | 3.5mm (no6) x 25 | ON REQ | RSC034 | RSC033 |
| | 3.5mm (no6) x 30 | ON REQ | RSC038 | RSC037 |
| | 3.5mm (no6) x 40 | ON REQ | RSC042 | RSC041 |
| | 3.5mm (no6) x 50 | ON REQ | RSC046 | RSC045 |
| | 4mm (no8) x 16 | ON REQ | RSC062 | RSC061 |
| | 4mm (no8) x 25 | ON REQ | RSC187 | RSC069 |
| | 4mm (no8) x 30 | ON REQ | RSC074 | RSC073 |
| | 4mm (no8) x 35 | ON REQ | RSC186 | ONREQ |
| | 4mm (no8) x 40 | ON REQ | RSC082 | RSC081 |







Size

Size

Item 772 | Dry Wall Screws

6mm x 28/500 Unit Pack 6mm x 28/1000 Unit Pack RSC183 RSC182

6mm x 41/500 Unit Pack RSC016 6mm x 41/1000 Unit Pack | RSC015 Item 773 |

Pozi Bits No 1 x 25mm (for no 4) No 1 x 50mm (for no 4) RSC002 RSC003 Size No 2 x 25mm (for no 6 & 8) RSC004

No 2 x 50mm (for no 6 & 8)

Item 630 | Square Head Bits

No 1 x 25mm (for no 6) No 1 x 50mm (for no 6) RSC173 RSC174 No 2 x 25mm (for no 8) RSC175 No 2 x 50mm (for no 8) RSC176









RSC005

Item 904

Size

Lamello Beech No 20 | RIH739 Beech No 10 | RIH833

• pack of 1000



Item 630 | Magnetic Holder for Bits

RSC018



Item 882 | 11m Euro Screw RIH773

· Use with hinges



Item 903 | Beech Dowels Size

Ø8 x 30mm | RIH608

Ø8 x 40mm | RIH609

• pack of 1000



Item 774 | Director Screw

Size

6 x 50mm (100 per pack) ON REQ 6 x 50mm (1000 per pack) RSC190

RSC189 6 x 50mm (each)



Item 1308 Nail in Wall Anchors 6 x 70mm Size

| RIH1263 RIH1264 6 x 55mm



Item 809 Size


| Hinge Hole Cover Cap

35mm

White RIH698 Oak RIH699







ADHESIVE HOLE COVERS - Ø14/20mm

The easiest way to cover exposed screw heads is with Raiël adhesive hole covers. These covers are available in the standard melamine colours. Cover unsightly holes, to apply-just peel and stick.

Ø14mm






Ø14mm to cover up chipboard screws or nail heads

FEATURES

- PROVIDES DURABLE, ATTRACTIVE COVERAGE FOR SCREW AND NAIL HOLES.
- COVERS ADHERE EASILY TO THE CASE MATERIAL WITH NO ADDITIONAL GLUING OR CLEAN UP.
- SCREW AND NAIL HOLES BECOME VIRTUALLY INVISIBLE.
- COVERS ARE EASY TO CUT TO FIT SIDES AND CORNERS TO COVER ONSITE DINGS.





Ø20mm to cover up larger holes or KD cam's





Item 781 | ADHESIVE HOLE COVERS SIZE | Ø14MM

RIH2400 36 PER SHEET NO.1 RIH2402 36 PER SHEET NO.2 RIH2404 36 PER SHEET NO.3 RIH2406 36 PER SHEET NO.4 RIH2408 36 PER SHEET NO.5 RIH2410 36 PER SHEET NO.6 RIH2412 36 PER SHEET NO.7 RIH2414 36 PER SHEET NO.8 RIH2416 36 PER SHEET NO.9 RIH2418 36 PER SHEET NO.10 RIH2420 36 PER SHEET NO.11 RIH2422 36 PER SHEET NO.12 RIH2424 36 PER SHEET NO.13

SUPER WHITE **FOLKSTONE GREY** ALUMINIUM STORM GREY CAPPUCCINO **BLACK CHERRY** NORDIC ICE SAHARA NATURAL OAK VANCOUVER MAPLE COIMBRA FSPFRANZA OAK

VERZASCA OAK

RIH2426 36 PER SHEET NO.14 RIH2428 36 PER SHEET NO.15 RIH2430 36 PER SHEET NO.16 **RIH2432** 36 PER SHEET NO.17 **RIH2434** 36 PER SHEET NO.18 RIH2436 36 PER SHEET NO.19 **RIH2438** 36 PER SHEET NO.20 **RIH2489** 36 PER SHEET NO.21 RIH2490 36 PER SHEET NO.22 **RIH2491** 36 PER SHEET NO.23 **RIH2492** 36 PER SHEET NO.24 **RIH2493** 36 PER SHEET NO.25

LANZA OAK MONUMENT OAK CADBURY OAK AFRICAN WENGE AMERICAN WALNUT **BURGAN MAHOGANY** SUPER BLACK PETROL BLUE COTTON* **DUNBLANE GREY*** KALAPANA* CARA7*

The printed colours on this page may vary, to the actual colour sample, request a brochure or colour sample to match.







no.2




















































RIH989 15 PER SHEET RIH991 15 PER SHEET RIH993 15 PER SHEET RIH982 15 PER SHEET RIH995 15 PER SHEET RIH997 15 PER SHEET RIH987 15 PER SHEET RIH1107 15 PER SHEET

BOX 900 RIH990 **BOX 900 RIH992 BOX 900 RIH994 BOX 900** RIH983 **BOX 900 RIH996 BOX 900 RIH998 BOX 900 RIH988** BOX 900 RIH1109 WHITE **BLACK** ASH/MAPLE OAK CHERRY MAHOGANY **BEECH ALUMINIUM**







Black

Mahogany





Beech








The RAIËL OFFICE DRAWER is a durable and stylish solution for office furniture. The drawer is available with clip-in euroslide or a ball bearing slide option. Standard runners and ball bearings are able to fit on the drawers and can be done upon request. Drawers are black epoxy coated.


Load capacities: Euro Slide: 10 - 25kg / Ball Bearing Slide: 15 - 35kg

Raiël Drawers

Drawer front drilling detail



Internal Cabinet Detail





DrawerAccessories

| ITEM 1393/599

OFFICE DRAWER

Material | metal Size | 363 x 400mm

inc. ball bearings - each RIH2308
inc. ball bearings - pack of 10 RIH1849
min. internal cabinet depth 420mm






OFFICE DRAWER | ITEM 1394/597

Material | metal

Size | 363 x 400mm | inc. drawer slides - each | RIH2307 | inc. drawer slides - pack of 10 | RIH1851 | min. internal cabinet depth 420mm







Made to Order Products (MTO) - non standard drawer widths available on request.
















FILING DRAWER SUPPORT BRACKET

| ITEM 1803 | RIH1620






ADJUSTABLE STATIONARY TRAY | ITEM 320

Material | plastic

| 333-460 x 235 x 27mm | 602 - black | RIH2172 Size Finish

























MODESTY PANELS AND SCREENS PROVIDE A STYLISH ADDITION TO YOUR DESK OR WORKSTATION. THEY ENHANCE PRIVACY AND CAN BE USEFUL FOR CONCEALING UNDER DESK WIRING AND EQUIPMENT, WITHOUT COMPROMISING THE AESTHETIC APPEAL OF YOUR OFFICE ENVIRONMENT. MODESTY PANELS AND SCREENS ARE GREAT FOR PROMOTING A TIDY VISUAL APPREARANCE TO YOUR WORKPLACE AND CAN OFFER SUBTLE DESIGN ENHANCEMENTS TO















GENTLEMAN CLAMP


Material | zink

for 16mm board Size

| 1103 - silver powder coat | RIH2145 Colour

| ITEM 302









PARTITION CLAMP

Material | steel Finish | 1101 - grain white

ACCESSORY


Size | for 16mm board Finish| 104 - chrome

| ITEM 309

| RIH2146

| ITEM 312

| RIH2147










Finish 1103 - silver powder coat | RIH2141





| ITEM 293



| ITEM 1637



MODESTY PANEL BRACKET


Material | metal

Finish 1103 - silver powder coat

Code without support


















| ITEM 295









PARTITION CLAMP SURFACE MOUNT PJ22

Material | zink


Material | zink





OFFICE PARTITION BRACKET | ITEM 349





RECTANGULAR SCREEN BULLET

Material | zink

Finish | 103 - brush nickel

102 - matt chrome

GRUB SCREW M5 - for glass

Material | metal Finish | nylon tip | ITEM 1636 | RIH1437

| ITEM 1636 | RSC197

| ITEM 1620

| ITEM 1619

RIH1438




RECTANGULAR SCREEN BULLET FIXING BRACKET | ITEM 1633

Material | steel

Finish | 1103 - silver powder coat | RIH1439

• fixing brackets which can fit the screen bullet







Material | metal

140 x 44mm Size

| 1103 - silver powder coat | RIH1442 Finish



2 FIXING PLATE

Material | metal

140 x 140mm

Finish | 1103 - silver powder coat | RIH1441




3 WIRE BASKET FIXING BRACKET | ITEM 1617


Material | metal Size 86mm

Finish

130mm

RIH1436 | RIH1626 | 1103 - silver powder coat











OFFICE WORM | ITEM 10

Material | ABS

Size 700/1100mm maximum

602 - black | RIH1710 1103 - silver powder coat | RIH1711











Material | Plastic

120 x 50mm Size Finish 602 - black 605 - silver

RIH2175 RIH2176

| ITEM 326











WIRE FIXING STRIP

Material | ABS

500 x 20mm Size

1102 - grain black

| ITEM 10 RIH1712



Material | ABS

120 x 50mm Size Finish | 1102 - grain black | RIH1713

• pack of four

| ITEM 10









CABLE MANAGEMENT


Material | plastic

300 x 110 x 30mm Size Finish

| 605 - silver



| ITEM 268






CABLE MANAGEMENT

Material | plastic


Size 344 x 124 x 29mm

Finish 605 - silver | ITEM 274

| RIH2135







PLASTIC CABLE BOX

Material | plastic Size 250 x 105mm


Finish 605 - silver/clear flap

| RIH2129 601 - white RIH2131 602 - black RIH2130

605 - silver







PLASTIC CABLE BOX

Material | plastic 78 x 78mm Size

Finish | 605 - silver/clear flap | RIH2134

| ITEM 272

| ITEM 278

RIH2136


RIH2137

RIH2138

| ITEM 265

RIH2132

605 silver / clear flap





DESKTOP PENCIL CASE

Material plastic Size

294 x 120 x 28mm 601 - white Finish


602 - black 605 - silver


601 white











PLASTIC CABLE BOX - SQUARE

Material aluminium Size 80 x 80mm 605 - silver Finish

| RIH2158

| ITEM 340



PLASTIC CABLE BOX - ROUND


Material | plastic Size Ø80 x 80mm Finish 601 - white

| RIH2159

| ITEM 343







SQUARE WIRE MANAGEMENT

Material | plastic Size 80 m m Finish


605 - silver

605 silver

| ITEM 1558

| RIH1028





SQUARE WIRE MANAGEMENT

Material | plastic Size 80 m m Finish 602 - black

| RIH1315

| ITEM 1503

| RIH1313

RIH1311

RIH1312

| ITEM 1555




WIRE MANAGEMENT

Material | plastic/zink Size Ø80mm Finish . | 103 - BSN/zink

601 - white 602 - black

601 white 602 black





Ø87

PLASTIC ROUND WIRE MANAGEMENT | ITEM 921


Material | plastic Ø60mm Size Finish| 602 - black

RIH646

















WIRE BASKET FIXING BRACKET | ITEM 1617

Material

86mm x 1200mm* |RIH1420 |RIH2390 Size 130mm x 1200mm* |RIH1625 |RIH2391 350mm x 1200mm** | RSR022 | RIH2392



| ITEM 1392

RIH2111

RIH2112



WIRE BASKET BEAM Extras | including fixing bracket | length - 550mm* Size length - 850mm* length - 1200mm*

* includes 2 clips

| 1102 - grain black

RIH2113





Finish 1200 / 850 / 550






WIRE BASKET FIXING BRACKET

Material Size 86mm

130 m m Finish



| ITEM 1617

RIH1436 RIH1998 RIH1626 | RIH1999





EXTRA BASKET CLIPS

Material | metal

| ITEM 1617 RIH1421



Optional extra, use 70mm Straight Flush Bolt for eacy access.

ITEM 847 | straight flush bolt | RIH716

- TWO STANDARD versions available
- ATTACH EASILY to the underside of the work surface
- PROTECTS your computer suspending your CPU off the floor protects it from bumps and dust
- TRAVELS with your desk this is especially important when using height adjustable desks
- MAXIMIZE available space underneath desking
- AVAILABLE FINISHES














CPU HOLDER | ITEM 1530 Features | Attaches to underside of work surface Minimum - maximum height = 280 - 460mm Minimum - maximum width = 155 - 220mm Material | powder coated steel MOQ 1101 - grain white **RSN**023 Finish 1102 - grain black **RSN**024 1103 - silver powder coat | RSN025



CPU HOLDER WITH ADJUSTABLE STRAP

| 1101 - grain white

Material | powder coated steel

Finish


Features | Attaches to underside of work surface

CPU fixed in place by adjustable black strap

MOQ

RSN026


RSN027



| ITEM 1537

| 10













Main Frame Ventilation

Material | ABS

102 x 362mm Size Finish| 1101 - grain white

606 - grey RIH2155 1103 - silver powder coat | RIH2156


| ITEM338


1101 grain white RIH2154














Aluminium Airvent

Material | ALUMINIUM Size 400 x 80mm

Finish 1103 - silver powder coat | RIH1108

| ITEM 791







Material | Plastic

225 x 65 x 10mm Size Finish 603 - brown 605 - silver

70mm Round Airvent

Material | Plastic 70mm Size Finish | White

| ITEM 1131

| RIH1186 RIH1120


| ITEM 791

| RIH708














DESKTOP FLAT CONNECTOR | ITEM 332

Material | ABS

Size | 160 x 16 x 50mm

Finish | black | RIH2153














MODESTY BLOCK

| ITEM 1391

Size Finish

| 30 x 10 x 10mm | white oak


| RIH1291 | RIH1299











EXPANDING BASE LEVELER


Material | plastic and metal Size

Ø50mm

| ITEM 1806

| RIH1619





M8 BASE LEVELER


Size

Material | plastic and metal Ø38mm

| ITEM 1804

| RIH1617






M6 BASE LEVELER

| ITEM 1805 Material | plastic and metal Size Ø20 x 6mm

| RIH1618





M8 BASE LEVELER SWIVEL

Material | plastic and metal Size Ø39mm

| ITEM 1395

| RIH1010

BASE LEVELER M6 X Ø21mm Feature | ncluding M6 insert


Material | plastic and metal Size Ø21mm

| RIH1416

| ITEM 1666











TOP & BOTTOM TRACK

Material | plastic

3.45m size Code Brown

Oak White

RIH701 RIH702 RIH1246

| ITEM 922

Item 1032 Size

| Contact Adhesives 250ml | RKW351 500ml RKW352



Item 1038 Size

Universal Silicone

RKW160 260ml Clear RKW161 260ml White 260ml Black RKW162 260ml | Grey RKW163

- Universal silicone is a multi-purpose, ready-to-use sealant with a very good adhesion to non-porous surfaces.
- Application: To seal and bond glass, kitchen assemblies and wood.



Item 1039 Size

| Acrylic Sealant

260ml | White | RKW164

- Acryl-W is a plastic sealant for interior and exterior use, based on acrylic emulsion with a good adhesion to many materials. Paintable with emulsion paints.
- Application: For sealing cracks and joints where moderate amount of movement can occur.



Item 1044 Size

Woodflex Sealant

280ml | Oak RKW170 280ml | Beech | RKW171

- Woodflex is a non-silicone-based wood sealant for use on wooden floors and timber.
- For filling cracks and joints in timber products. This acrylic-based product is sandable and can be coated with most commercial coatings.



Item 470 Size

Marine Shine Polish

| RIH278 75ml

• Marine Shine polish is the perfect product to clean and remove surface rust from stainless steel products



Item 1040

| Sealant Application Gun Chrome | RKW165



PRODUCT FINISHES

METAL FINISHES



natural

NΑ





103 BSN brushed



chrome



PN

polished

nickel



steel



stainless steel

finish

108 PB polished

brass



BN

black

nickel





polished

copper



ВВ

brushed

brass



brushed

bronz

ANTIQUE CLASSIC FINISHES



ΔR

antique

202 AC antique



203 ΔN antique nickel











207 MBS matt brass

RUSTIC WOOD FINISHES





302 sanded oak light

sanded oak

WOOD FINISHES











beech



mdf raw



wenge









412 sky grey

POLYESTER FINISHES



white











pink

PLASTIC FINISHES



601 white



602 black



603 brown



604 oak

CRYSTAL FINISHES



801 crystal

POWDER COATED FINISHES: JOINERS



901 espresso black



902 mocha dark brown



903 cappuccino brown



904 caramel frappuccino



905 ice aluminium grey



906 latté white



black



908 silver vein



909 biscuit



latté

cream

POWDER COATED FINISHES: HANDLES



1001 gloss white



1002 gloss black



1003 silver



1004 matt grey



black

1005 matt

1006

saddle

wood

POWDER COATED FINISHES: DESKS|LEGS











silver powder coat



| - | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| - | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



